AUTOMOTIVE TRACTOR & MARINE









Automotive Catalog

Automotive Bulbs & Fuses		Auto Sealers & Adhesives	
Automotive Bulbs	K-1	Gasket Makers	K-68
Automotive Fuses	K-2	Rearview Mirror Adhesive	K-73
Automotive Fuses Accessories	K-8	All Purpose Sealer / Adhesive	K-73
Wheel and Jack Equipment		Fitting Compound	
Tire Repair	K-9	Thread Lockers	K-73
Tire Valves & Caps	K-11	Undercoater	K-74
Tire Gauges	K-12	Fuel Cans & Funnels	
Lug Wrench	K-12	Fuel Cans	K-75
Jacks	K-13	Spill Proof Spouts	K-78
Towing & Trailer Supplies		Siphon Pumps	K-79
Bungee Cords	K-16	Fuel Lines	
Rubber Cords		Fuel Transfer Pumps / Accessories	K-80
Trailer Lights / Wiring	K-19	Funnels / Oil Drain Pans	
Trailer Balls / Accessories		Lubricants / Grease Fittings	
Trailer Couplers & Pins	K-24	Grease Gun / Fittings	K-83
Trailer Ball Mounts		Aerosol / Liquid Lubricants	K-86
Ratchet Winches Accessories	K-30	3-In-One Oil	K-97
Straps & Tie Downs	K-30	Lock Lubricants	K-99
Stake Pockets	K-37	Pump Oilers	K-100
Car & Truck Accessories		Tractor Parts	
Truck Tool Box	K-37	Tractor Pins & Connectors	K-101
Truck Bed Bag Liner	K-38	Roller Chains & Links	K-121
Automotive Cleaning Supplies		Hydraulic Components	K-124
Rain-X	K-38	Disc Harrow Bearings	K-126
Wax & Car Wash	K-38	Filters	K-126
Chamoia	K-39	Miscellaneous Tractor Parts	K-127
Cleaners / Brushes	K-39	V-Belts & Pulleys	
Oil - Dry	K-48	Single Groove Pulley	K-127
Headlight Restoration	K-49	V-Belts	K-128
Oil & Grease		Belt Dressing	K-132
Funnels / Oil Drain Pans	K-50	Portable Shelter / Garage	
Motor Oil	K-50	Portable Shelter / Garage	K-132
Transmission Fluid	K-52	Hand Cleaners	
Brake Fluid	K-53	Gojo	K-132
Gear Oil	K-53	Scrubbing Wipes	K-134
Tractor Fluid	K-54	Paint Remover	K-135
Hydraulic Fluid	K-55	Fiberglass & Fillers	
Fuel Additive Treatment	K-56	Fiberglass Resin Mats & Cloths	K-136
Washer Fluid	K-59	Hardeners & Spreaders	K-137
Power Steering Fluid	K-60	Fillers	K-137
Starting Fluid	K-60	Fiberglass Repair Kit	K-138
Battery & Radiator Care		Automotive Refrigerant & Equipment	
Battery Post Lugs & Accessories	K-61	Refrigerant & Leak Sealant	K-139
Battery Cables	K-62	Refrigerant Charge Tools	K-139
Battery Chargers / Testers	K-63		
Antifreeze / Coolant	K-66		

Radiator Sealant / Tester..... K-67

Auto Bulbs

Auto Bulbs



Auto Bulf-Snap In



- Victor brand
- Turn signal, stop, tail, or parking light bulb
- Wedge base, double contact
- 12.8/14.0 volts
- 2.1/0.48 amps

Revison: Mar 2016

- Previously sold as #V3057
- One bulb

• One built			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10000939			
AUTO BULB SNAP IN			
V-3057			
7-77231-03057	С	CG	CA
10000939			
AUTO BULB SNAP IN			
V-3156			
7-77231-03156	С	CG	CA
10000939			
AUTO BULB SNAP IN			
V-3157			
7-77231-03157	С	CG	CA

Clear Lens Repair Tape



This Victor clear lens repair tape repairs cracked or broken headlight or backup light casings or other clear plastic casings.

- 1.875-inch x 5-feet
- Temporary Repair

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10001200			
LENS REPAIR TAPE CLEAR			
22-5-00310-8			
7-77231-00310	С	EA	CA

Amber Lens Repair Tape



This Victor amber lens repair tape fixes cracked or broken back up rear lights or other amber plastic casings.

- 1.875-inch x 5-feet
- Temporary Repair
- Previously sold as V308

Treviously sold as visos			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10001201			
LENS REPAIR TAPE AMBER			
22-5-00309-8			
7-77231-00309	С	EA	CA

Red Lens Repair tape



This Victor red lens repair tape fixes cracked or broken back up rear lights or other red plastic casings.

- 1.875-inch x 5-feet
- Temporary Repair
- Previously sold as V308

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10001202			
LENS REPAIR TAPE RED			
22-5-00308-8			
7-77231-00308	_	EA	CA

Halogen Headlight Bulb 12-Volt 55-Watts



Halogen headlight bulb fits many makes and models of cars including Acura MDX, Audi A6, BMW M3, Chevorlet Avalanche, GMC Envoy, Honda Accord, Honda Civic, Mazda Miata, Nissan Titan, Saturn Vue, and Toyota Camry.

- Part #9006
- Clear lamp
- 55 watts (low beam)
- Meets DOT standards
- Previously sold as V9006

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

10001203			
HALOGEN HEADLIGHT BULB			
22-5-09006-8 12V/55W			
7-77231-09006	С	EA	CA

Halogen Headlight Bulb 12-Volt 65/45-Watts



Halogen headlight bulb fits many makes and models of cars including Infiniti I30, Nissan Frontier, Volkswagen Passat, and many more.

- Part #9004
- Clear lamp
- 12 volts
- 65 watts (high beam), 45 watts (low beam)
- Meets DOT standards
- Previously sold as V9004

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10001204			
HALOGEN HEADLIGHT BULB			
22-5-09004-8 65V/45W			
7-77231-09004	С	EA	CA

Halogen Headlight Bulb 12-Volt 65/55-Watts



Halogen headlight bulb fits many makes and models of cars including Chrevrolet Equinox, Dodge Durango, Dodge Dakota, Ford Explorer, Hummer H2, Jeep Liberty, Lincoln Navigator, Mitsubishi Montero Sport, Nissan Altima, and Saturn Ion.

- Part #9007
- Clear lamp
- 65 watts (high beam), 55 watts (low beam)
- Meets DOT standards
- Previously sold as V9007

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10001205			
HALOGEN HEADLIGHT BULB			
22-5-09007-8 65V/55W			
7-77231-09007	С	EA	CA

Auto Bulb



- Victor brand
- Dome, map, courtesy, or indicator light bulb
- 12.8 volts
- 0.94 amps
- Single contact
- Replaces model #93, 105
- Previously sold as #V1003
- Two bulbs per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
10004659			
AUTO BULB 12V 2/CD			
V-1003			
7-77231-01003	C	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1004			
7-77231-01004	C	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1141 R.V.			
7-77231-01141	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1156			
7-77231-01156	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1157			
7-77231-01157	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1157NA			
7-77231-11570	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-1895			
7-77231-01895	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-194			
7-77231-00194	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V-2057			
7-77231-02057	С	CG	CA
10004659			
AUTO BULB 12V 2/CD			
V211-2			
7-77231-21895	С	CG	CA
CL F			
Glass Fuses			



Glass Fuse 1-Amp 5pk



- 1 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46085116			
AUTO AGC FUSE 1 AMP			
BP/AGC-1-RP			
5-51712-12101	С	CG	CA

Glass Fuse 2-Amp 5pk



- 2 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack

Revison: Mar 2016

• See 2001 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085124			
46085124 AUTO AGC FUSE 2 AMP			

Glass Fuse 5-Amp 5pk



- 5 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information ITEM NO.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085140			
AUTO AGC FUSE 5 AMP			
BP/AGC-5-RP			
5-51712-12106	С	CG	CA

Glass Fuse 10-Amp 5pk



- 10 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

VL	UM	PK
С	CG	CA

Glass Fuse 15-Amp 5pk



- 15 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085167			
AUTO AGC FUSE 15 AMP			
BP/AGC-15-RP			
5-51712-17682		CG	CA

Glass Fuse 20-Amp 5pk



- 20 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

46085175			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

46085175			
AUTO AGC FUSE 20 AMP			
BP/AGC-20-RP			
5-51712-17722	С	CG	CA

Glass Fuse 25-Amp 5pk



- 25 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085183			
AUTO AGC FUSE 25 AMP			
BP/AGC-25-RP			
5-51712-12111	С	CG	CA

Glass Fuse 30-Amp 5pk



- 30 amps, 250 volts
- Type AGC Glass Tube Cartridge Fuse
- For use in automotive applications
- 5 units per pack
- See 2001 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085191			
AUTO AGC FUSE 30 AMP			
BP/AGC-30-RP			
5-51712-12112	С	CG	CA

Blade Fuse Assortment for American Automobiles 6pk



Assortment includes Type AGC and SFE fuses

- Type AGC Blade fuses: 5A, 15A, and 30A
- Type SFE Blade fuses: 9A, 14A, and 20A
- For use in American automobiles
- See 7003 spec sheet for more information

• See 7003 spec sneet i	or more	morm	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085442			
AUTO SFE & AGC FUSE ASSO	RTMENT		
BP/AGC-SFE-A5-RP (UK-6)			



CG

CA

Blade Fuse 3-Amp 5pk

5-51712-15104



- 3 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: violet
- For use in automotive applications
- 5 units per pack
- See 2009 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46080000			
AUTO ATC FUSE 3 AMP			
BP/ATC-3-RP			
5-51712-13101	С	CG	CA

Blade Fuse 5-Amp 5pk



- 5 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: tan
- For use in automotive applications
- 5 units per pack
- See 2009 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46085205			
AUTO ATC FUSE 5 AMP			
BP/ATC-5-RP			
5-51712-13102	С	CG	CA

Blade Fuse 10-Amp 5pk



- 10 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: red
- For use in automotive applications
- 5 units per pack
- See 2009 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085213			
AUTO ATC FUSE 10 AMP			
BP/ATC-10-RP			
5-51712-13104	С	CG	CA

Blade Fuse 15-Amp 5pk



- 15 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: blue
- For use in automotive applications
- 5 units per pack

Revison: Mar 2016

• See 2009 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085221			
AUTO ATC FUSE 15 AMP			
BP/ATC-15-RP			
5-51712-17325	С	CG	CA

Blade Fuse 20-Amp 5pk



- 20 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: yellow
- For use in automotive applications
- 5 units per pack

5-51712-17643

See 2009 spec sheet for more information
ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL

UM

PK

46085248

AUTO ATC FUSE 20 AMP

BP/ATC-20-RP

Blade Fuse 25-Amp 5pk



- 25 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: clear
- For use in automotive applications
- 5 units per pack
- See 2009 spec sheet for more information

• See 2009 spec sileet for fi	iore	111101111	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46085256 AUTO ATC FUSE 25 AMP BP/ATC-25-RP 5-51712-13107 C CG CA

Blade Fuse 30-Amp 5pk



- 30 amps, 32 volts DC maximum
- Type ATC Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: green
- For use in automotive applications
- 5 units per pack

CA

• See 2009 spec sheet for more information

45005054			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

46085264			
AUTO ATC FUSE 30 AMP			
BP/ATC-30-RP			
5-51712-17419	С	CG	CA

Blade Fuse Assortment 5pk



Assortment includes one of each: 5A (amp), 10A, 15A, 20A, 25A, and 30A fuses, and one fuse puller.

- Type ATC Blade fuses
- For use in automotive applications
- See 7004 spec sheet for more information

• See 7004 spec sheet for	more	111101111	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46085434			
AUTO ATC FUSE ASSORTMENT			
BP/ATC-AH8-RPP			
5-51712-15107	В	CG	CA



Mini-Blade Fuse 2-Amp 5pk



- 2 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: gray
- For use in automotive applications
- 5 units per pack

• See 2048 spec sheet for	more	inform	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080006			
AUTO ATM MINI BLADE FUSE 2	2AMP		
BP/ATM-2-RP			
5-51712-14111	С	CG	CA

Mini-Blade Fuse 3-Amp 5pk



- 3 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: violet
- For use in automotive applications
- 5 units per pack
- See 2048 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080007			
AUTO ATM MINI BLADE FUSE	3AMP		
	ЗАМР		

Mini-Blade Fuse 10-Amp 5pk



- 10 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: red
- For use in automotive applications
- 5 units per pack

5-51712-14116

• See 2048 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080008			
AUTO ATM MINI BLADE F	USE 10AMP		
BP/ATM-10-RP			

CG

CA

Mini-Blade Fuse 15-Amp 5pk



- 15 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: blue
- For use in automotive applications
- 5 units per pack
- See 2048 spec sheet for more information

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC		VL	UM	PK

46080009			
AUTO ATM MINI BLADE FUSE	15AMP		
BP/ATM-15-RP			
5-51712-14117	С	CG	CA

Mini-Blade Fuse 20-Amp 5pk



- 20 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: yellow
- For use in automotive applications
- 5 units per pack
- See 2048 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Revison: Mar 2016

46080010			
AUTO ATM MINI BLADE FUSE 2	20AMP		
BP/ATM-20-RP			
5-51712-17456	С	CG	CA

Mini-Blade Fuse 25-Amp 5pk



- 25 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: clear
- For use in automotive applications
- 5 units per pack
- See 2048 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080011			
AUTO ATM MINI BLADE FUSE	25AMP		
BP/ATM-25-RP			
5-51712-14119	С	CG	CA


Mini Blade Fuse 30-Amp 5pk



- 30 amps, 32 volts DC maximum
- Type ATM Mini- Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: green
- For use in automotive applications
- 5 units per pack

Revison: Mar 2016

• See 2048 spec sheet for more information



Mini-Blade Fuse Assortment KM-8

CA

5-51712-14120



Assortment includes one of each: 2A (amp), 5A, 7-1/2A, 10A, 15A, 20A, 25A, and 30A fuses

- Type ATM Mini-Blade fuses
- For use in automotive applications

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46085450			
5 PC ATM MINI FUSES BLADE			
BP/ATM-AH8-RPP (KM-8)			
5-51712-14121	С	EA	CA

Mini-Blade Fuse Assortment KM-9



Assortment includes one of each: 2A (amp), 5A, 7-1/2A, 10A, 15A, 20A, 25A, and 30A fuses. Also includes FP-A3 fuse puller.

- Type ATM Mini-Blade fuses
- For use in automotive applications
- See 7003 spec sheet for more information

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
46085451				
8 PC ATM MINI FUSE BLADE TYPE				
BP/ATM-AH8-RPP (KM-9) W/PULLER				
5-51712-17308	С	EA	CA	

COOPER Bussmann

Blade Fuse Type MAX 20-Amp



- 20 amps, 32 volts DC maximum
- Type MAX Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: yellow
- For use in automotive applications
- See 2049 spec sheet for more information

46000013			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

0.0	• -	0	
46080013			
AUTO MAX MAXI BLADE FUSE 2	0AMP		
BP/MAX-20-RP			
5-51712-15146	С	CG	CA

Blade Fuse Type MAX 30-Amp



- 30 amps, 32 volts DC maximum
- Type MAX Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: green
- For use in automotive applications
- See 2049 spec sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080014			
AUTO MAX MAXI BLADE FUSE 3	30AMP		
BP/MAX-30-RP			
5-51712-17470	С	CG	CA

Blade Fuse Type MAX 40-Amp



- 40 amps, 32 volts DC maximum
- Type MAX Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: orange
- For use in automotive applications

 See 2049 spec sheet for 	more	intorm	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080015			
AUTO MAX MAXI BLADE FUSE	10AMP		
BP/MAX-40-RP			
5-51712-15133	С	CG	CA

Blade Fuse Type MAX 50-Amp



- 50 amps, 32 volts DC maximum
- Type MAX Blade Fuse
- Colored plastic housing around zinc fuse element
- Color coded: red
- For use in automotive applications
- See 2049 spec sheet for more information.

• See 2043 spec sneet for	more	111101111	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080016			
AUTO MAX MAXI BLADE FUSE !	50AMP		
BP/MAX-50-RP			
5-51712-15134	С	CG	CA

Auto Fuse Acc

CALTERM®

Glass Fuse Kit 20-Amp 12-Gauge



- 20 amps, 12 AWG wire
- Twist and lock style holder includes fuse
- Designed for automotive style fuses
- Injection molded PVC for long life
- Designed to accept automotive spade terminal fuses

 Wire gauge matched 	to circuit	amper	age
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			

10310024			
FUSEHOLDER KIT 20 AMP			
08120 W/FUSE			
4-46494-08120	С	CG	CA

Glass Fuse 1.5-Amp with Twist Knob



- 1-1/2 amps, 300 volts AC
- Type GLR Glass Fuse with twist knob

• See 2032 spec sheet for r	nore	inform	ation
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080001			
FUSE W/KNOB "GLR" 1-1/2 AMP			
GLR-1-1/2			
6-60800-01	С	EA	CA

Glass Fuse 3-Amp with Twist Knob



• 3 amps, 300 volts AC

ITEM NO.

- Type GLR Glass Fuse with twist knob
- See 2032 spec sheet for more information

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46080002			
FUSE W/KNOB "GLR" 3 AMP			
GLR-3			
6-60800-02	С	CG	CA

Tire Repair

Tire Repair



Tubeless Tire Basic Repair Kit - Black



- Victor brand
- Works for all tubeless radial and bias ply tires
- Includes: split eye insert tool, rasp tool, three 4-inch black tire repair plugs
- Previously sold as #V104
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430023			
PRO RADIAL REPAIR KIT			
V104			
7-77231-00104	В	EA	CA

Rubber Cement 1-oz



- Victor brand
- Use to repair plugs and patches
- Universal formula can be used for all rubber repairs
- Previously sold as #V600
- 1 ounce tube

Revison: Mar 2016

• See instructions for mor	e inior	matior	1
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

48430031			
RUBBER CEMENT 1 OZ			
V600			
7-77231-00600	С	EA	CA

Tubeless Tire Repair Kit - Black



- Victor brand
- Works for all tubeless radial and bias ply
- Includes: split eye insert tool, 6 black plugs, 3/8 ounces of rubber cement
- Previously sold as #V101
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430112			
TUBELESS TIRE REPAIR KIT			
V101			
7-77231-00101	С	EA	CA

EZ Fix Rubber Patch Kit



- Victor brand
- For basic rubber repairs including inner tubes, rafts, and other inflatable products
- Previously sold as #V401

Kit includes:

- 1/2 ounce of rubber cement
- Metal buffer
- Three 1 inch by 1 inch rubber patch
- Two 1 inch by 2 inch rubber patch
- One 2 inch by 3 inch rubber patch

UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430120			
RUBBER PATCH KIT			
V401			
7-77231-00401	С	EA	CA

Tire ande Cold Patch Kit



For all rubber repairs on tubeless tires, ATV tires, inner tubes, bicycle tubes, rainwear and more.

- (3) 1-inch x 1-inch patches
- (1) 2-inch x 3-inch patches
- (1) metal buffer
- 3/8 oz rubber cement
- Previously sold as M8065

F				
ι	JPC	VL	UM	PK
١	MODEL/SIZE			
С	ESCRIPTION			
I.	TEM NO.			

СН		
С	EA	CA
	CH C	

EZ Fix Bicycle Patch Kit



This EZ fix bicycle patch kit fits in a pocket for trail riding and long distance bike riding.

- (3) 1-inch x 1-inch patches
- (1) 2-inch x 3-inch patches
- 3/8 oz rubber cement
- Previously sold as V402

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48435226			
MONKEY GRIP BIKE PATCH KIT			
22-5-00402-8			
7-77231-00402	С	EA	CA

ITEM NO. DESCRIPTION MODEL/SIZE UPC VL UM PK 48435228 TUBELESS TIRE REPAIR KIT 18-PC 22-5-00103-8 7-77231-00103 C EA CA

Punmcture Seal Goo

48430058 SLIME TIRE SEALANT 24 OZ 10008 (M11532) 1-16281-00069 B EA CA

Quick Flat Fix



- Penray Super-X Emergency Tire Inflator
- Safe method to temporarily repair tire
- Special latex foam will seal most tread area puncture injuries while partially inflating tire
- Designed for use in most passenger cars, trucks, trailers, tractors, ATV's, or pneumatic type tires
- Safe for use with tire inflation monitoring devices when used as directed
- Will not adversely affect tire balance
- 12 ounce can

3-35496-00659

• Includes hose applicator with screw-on tip

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430082			
FLAT TIRE FIX FLAT WITH HOSE			
660PN 11oz (Penray)			
3-35496-00660	В	EA	CA
48430082			
FLAT TIRE FIX FLAT WITH CONE			
659PN 11oz (Penray)			

Tire Repair Kit Plug & Go 4pk



Plug & Go is the latest innovation in automotive safety and tire repair. It is an easy, fast, no mess temporary tire repair solution for automobiles. Repair the punctured tire quickly and safely in just 5 simple steps. No need for messy sealants.

Includes 2 small and 2 large Plug & Go tire plugs

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48435227			
48435227 TUBELESS TIRE PLUG & GO 4 PK			

Tubeless Tire Repair Kit 8pc



- Victor brand
- Tubeless repair kit
- --- Includes: ---
- Spliteye insert tool
- 6 red plugs
- 3/8 ounce rubber cement

Slime Tire Sealant is formulated and tested for use in all pneumatic tires. Once installed, Slime remains liquid and will not harden or dry out. As the Slime treated tire rotates, centrifugal force pushes the sealant to the tread area creating a layer of protection, repairing, punctures as they occur and treating existing punctures. Slime is not intended for use in tires losing pressure from sidewall punctures, bead leaks, damaged rims, or faulty valves.

- Repairs punctures up to 1/4 inch (6 mm) using Fibro-Seal Technology
- Non-toxic, non-hazardous, non-flammable, non-aerosol, and water soluble
- Contains rust and corrosion inhibitors to maintain the integrity of the rim
- Can be cleaned out with water, allowing for the installation of a proper plug/patch
- For vehicles with TPMS (tire pressure monitoring system), use yellow label Slime products
- Recommended as a repair only, in high speed over-the-road tires
- 8 ounce bottle

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430058			
SLIME TIRE SEALANT 8 OZ			
10007 (M11516)			
1-16281-00068	В	EA	CA

Heavy Duty Puncture Seal



No tools! No jacks! No mess! Non -Flammable Puncture Seal safely seals an inflates tires in seconds -even while on the car! Seal punctures up to 3/16" on tube or tubeless tires.

Provides a quick, safe method of repairing punctures in tires when in dark, remote or isolated areas. Can be used by anyone without tools or jacks. Contains no hydrocarbon gas or flammable solvents! Works on all types of tires; tubed or tubeless; on all automotive vehicles.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48430015			
PUNCTURE SEAL NON FLAMM	ABLE		
M11-14/6 GUNK 14 OZ			
7-78698-13153	В	EA	CA
48430015			
PUNCTURE SEAL INFLATOR 24	.5 O Z		
M1128 GUNK			
7-78698-82100	В	EA	CA

Tire Valves/Caps



Valve Cores Short Type 4pk



Replace faulty cores to help keep your tire inflated and maintain your tire pressure.

- Victor brand
- Short type, standard bore
- Previously sold as #V710
- 4 valves per pack
- See instructions for more information

VL	UM	PK
	VL	VL UM

Tubeless Tire Valve

V710

7-77231-00710





С

CG

CA

- Victor brand
- Snap-in tire valve stems
- 1.25 inches longs
- 60 PSI maximum
- Fits tires with a 0.625 inch rim hole
- Previously sold as #V4150
- Two stems per pack
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48440096			
VALVE 1-1/4" TT 2/CD			
V4150			
7-77231-04150	С	CG	CA

48440096			
VALVE 1-1/4" TT 2/CD			
V4130			
7-77231-04130	С	CG	CA
48440096			
VALVE 2" TT 2/CD			
V4180			
7-77231-04180	С	CG	CA

Valve Caps Hex Head 4pk









- Victor brand
- Use as replacement valve caps
- Hex design
- 0.305 inch diameter, 32 thread
- Chrome
- Previously sold as #V716
- 4 caps per pack
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48440134			
VALVE CAPS HEX 4/CD			
V716			
7-77231-00716	С	CG	CA

Tire Valve Caps







- Victor brand
- Use to remove and reseal valve cores
- Slotted caps
- Chrome plated brass
- Previously sold as #V715
- 4 caps per pack
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48440185			
VALVE CAPS SLOT HEAD 4/CD			
V715			
7-77231-00715	С	CG	CA
48440185			
VALVE CAPS DOME 4/CD			
V709			
7-77231-00709	С	CG	CA

Valve Extensions Plastic 1.25" 4pk



Extend the length of your existing tire valve making them easier to reach and monitor.

- Victor brand
- Black ABS (Acrylonitrile butadiene styrene) plastic
- 1.25 inch length
- 60 PSI maximum
- Previously sold as #V712
- 4 valves per pack
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48440215			
VALVE EXTENSION 1-1/4" 4/CD			
V712			
7-77231-00712	С	CG	CA



- Victor brand
- 4-Way valve tool removes and installs valve cores quickly
- Also taps internal and external threads

 ITEM NO.

 DESCRIPTION

 MODEL/SIZE

 UPC

 VL

 UM

 PK

 48440282

 VALVE TOOL 4 WAY

CG

CA

Tire Gauges

7-77231-00714



Truck Tire Gauges



- Victor brand
- Standard grade tire gauge
- Chrome-plated brass
- Pencil design
- 4-sided indicator bar
- Previously sold as #V894
- See instructions for more information

			•
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

48450180			
TIRE GAUGE-10-50#			
V894			
7-77231-00894	С	CG	CA
48450180			
TIRE GAUGE 20-120#			
V895			
7-77231-00895	С	CG	CA
48450180			
TIRE GAUGE 10-150#			
V889			
7-77231-00889	В	CG	CA

Digital Pencil Tire Guage



Bell Automotive's digital pencil tire gauge is a proprietary design that combines the compact convenience of a pencil gauge and the accuracy of a high tech digital gauge.

• 5-99 PSI

ITEM NO.

- +/- 1 PSI accuracy
- Textured grip
- Equivalent to Bell 22-1-83110-8, Monkey Grip 22-5-60012-M, Bell 22-1-80012-8
- May ship in Bell, Victor or Monkey Grip packaging

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48453200			
TIRE GAUGE DIGITAL PENCIL			
22-5-60012-8			
7-77231-60012	С	EA	CA

Lug Wrench



20-Inch 4-Way SAE Lug Wrench



- Drop Forged Steel
- Lifetime warranty

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
25421655			
LUG WRENCH 20" STANDARD			
15481 (50714)			
5-50120-66512	В	EA	CA

Bottle Jacks



Hydraulic Bottle Jacks




• Heavy Duty Iron Base

Revison: Mar 2016

- Lifting Range 7-1/8" to 13-9/16"
- Convenient Adjustable Load Saddle
- Maximum Load Capacity is 2 Tons (4000 lbs.)
- Saddle Dimension: 3/4-Inch diameter.

Saudie Diffierision. 3/4	-IIICII uid	annete	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220049			
2 TON HYDRAULIC JACK			
MPL2B (GAT-2)			
4-45083-01021	С	EA	CA



20 Ton Bottle Jack



• Heavy Duty Iron Base

ITEM NO.

- Lifting Range 9-1/2" to 17"
- Convenient Adjustable Load Saddle
- Maximum Load Capacity is 20 Tons (40000 lbs.)
- Saddle Dimension: 1.875-Inch diameter

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220050			
BOTTLE JACK 20 TON			
MPL20B			
4-45408-30120	В	EA	CA



2 Ton Floor Jack (4000 Lb.)



- Removable pump handle for easy storage and ease of lowering Jack
- Small frame for easy maneuverability and lightweight design
- Meets ANSI and ASME standard requirements
- Swivel Castors and Saddle Make Maneuvering and Smooth Positioning Easy
- Carrying handle for easy portability

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220073			
2 TON FLOOR JACK			
MPL4136 (GAPA-2)			
MPL4136 (GAPA-2) 4-45408-30009	С	EA	CA




Truper Hand Pallet Jack



- All-welded, 11-gauge reinforced steel forks ensure heavy-duty lifting
- 3-position handle: lifting, neutral, lowering
- Reliable leak-proof hydraulic system
- Heavy-duty poly wheels

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK







- Power jack
- 4 ton capacity
- Low pick up, lifting nose only 4.5 inches from base
- 4 inch long lifting nose
- Safety shear pin


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220279			
4 TON POWER JACK 48"			
14100			
3-36683-14148	В	EA	CA
THE PARTY SHAPE OF			



Super S Hydraulic Jack Oil - 12 oz.



For use in all hydraulic jacks, service jacks and refillable shock absorbers. Blends with all original fluids





Trailer Jack Sidewind Side-Mount 10" 1000-lbs with Wheel



- Reese Towpower brand
- Sidewind side mount jack
- 1000 pounds capacity
- 10 inches travel size
- Heavy duty swivel
- Fits up to 3 inch by 5 inch frames
- 1:1 sidewind gear ratio
- 1/2 inch pull pin
- 6 inch caster wheel
- Zinc plated

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220000			
TRAILER JACK W/SWIVEL 1000#			
74410			
1-16118-04249	С	EA	CA

Trailer Jack Sidewind Round 10" 2000-lbs



BULLDOG jacks are tough and trusted, built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

BULLDOG jacks are known for:

- Easy cranking
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- --- Product specifications: ---
- Sidewind round jack
- 2000 pounds capacity

ITEM NO.

- 10 inches travel size, 10.8 inches retracted, 20.8 inches extended, 6.4 inches extended, 6.4 inches extended, 6.4 inches extended.
- Weld-on tubular mount with 9/16 inch pin
- Includes foot plate and male mating
- See Towing Catalog page 53 for more information

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49220197			
TRAILER JACK WELD ON 2000#			
158109			
8-83192-01169	С	EA	CA

Trailer Jack Topwind Round 10" 2000-lbs



BULLDOG jacks are tough and trusted, built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

BULLDOG jacks are known for:

- Easy cranking
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- --- Product specifications: ---
- Topwind round jack
- 2000 pounds capacity
- 10 inches travel size, 11 inches retracted, 21 inches extended, 4 inch clearance
- Weld-on L-bend swivel bracket
- Retaining ring
- Plunger pin 1/2 inch diameter
- Base included
- See Towing Catalog page 52 for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49221806			
JACK TOPWIND ROUND 10" 2	2000#		
151401 W/BASE			
8-83192-00614	В	EA	CA

Jack Mount Weld-On Round 9/16"



- Round jack mount
- Weld-on
- Male tubular swivel
- 9/16 inch diameter hole

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49221809			
BULLDOG JACK WELD-ON MO	UNT		
500239			
8-86693-00239	С	EA	CA

Retaining Ring for Jack



- Swivel retaining ring
- Fits most jack capacities

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49221810			
BULLDOG JACK RETAINING RING			
500241			
8-86693-00241		EA	CA



Ag-Industrial Jacks 2000#



BULLDOG jacks are tough and trusted, built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

BULLDOG jacks are known for:

- Easy cranking
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- --- Product specifications: ---
- Sidewind round swivel jack
- 2000 pounds capacity
- 10 inches travel size, 11 inches retracted, 21 inches extended, 4 inch clearance
- Weld-on tubular mount with 9/16 inch pin
- Includes foot plate and male mating mount

40220170			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

49220170			
JACK TOPWIND ROUND 10" 20	000#		
158451 WELD ON			
8-83192-00632	В	EA	CA
49220170			

49220170			
JACK TOPWIND ROUND 15" 200	00#		
158452 WELD ON			
8-83192-00617	В	EA	CA



Trailer Jack Topwind A-Frame 15" 2000-lbs



BULLDOG jacks are tough and trusted, built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

BULLDOG jacks are known for:

- Easy cranking
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- --- Product specifications: ---
- Topwind A-frame jack
- 2000 pounds capacity

ITEM NO.

- 15 inches travel size, 8.8 inches bracket to ground retracted, 23.8 inches extended, 12.2 inch clearance
- Weld-on or bolt-on bracket
- Does not include wheel or base

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49221450			
JACK-A FRAME TOPWIND 15"	2000#		
155022			
8-83192-00611	С	EA	CA

Trailer Jack Topwind A-Frame 15" 5000-lbs



BULLDOG jacks are tough and trusted, built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

BULLDOG jacks are known for:

- Easy cranking
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- --- Product specifications: ---
- Topwind A-frame jack
- 5000 pounds capacity

ITEM NO.

DESCRIPTION

8-86693-55032

- 15 inches travel size, 10.82 inches bracket to ground retracted, 25.3 inches extended, 10.2 inch clearance
- Weld-on or bolt-on bracket
- Does not include wheel or base

MODEL/SIZE			
UPC	VL	UM	PK
49221451			
JACK-A FRAME TOPWIND 15"	5000#		
155032			

EΑ

CA



Trailer Jack Foot Plate 2"



- BULLDOG brand
- 2 inch detachable foot plate
- Fits jacks with 2 inch inner tube
- 800 pounds capacity
- Includes latching pin
- Zinc finish

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49221452			
BULLDOG JACK REMOVABLE F	OOT 2"		
500244			
8-86693-00244	С	EA	CA

Bungee Cords

Bungee Cords



Bungee Cord 12" with Toggle Ball 25pk Black



- Rubber bungee cord
- 12 inches long
- Plastic toggle ball
- Color black
- 10 per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120036			
BUNGEE CORD 12" W/TOGGLE	BALLS		
06344 10/PK			
5-51643-06344	С	EA	CA

Bungee Cord 8" with Toggle Ball 25pk Black



- Rubber bungee cord
- 8 inches long
- Plastic toggle ball
- Color black
- 25 per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120037			
BUNGEE CORD 8" W/TOGGLI	BALLS		
06345 25/PK			
5-51643-06345	C	FA	CA

Coated Hook Bungee Cords



- Dependable, vinyl coated, heavy gauge steel hooks
- Protective vinyl coating resists corrosion and won't mar paint
- Cord is premium grade, made from first quality, long-lasting rubber
- Durable UV resistant outer jacket is woven in highly visible, attractive colors
- 13 inches long

Revison: Mar 2016



Bungee Cord 10"4pk



- Steel hooks
- Cord is premium grade, made from first quality, long-lasting rubber
- Durable UV resistant outer jacket is woven in highly visible, attractive colors
- 36 inches long
- 4 cords per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46120531			
BUNGEE CORD 10" MINIS 4/PK			
06051			
5-51643-06051	С	EA	CA

Heavy Duty Bungee Cords



- Industrial strength cord with corrosion resistant dichromate finished hook
- 100 percent more rubber inside cord
- 3 times the tension of regular bungee cord
- 18 inches long
- Color black

06185

5-51643-06185

Color black			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120647			
BUNGEE CORD 18" HEAVY DUTY			
06192			
5-51643-06192	С	EA	CA
46120647			
BUNGEE CORD 24" HEAVY DUTY			
06180			
5-51643-06180	С	EA	CA
46120647			
BUNGEE CORD 32" HEAVY DUTY			
06182			
5-51643-06182	С	EA	CA
46120647			
BUNGEE CORD 40" HEAVY DUTY			

CA

Bungee Cord Assortment 12pk



- Dependable, vinyl coated, heavy gauge steel hooks
- Protective vinyl coating resists corrosion and won't mar paint
- Cord is premium grade, made from first quality, long-lasting rubber
- Durable UV resistant outer jacket is woven in highly visible, attractive colors
- --- Pack includes: ---
- one 36 inch bungee cord
- one 30 inch bungee cord
- two 24 inch bungee cords
- four 18 inch bungee cords
- four 10 inch bungee cords

• four 10 inch bungee co	ius		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120655			
46120655 BUNGEE CORD MULTI PACK 12	2/PK		
	2/PK		

Bunge Cord Floor Display



- Holds 200 bungee cords with wrapped hooks
- 4 Different size cords with UPC/warning tag
- Great way to improve customer penentration and increase sales
- Easy to assemble display, one piece, pops open
- Display Dimensions: 17" D x 20" W x 30"
- Filled weight: 45 lbs

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99933119			
BUNGEE CORD FLOOR ASSOR	TMENT		
09291 200pc			
9-99331-19		EA	CA

Rubber Cords



EPDM Rubber Cords



- Compounded EPDM (ethylene propylene diene monomer) rubber will not crack, rot, or lose rebound qualities
- Zinc plated hooks for improved corrosion resistance, will not bend or break under normal use
- Low temperature resistant, non-brittle to minus 40 degrees Farenheit
- Sunlight, ozone, and weather resistant
- 14 inches long
- Color black

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120353			
RUBBER STRAP 14" EPDM BULK			
06214			
5-51643-06214	В	EA	CA
46120353			
RUBBER STRAP 19" EPDM BULK			
06219			
5-51643-06219	В	EA	CA

46120353			
RUBBER STRAP 24" EPDM BULK			
06224			
5-51643-06224	В	EA	CA
46120353			
RUBBER STRAP 35" EPDM BULK			
06235			
5-51643-06235	В	EA	CA
46120353			
RUBBER STRAP 45" EPDM BULK			
06245			

CA

Rubber Strap 14" x 1/2" with S-Hooks

5-51643-06245



- Goldline rubber strap with hooks
- EPDM rubber compound with excellent UV properties, resistant to cracking
- 14 inch overall length, 10 inch rubber length
- Stretch range: 15 inches to 20 inches
- 1/2 inch thick teardrop designed ends
- Zinc plated steel S-Hooks, rust resistant

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120362			
GOLDLINE USA 10" RUBBER S	TRAP		
95810 14" HOOK TO HOOK			
9-92888-37768	С	EA	CA

Rubber Strap 15" x 1/2" with S-Hooks



- Goldline rubber strap with hooks
- EPDM rubber compound with excellent UV properties, resistant to cracking
- 19 inch overall length, 15 inch rubber length
- Stretch range: 20 inches to 30 inches
- 1/2 inch thick teardrop designed ends
- Zinc plated steel S-Hooks, rust resistant

Zine placed steel 5 Hook	3, . 430	1 001000	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46120363			
GOLDLINE USA 15" RUBBER STE	RAP		
95815 19" HOOK TO HOOK			
9-92888-37769	В	EA	CA

Rubber Strap 21" x 1/2" with S-Hooks



- Goldline rubber strap with hooks
- EPDM rubber compound with excellent UV properties, resistant to cracking
- 24 inch overall length, 21 inch rubber length
- Stretch range: 30 inches to 40 inches
- 1/2 inch thick teardrop designed ends

Revison: Mar 2016

• Zinc plated steel S-Hooks, rust resistant

	,		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46120364			
GOLDLINE USA 21" RUBBER STRAP			
95821 24" HOOK TO HOOK			
9-92888-37770	В	EA	CA

Rubber Strap 31" x 1/2" with S-Hooks



- Goldline rubber strap with hooks
- EPDM rubber compound with excellent UV properties, resistant to cracking
- 35 inch overall length, 31 inch rubber length
- Stretch range: 40 inches to 50 inches
- 1/2 inch thick teardrop designed ends
- Zinc plated steel S-Hooks, rust resistant

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46120365			
GOLDLINE USA 31" RUBBER ST	ΓRΑΡ		
95831 35" HOOK TO HOOK			
0.02000.27774		ГΛ	C 1

Rubber Strap 41" x 1/2" with S-Hooks



- Goldline rubber strap with hooks
- EPDM rubber compound with excellent UV properties, resistant to cracking
- 45 inch overall length, 41 inch rubber length
- Stretch range: 40 inches to 55 inches
- 1/2 inch thick teardrop designed ends
- Zinc plated steel S-Hooks, rust resistant

UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

WODEL/ SIZE			
UPC	VL	UM	PK
46120366			
GOLDLINE USA 41" RUBBER STI	RAP		
95841 45" HOOK TO HOOK			
0.02000.27772		ГΛ	C 1

Ancra Rubber Strap Assortment



• First quality USA Made Goldline Rubber Strap

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99967129			
ANCRA RUBBER STRAP ASSO	RTMENT		
10 EA OF 5 SIZES			
9-99671-29	В	DS	CA

Wiring



Trailer Wiring 2-Way Connector 12" Loop



- Reese Towpower brand
- 2-way polarized connector
- For use with 12 volt accessories
- 12 inch loop with 2 ends

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600005			
12" 2 WIRE EXTENSION KIT			
85208			



- Reese Towpower brand
- 4-way flat connector with vehicle and trailer ends
- 60 inch loop, 18 gauge bonded wire
- Conforms to SAF specification 11128

Comornis to SAE specifi	ication	J1120	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600013			
5'TRAILER 4 WIRE KIT			
74125			
1-16118-74125	С	CG	CA
39600013			
1'TRAILER 4 WIRE KIT			
74687			
4-42899-74687	С	CG	CA

Trailer Wiring 5-Way Flat Connector 60" Loop



- Reese Towpower brand
- 5-way flat connector with vehicle and trailer ends
- 7.5 amps per circuit
- Includes 5th circuit for backup lights, surge brake lockouts, or other low-amp 12 volt options
- 60 inch loop

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600056			
5'TRAILER 5 WIRE KIT			
85215			
1-16118-02925	С	CG	CA

Trailer Wiring 4-Way Flat Connector 24ft Loop



- Reese Towpower brand
- 4-way flat connector with vehicle and trailer ends
- 24 foot loop, 18 gauge bonded wire
- Conforms to SAE specification J1128

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600544			
24'TRAILER HARNESS KIT 4 WIRE			
74636			
1-11611-80024	С	CG	CA

Trailer Wiring 4-Way Flat Connector 12"



- Reese Towpower brand
- 4-way trailer end flat connector
- 7.5 amps per circuit
- 12 inch, 18 gauge bonded wire
- Ground wire runs full length of assembly
- Conforms to SAE specification J1128

Comornio to criz opeom			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600684			
12" 4 WIRE FLAT EXTENSION			
74124			
1-16118-74124	С	EA	CA

Blade Connector Round 7-Way Pre-Wired



- Reese Towpower brand
- 7-way round blade connector
- Connects 4-way flat to 7-way standard plug
- Pre-wired

ITEM NO.

 Includes extras wires for adding brake controls, back-up, or hot wire

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601089			
7 WAY CONNECTOR AUTO END			
74184			
1 16119 74194		ГΛ	C 1

Blade Connector 7-Way Blade to 4-Way Flat with Circuit Tester



- Reese Towpower brand
- Blade connector
- Connects 7-way blade connector to 4-way flat connector
- LED circuit tester instantly checks electrical circuit for connectivity
- Includes built-in snap close dust cover

VL	UM	PK
С	EA	CA

Wiring Kit for 4-Way Flat Loop 18" with Splice Connectors



- Reese Towpower brand
- Wiring kit for 4-way flat loop connector
- 18 inch length
- Includes splice connectors

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601094			
TRAILER WIRE KIT 18" LOOP			
85277			
1-16118-03743	С	EA	CA
		FΛ	CA

Insta-plug Connector 4-Wire Flat with LED Trailer End Circuit Tester



- Reese Towpower brand
- Professional Series Insta-plug 4-wire flat connector
- Requires no slicing or stripping, just close cover and screw down
- Built-in LED trailer end circuit tester
- Includes dust cover

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601095			
INSTA-PLUG KIT 4 WIRE FLAT			
85353			
4-42899-85353	С	EA	CA

Blade Connector 7-Way Round Blade Trailer End Plastic



- Reese Towpower brand
- Blade connector
- 7-way round blade connector, trailer end
- Non-corrosive thermo-plastic construction
- Non-corroding brass terminals

TEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601096			
TRAILER END PLUG 7 WAY			
74127			
1-16118-74127	С	EA	CA

Trailer Wiring 4-Way Flat Trailer Wire 25ft 16-Gauge



- Reese Towpower brand
- 4-way flat bonded wire
- 16 gauge
- 25 feet length

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47110246			
TRAILER RIBBON 4 WIRE 16GA	25'		
85205			
1-16118-02912	С	CG	CA



Wiring Adapter 7-Way Round to 4 or 5-Way Flat



- Reese Towpower brand
- Allows connection of either a 4-way or 5-way flat plug to a 7-way round receptacle

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600011			
7-WAY TO 5-FLAT ADAPTER			
85212			
1-16118-02922	С	EA	CA

Wiring Adapter 7-Way Round to 4-Way Flat



- Reese Towpower brand
- Converts 7-way round connector to 4-way flat connector

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600012			
7-WAY TO 4-FLAT ADAPTER			
7-WAY TO 4-FLAT ADAPTER 74607			

Wiring Adapter 4-Way Round to 4-Way Flat



- Reese Towpower brand
- Converts 4-way round connector to 4-way flat connector

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600706			
4-ROUND to 4-FLAT ADAPTER			
74606			
1-16118-00051	С	EA	CA

Wiring Adapter 6-Way Round to 4-Way Flat



- Reese Towpower brand
- Converts 6-way round connector to 4-way flat connector
- 7.5 amps per circuit
- Corrosion resistant terminals and thermo-form construction

TIEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600714			
6-ROUND to 4-FLAT ADAPTER			
74605			
1-16118-00050	С	EA	CA



Trailer Lighting Complete Kit



- Reese Towpower brand
- Lighting kit with standard lights and wiring
- For trailers under 80 inches wide
- Add clearance lights and ID bars for trailers over 80 inches
- See Electrical & Lighting Catalog page 74 for more information
- --- Kit includes: ---
- Two rear tail/stop lights (one left and one right)
- Two side marker lights
- 25 feet of wire

4-42899-73832

- License plate bracket
- Mounting hardware
- Installation instructions

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600004			
STANDARD TRAILER LIGHT KIT			
72022			

CA

Trailer Lighting Submersible Rear Light Kit



- Reese Towpower brand
- Lighting kit with rear lights and wiring
- Submersible under water
- For trailers under 80 inches wide
- Add clearance lights and ID bars for trailers over 80 inches
- See Electrical & Lighting Catalog page 74 for more information
- --- Kit includes: ---
- Rear tail/stop lights (one left and one right)
- 25 feet of wire
- License plate bracket
- Mounting hardware
- Installation instructions

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600006			
SUBMERSIBLE TRAILER LIGHT KIT			
73833			
4-42899-73833	В	EA	CA


Trailer Light 7-Function - Left/Curbside



- Reese Towpower brand
- For trailers under 80 inches wide
- 7 functions: stop, tail, turn, reflector, side marker, side reflector, and license light
- Red screw-on lens

Revison: Mar 2016

• 4.5 inch by 4.5 inch square



Trailer Light 6-Function - Right/ Curbside



- Reese Towpower brand
- For trailers under 80 inches wide
- 6 functions: stop, tail, turn, reflector, side marker, and side reflector light
- Red screw-on lens
- 4.5 inch by 4.5 inch square

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600008			
PASSENGER SIDE TRAILER LIGHT			
73824 STUD MOUNT			
4-42899-73824		FA	CA

Trailer Balls/Acc



Trailer Balls



- Reese Towpower brand
- Ball diameter: 1.875 inches
- Shank diameter: 0.75 inch
- Shank length: 1.5 inches
- Lift: standard
- Capacity: 2000 pounds
- Finish: chrome

39600277

1-16118-74294

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

39600277			
TRAILER BALL 1-7/8"(3/4 SHANK)			
74006			
1-16118-74006	В	EA	CA

39600277			
TRAILER BALL 2" (3/4 X 1-1/2)			
74008			
1-16118-74008	В	EA	CA

39600277			
TRAILER BALL 2" (1 X 2)			
74010			
1-16118-74010	В	EA	CA

39600277			
TRAILER BALL 2"(1 X 3-1/4)			
74026			
1-16118-74026	С	EA	CA

TRAILER BALL 2-5/16" (1 X 2)			
74021			
1-16118-74021	В	EA	CA
39600277			
TRAILER BALL 2-5/16" (1-1/4)			
74294 (2-1/2")			

Hitch Ball 2-5/16" x 1.25" x 2.75" 17000-lbs Chrome



- Reese Towpower brand
 Ball diameter: 2-5/16 inches
 Shank diameter: 1.25 inch
 Shank length: 2.75 inches
- Lift: standard
- Capacity: 17000 pounds
- Finish: chrome

• FIIIISII. CIIIOIIIE			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601098			
HITCH BALL 2-5/16" (1-1/4")			
7028600 (2-3/4")			
4-42899-70286	С	EA	CA

Hitch Ball Interchangeable System 8000-lbs Chrome



- Reese Towpower brand
- Allows for a quick and convenient change of hitch ball sizes
- Ball diameters: 1-7/8 inches, 2 inches, 2-5/16 inches
- Shank diameter: 1 inchShank length: 2-3/8 inches
- Capacity: 8000 pounds gross towing
- weight, 1000 pounds tongue weight

 Finish: chrome

• I IIII3II. CIII OIIIC			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

39601111			
TRAILER BALL INTERCHANGABLE KT			
74309 1/78, 2 & 2-5/16"			
1-16118-03331	С	EA	CA

Trailer Couplers/Pins



Brinks Hitch Pin & Integrated Clip



- Sleeved pin and clip trailer hitch
- 1/2 inch to 5/8 inch shank diameter
- Superior locking system for your draw bar
- Interchangeable between draw bars

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962458			
PIN & CLIP SLEEVED TRAIL HITCH			
3015-027-6T			

С

EΑ

CA

Trailer Couplers

7-75065-00037



- Reese Towpower brand
- Ball diameter: 2 inches
- Channel width: 2.5 inches
- Trailer GVW (gross vehicle weight): 3500 pounds
- Style: Fas-LokFinish: zinc

ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL UM PK

UPC	VL	UM	PK
39600188			
TRAILER COUPLER 2" (2.5"WIDE)			
74042			
1-16188-74042	С	EA	CA
39600188			
TRAILER COUPLER 2" (3"WIDE)			
74280			
1-16118-74280	С	EA	CA

Trailer Ball Mount Receiver Lock



- Reese Towpower brand
- For Class III/IV receivers 5/8 inch diameter
- Flat key design, keys can be copied by most retailers
- Includes two keys and vinyl lock cover
- Chrome plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

39601079			
REESE DOG BONE RECEIVER LOCK	(
7006500			
4-42899-70065	В	EA	CA

Receiver Lock Barrel Style Chrome



- Reese Towpower brand
- Barrel style receiver lock for trailer hitches
- Chrome
- Fits 5/8 inch or 1/2 inch pin holes
- Push button lock mechanism
- For use on Class VII and III/IV receivers
- Rubber cap keeps dirt out
- Include bend proof tubular key

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601080			
REESE DOGBONE RECEIVER LOG	CK		
7005600			
4-42899-70056	С	EA	CA

Coupler Latch Lock Brass 5/8"-1"



- Reese Towpower brand
- Coupler latch lock
- Fits most trailer couplers
- Adjustable from 5/8 inch to 1 inch
- Brass body
- Flat key design

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601081			
39601081 REESE TRAILER PADLOCK			

Coupler Lock Universal Steel



- Reese Towpower brand
- Universal coupler lock
- Fits 1-7/8 inch, 2 inch, and 2-5/16 inch couplers
- Ratchet design with 11 locking positions
- Heavy die cast steel design

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601082			
REESE TRAILER COUPLER LOCK			
72783			
1-16118-03554	В	EA	CA

Wheel Bearing Protector Set 1.980"



- Reese Towpower brand
- Wheel bearing protectors
- Permits easy lubrication for longer life
- Keeps water and dirt out
- Automatically maintains the correct internal pressure
- Cannon damage seals
- 1.980 inch diameter hub
- Vinyl top covering
- 2 per set

• Z pci sct			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

39601083			
BUDDY BEARING PROTECTOR	RPAIR		
74177			
1-16118-74177	С	EA	CA

Hitch Ball Cover 1-7/8"-2"



- Reese Towpower brand
- Hitch ball cover

7013100 4-42899-70131

- Fits over 1-7/8 inch and 2" hitch balls
- Prolongs life of hitch ball
- Prevents accidental grease stains
- Includes a 4-way flat wiring mounting pocket

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601084			
REESE HITCH BALL COVER			

С

EΑ

CA

Coupler A-Frame Tongue Mount Steel 2-5/16"-Ball



BULLDOG Collar-Lok design are the strongest in the industry, featuring the only automatic and continuously tight ball fit. Strong in both static and dynamic loading conditions.

- Tongue mount coupler
- A-frame design
- Class IV
- High strength steel for 50-degree trailer
- Fits 2-5/16 inch diameter hitch ball
- Length: 16 inches
- GTW (gross towing weight): 12500 pounds
- Latch: high profile
- Hinged ball socket for easy hook up
- Clear, visual indication of proper closure

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601097			
39601097 TRAILER COUPLER V-STYLE			

Bent Pin 5/8" x 3" - Zinc



Economical universal pin for use on agricultural, industrial, recreational, and construction equipment.

- Shaft diameter: 5/8 inch • Overall length: 5 inches • Usable length: 3 inches
- Clear zinc plated
- Includes hairpin

3-32874-10320

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960000			
BENT PIN-5/8X6 (5"OVERALL)			
10320			

Tab Lock Wirelock Pin - Round 1/4" x 1-3/4" - Zinc (clear)

EΑ



- Round wirelock
- Shaft diameter: 1/4 inch • Overall length: 2 inches
- Usable length: 1-3/4 inches

• Clear zinc plated			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600064			
39600064 COUPLER LOCKING PIN			
COUPLER LOCKING PIN	C	EA	CA

Trailer Ball Mounts



Trailer Ball Mount Standard 2"x2", 10" Length, 5.25" Drop, 4" Rise



- Reese Towpower brand
- Standard ball mount
- Metal Shield, resists rusts and corrosion
- Class III/IV draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball hole size: 1 inch
- Length: 10 inches • Drop: 5.25 inches • Rise: 4 inches
- Capacity: 5000 pounds gross towing weight, 500 pounds tongue weight
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600000			
TRAILER BALL MOUNT 2"x6" [DROP		
21186			
1-16118-21186	В	EA	CA

Trailer Ball Mount Standard 2"x2", 8" Length, 3.25" Drop, 2" Rise



- Reese Towpower brand
- Standard ball mount
- Metal Shield, resists rusts and corrosion
- Class III/IV draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball hole size: 1 inch
- Length: 8.5 inchesDrop: 3.25 inches
- Rise: 2 inches

Revison: Mar 2016

- Capacity: 5000 pounds gross towing weight, 500 pounds tongue weight
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600001			
TRAILER BALL MOUNT 2"x4" [DROP		
21175			
1-16118-21175	В	EA	CA

Trailer Ball Mount Standard 2"x2", 8" Length, 2" Drop, 3/4" Rise



- Reese Towpower brand
- Standard ball mount
- Metal Shield, resists rusts and corrosion
- Class III/IV draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball hole size: 1 inch
- Length: 8 inches
- Drop: 2 inches
- Rise: 3/4 inch
- Capacity: 6000 pounds gross towing weight, 600 pounds tongue weight
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600002			
TRAILER BALL MOUNT 2"x2" D	ROP		
21171			
1-16118-21171	В	EA	CA

Trailer Triple-Ball Mount - Black



- Reese Towpower brand
- Triple ball mount
- Box opening dimensions: 2 inch by 2 inch
- Hitch ball hole sizes: 1.875 inches, 2 inches, 2.3125 inches
- Length: 8 inches
- Capacity for 1.875 inch ball: 2000 pounds gross towing weight, 200 pounds tongue weight
- Capacity for 2 inch ball: 6000 pounds gross towing weight, 600 pounds tongue weight
- Capacity for 2.3125 inch ball: 10000 pounds gross towing weight, 1000 pounds tongue weight
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600003			
TRAILER BALL MOUNT TRI-BALL			
21512			
1-16118-03684	В	EA	CA

Trailer Ball Mount Kit Standard 2"x2", 8" Length, 2" Drop, 3/4" Rise, 2" Ball



- Reese Towpower brand
- Standard ball mount kit
- Interlock one-wrench tightening system
- Class III draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball size: 2 inches
- Length: 8 inchesDrop: 2 inchesRise: 3/4 inch
- Capacity: 6000 pounds gross towing weight, 600 pounds tongue weight
- Color black with 2 inch diameter chrome ball
- Includes 5/8-inch pin and clip

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600014			
TRAILER BALL & MOUNT KIT	N/PIN		
21536 2" DROP			
1-16118-04570	В	EA	CA

Trailer Ball Mount Kit Standard 2"x2", 9.5" Length, 3.25" Drop, 2" Rise, 2" Ball



- Reese Towpower brand
- Standard ball mount kit
- Interlock one-wrench tightening system
- Class III draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball size: 2 inches
- Length: 9.5 inches
- Drop: 3.25 inches
- Rise: 2 inches
- Capacity: 5000 pounds gross towing weight, 500 pounds tongue weight
- Color black with 2 inch diameter chrome ball

• Includes 5/8-inch nin and clin

• Ilicidues 3/6-ilicii pili a	nu cnp		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39600015			
TRAILER BALL & MOUNT KIT	W/PIN		
21556 3-1/4" DROP			
1-16118-05007	В	EA	CA

Trailer Ball Mount Adjustable 2"x2", 13.5" Length, 3" to 7.5" Drop, 1.75" to 6.25" Rise




- Reese Towpower brand
- Weight carrying adjustable ball mount
- Closed box style
- Metal Shield, resists rusts and corrosion
- Class III draw bar
- Box opening dimensions: 2 inches by 2 inches
- Hitch ball hole size: 1 inch
- Length: 13.5 inches
- Drop: 3 inches to 7.5 inches
- Rise: 1.75 inches to 6.25 inches
- Capacity: 5000 pounds gross towing weight, 500 pounds tongue weight
- Color black

TTEIVI NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601085			
TRAILER BALL MOUNT 2"X ADJ			
21141			
1-16118-21141	С	EA	CA

Pintle Hook Mounting Plate 7.5" x 5"



- Reese Towpower brand
- Pintle hook mounting plate
- Plate size: 7.5 inch height, 5 inch width
- Shank length: 7.75 inches
- Fits 2 inch by 2 inch box
- 10000 pound capacity



ITEM NO. DESCRIPTION MODEL/SIZE 39601088 TRAILER PINTLE HOOK 2-5/16" 74117 1-16118-74117 EΑ CA

Trailer Ball Mount Heavy-Duty 2.5"x2.5", 10" Length, 5" Drop, 3.5"



2.5"x2.5", 9.5 Length, 3" Drop, 1.5" Rise

Trailer Ball Mount Heavy-Duty



- Reese Towpower brand
- Heavy duty ball mount
- Class V draw bar
- Box opening dimensions: 2.5 inches by 2.5 inches
- Hitch ball hole size: 1.25 inches
- Length: 9.5 inches • Drop: 3 inches
- Rise: 1.5 inch
- Capacity: 14,000 pounds gross towing weight, 1,400 pounds tongue weight
- Color black

VL	UM	PK
С	EA	CA

- Reese Towpower brand
- Heavy-duty ball mount
- Class V draw bar
- Box opening dimensions: 2.5 inches by 2.5 inches
- Hitch ball hole size: 1.25 inches
- Length: 10 inches • Drop: 5 inches
- Rise: 3.5 inch
- Capacity: 13,000 pounds gross towing weight, 1,300 pounds tongue weight
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601091			
TRAILER BALL MOUNT 2.5"X5"			
7028200 HEAVY DUTY			
4-42899-70282	С	EA	CA

Trailer Ball Mount Adapter 2" to 2.5"



- Reese Towpower brand
- Trailer ball mount adapter
- Connects 2" x 2" trailer ball mount to 2.5" x 2.5" box opening
- Color black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Pintle Ball & Hook 2"-Ball



• Pintle ball and hook • Ball size: 2 inches • Shank: 1.25 inches

• Hook GTW: 16000 pounds • Maximum TW: 3000 pounds • Ball rating: 10000 pounds • Includes mounting hardware

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601087			
TRAILER PINTLE HOOK 2" BALL			
74116			
1-16118-74116	С	EA	CA

Pintle Ball & Hook 2-5/16"-Ball



• Reese Towpower brand Pintle ball and hook

• Ball size: 2-5/16 inches

Revison: Mar 2016

Shank: 1.25 inches • Hook GTW: 16000 pounds • Maximum TW: 3000 pounds • Ball rating: 14000 pounds

• Includes mounting hardware

39601092			
BALL MOUNT ADAPTER 2.5" T	O 2"		
7028700			
4-42899-70287	С	EA	CA

Receiver Plug Cover 2" Rubber



- Reese Towpower brand
- Plug for trailer hitch receiver
- Fits 2 inch receivers
- Class III/IV
- Rubber construction

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
39601099			
RECIEVER HITCH BOX COVER 2"			
7000600			
4-42899-70006	С	EA	CA

Ratchet Winches & Acc.



Ratchet Winches



- Ratchet winch
- Detachable handle
- 1,400 pounds capacity

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

| 19961431 | RATCHET WINCH 1400LB CAPACITY | RW1400 | 4-47724-00102 | B EA CA

4-47724-00102	В	EA	CA
19961431			
RATCHET WINCH 2000LB CAPAG	CITY		
RW2000			
4-47724-00103	С	EA	CA
19961431			
RATCHET WINCH 2500LB CAPAG	CITY		
RW2500			
4-47724-00104	С	EA	CA

Wench Strap 30ft x 4" with Flat Hook



- Winch strap with flat hook
- 30 feet long by 4 inches wide
- 5400 pounds working load limit
- Color yellow

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962539			
WINCH STRAP 30'X4" FLAT HOOK			
43795-10-30			
0.02000.20047		- A	

Weld-On Manual Winch



- Can be welded onto flat bed trailer
- 5500 pounds working load limit
- Holds up to 30 feet of 4 inch wide heavy duty webbing

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
19962547				
WINCH BOTTOM MOUNT WELD ON 4"				
43563-10				
9-92888-10085	С	EA	CA	

Winch Bar Combination with Chainbinder - Chrome



- Combination box end with chainbinder end
- For use to tighten winch straps onto loads
- Knurled grip
- Chrome

19962548			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

19962548 WINCH BAR-COMBINATION/BOX END 42313-12 CHROME 9-92888-20038 C EA CA

Tow/Recovery Straps



5-51643-04623

Vehicle Recovery Strap with Loops 30ft x 2" Yellow



- 10,000 pounds maximum vehicle weight
- 20,000 pounds web capacity
- Polyester webbing resists rust, rot, and mildew
- Stretch and recoil action absorbs towing ierks
- Sewn twisted eye loops
- 30 feet long by 2 inches wide
- Color yellow

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962008			
RECOVERY TOW STRAP 30'X2"			
02923			
5-51643-02923	В	EA	CA

Vehicle Recovery Strap with Loops 30ft x 6" Yellow



- 30,000 pounds maximum vehicle weight
- 60,000 pounds web capacity
- Polyester webbing resists rust, rot, and mildew
- Stretch and recoil action absorbs towing
- Sewn twisted eye loops
- 30 feet long by 6 inches wide
- Color vellow

Revison: Mar 2016

* Color yellow			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19962016			
RECOVERY TOW STRAP 30'X6"			
02963			
5-51643-02963	В	EA	CA

Emergency Tow Strap with Spring Latch 15ft Yellow



- 5,000 pounds maximum vehicle weight
- 12,000 pounds web capacity
- Zinc plated hooks resistant to rust
- Polyester webbing resists rust, rot, and mildew
- Stretch and recoil action absorbs towing jerks
- 15 feet long
- Color yellow

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19962024			
TOW STRAP 15' 12,000#			
02815			
5-51643-02815	В	EA	CA



Ratchet Tie-Down



Does not require the use of any other tightening device. Ratchet Assemblies consist of fixed ends and an adjustable end. All S-Line ratchet straps meet CVSA and DOT requirements.

Ш	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK
	19961826			
	RATCHET TIE DOWN 2"X27'			
	04622 J HOOK (557WHK)			
	5-51643-04622	Α	EA	CA
	19961826			
	RATCHET TIE DOWN 2"X27'			
	04623 FLAT HOOK (557)			
- 1				

Ratchet Tie-Down with S-Hooks 15ft x 1" Orange 4pk

CA



- Ratchet tie-down
- Vinyl coated S-hooks
- Molded grip ratchet handle
- 500 pounds working load limit
- 1500 pounds rated capacity
- 15 feet long by 1 inch wide
- Color orange

S91 4PK

5-51643-05506

• 4 per pack			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961842			
RATCHET TIE DOWN 1"x15'			

EΑ

Ratchet Tie Down 1.25" x 16"



- 16-feet x 1.25-inch
- Wide handle rubber grip ratchet
- Vinyl coated double J-hooks
- Orange webbing
- Working load limit of 700 lbs

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961843			
RATCHET TIE DOWN 1.25"X 16'			
SL81 2/PK			
1-12850-74081	В	EA	CA

Ratchet Tie-Down with S-Hooks 8ft x 1" Camo 4pk



- Ratchet tie-down
- Compact vinyl coated S-hooks
- Molded grip ratchet handle
- 400 pounds working load limit
- 1200 pounds rated capacity
- 8 feet long by 1 inch wide
- Color camouflage
- 4 per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962084			
CAMO RATCHET STRAP 1"x8' 4Pk	(
SL66			
1-12850-74066	В	EA	CA

Ratchet Tie-Down with S-Hooks 15ft x 1" Camo



- Ratchet tie-down
- Full-size vinyl coated S-hooks
- Molded grip ratchet handle
- 500 pounds working load limit
- 15 feet long by 1 inch wide
- Color camouflage

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962092			
CAMO RATCHET STRAP 1"X15'			
XR015-C1P			
ARU15-CIP			
1-12850-76010	С	EA	CA

Ratchet Strap Assembly Flat-Hook 2" x 50ft Red



- Heavy duty ratchet strap assembly
- Flat hook
- 3,333 pound WWL (working load limit)
- --- Handle: ---
- 2 inches wide
- 3.76 inch aluminum grip
- 8.5 inch handle
- Dichromate finish
- --- Strap: ---
- 2 inches wide
- 50 feet long
- Latex coated polyester
- UV protection
- Abrasion resistance
- Color red
- Meets DOT and WSTDA requirements

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962549			
2"X50' RATCHET W/LONG W	IDE HDL		
557-50 FLAT HOOK			
1-12850-00503	С	EA	CA

Ratchet Strap Assembly J-Hook 2" x 50ft Yellow



- Heavy duty ratchet strap assembly
- Wire double J-hook
- 3,333 pound WWL (working load limit)
- --- Handle: ---
- 2 inches wide
- 3.76 inch aluminum grip
- 8.5 inch handle
- Dichromate finish
- --- Strap: ---
- 2 inches wide
- 50 feet long
- Latex coated polyester
- UV protection
- Abrasion resistance
- Color yellow
- Meets DOT and WSTDA requirements

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962550			
2"X50' RATCHET W/LONG WI	DE HDL		
557-50-WHK J-HOOK			
1-12850-00504	В	EA	CA

Ratchet Tie-Down with Double J-Hooks 16ft x 1" Red



- 1,000 pounds working load limit
- 3,000 pounds rated capacity
- Hi-Test webbing
- Hooks attach to anchor points or loop back to D-ring
- Safety first, spring loaded release mechanism prevents ratchet from opening accidently
- 16 feet long by 1 inch wide
- Color red

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961869			
RATCHET TIE DOWN 16'			
05516			
5-51643-05516	С	EA	CA


Ratchet Tie-Down



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Compact size, non-marring, vinyl coated S-hooks
- Padded ratchet handle
- Ideal for pickup trucks and small trailers
- 13 feet long by 1 inch wide
- Color red

Revison: Mar 2016

• Color reu			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK



Ratchet Tie-Down with Compact S-Hooks 8ft x 1" Camouflage 4pk



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Hi-Test camouflage pattern webbing
- Compact size, non-marring vinyl coated S-hooks
- 8 feet long by 1 inch wide
- 4 units per pack

03508-V 4pk 5-51643-03508

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962083			
CAMO RATCHET STRAP 1"x8'			

EΑ

CA

Ratchet Tie-Down with Full-Size S-Hooks & Padded Handle 12ft x 1" Camouflage 2pk



- 500 pounds working load limit
- 1,500 pounds rated capacity
- Hi-Test camouflage pattern webbing
- Full size, non-marring vinyl coated S-hooks
- Padded ratchet handle
- 12 feet long by 1 inch wide
- 2 units per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962091			
RATCHET TIE-DOWN 12'CAMO			
RATCHET TIE-DOWN 12'CAMO 03518 1500#			
	В	EA	CA

Ratchet Tie-Down with Flat Hooks 27ft x 3"Yellow



- 5,000 pounds working load limit
- 10,000 pounds rated capacity
- Extra long ratchet handle with flat hooks
- 27 feet long by 3 inches wide
- Color vellow

COIOI YEIIOW			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19962199			
RATCHET TIE DOWN 27'X3"			
04637 1500# FLAT HOOKS			
5-51643-04637	В	EA	CA

Ratchet Tie-Down with Compact S-Hooks 14ft x 1" Gray 4pk



- 500 pounds working load limit
- 1,500 pounds rated capacity
- Hi-Test webbing
- Compact size, non-marring vinyl coated S-hooks
- Safety first, spring loaded release mechanism prevents ratchet from opening accidently
- 14 feet long by 1 inch wide
- Color gray
- 4 units per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962261			
RATCHET TIE DOWN 14' 4/PK			
RATCHET TIE DOWN 14' 4/PK 05505 1500#			

Ratchet Tie-Down with Full-Size S-Hooks 14ft x 2" Red



- 666 pounds working load limit
- 2,000 pounds rated capacity
- Extra wide Hi-Test webbing
- Full size, non-marring vinyl coated S-hooks
- Safety first, spring loaded release mechanism prevents ratchet from opening accidently
- 14 feet long by 2 inches wide
- Color red

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962288			
RATCHET TIE DOWN 14'X2"			
RATCHET TIE DOWN 14'X2" 05520 2000#			

Ratchet Tie-Down with Double J-Hooks 15ft x 1.75" Yellow



- 1,666 pounds working load limit
- 5,000 pounds rated capacity
- Extra wide Hi-Test webbing
- Steel J-Hooks
- Safety first, spring loaded release mechanism prevents ratchet from opening accidently
- 15 feet long by 1.75 inches wide
- Color yellow

VL	UM	PK
В	EA	CA

Towing & Trailer Supplies

Winch Electric 2000-lbs 12VDC Portable with Rapid Mount




- Portable electric winch
- --- Features: ---
- Heavy duty permanent magnet motor
- Power "IN"
- Automatic mechanical full load brake
- Power lead, fitted with water sealed plug and circuit breaker
- Free wheel clutch
- Emergency hand crank
- --- Specifications: ---
- Capacity: 2000 pounds rated line pull,
 5000 pound boat up to 18 feet long, 6000 pounds rolling load
- Motor: 12 volts DC, 0.8 horsepower, series wound
- Switching: hand held toggle switch
- Gearing: spur gears
- Gear ratio: 464:1
- Clutch (free spool): manual turn friction plate
- Brake: automatic mechanical
- Winch dimensions: 10 inch length, 7.5 inch width, 9.5 inch height
- Drum dimensions: 1 inch diameter, 3.5 inch length
- Wire rope/hook: 5/32 inch diameter by 30 foot length rope, 0.75 inch diameter by 3.75 inch length hook
- Battery leads: 8 gauge by 20 foot length with alligator clips
- Finish: polymer
- Weight: 24 pounds
- --- Includes: ---
- Handheld remote control on a 10 foot lead with water sealed plug
- 20 foot lead with battery clips
- 30 foot by 5/32-inch galvanized wire rope and clevis hook with safety hatch
- Rapid mount bracket for trailer ball hitch
- Hand saver strap

Revison: Mar 2016

• Mounting hardware: nuts. bolts. washers

- Wioditting Haraware. Hat	3, 501	.5, **45	11015
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK



Strap-It Tie Down Starter Kit 36-Piece with Display Box



- Strap-It Tie Down starter kit
- 1 inch webbing construction with rust-resistant cam-lock buckles
- Color coded for quick selection
- Light duty applications for loads under 100 pounds
- --- Includes: ---
- Display box

8-84298-00001

- Six 2-inch straps (red)
- Six 4-inch straps (yellow)
- Six 6-inch straps (green)
- Six 8-inch straps (purple)
- Six 10-inch straps (blue)
- Six 12-inch straps (black)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99932902			
STRAP-IT STARTER KIT			
WSOO			



CA

Motorcycle Tie-Downs



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Full size, non-marring vinyl coated S-hooks
- Quick release thumb button
- Cam buckle's teeth grip the webbing
- 6 feet long by 1 inch wide
- Color red
- 2 units per pack

5-51643-05720	С	EA	CA
05720			
RATCHET/CYCLE TIE DOWN 6'			
19961907			
5-51643-05715	С	EA	CA
05715			
UNIVERSAL/CYCLE TIE DOWN 2	/PK		
19961907			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

Cam Buckle Tie-Down 6ft x 1" Camouflage 2pk



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Hi-Test camouflage pattern webbing
- Full size, non-marring S-hooks
- Ideal for motorcycles and ATVs
- 6 feet long by 1 inch wide
- 2 units per pack

Towing & Trailer Supplies

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962105			
TIE-DOWN 6' ATV CAM CAMO			
03715 1200#			
5-51643-03715	C	FA	CA

Ratchet Tie-Down with Full-Size Hooks 6ft x 1" Camouflage 2pk



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Hi-Test camouflage pattern webbing
- Full size, non-marring S-hooks
- 6 feet long by 1 inch wide
- 2 units per pack

• 2 units per pack			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962172			
RATCHET TIE DOWN 6' ATV CAN	MO		
03720 1200#			
5-51643-03720	С	EA	CA

Ratchet Tie-Down with Soft-Tie Extension 2pk



- Ratchet tie-down with built-in soft-tie extension (U.S. Patent 6,705,811)
- 500 pounds working load limit
- 1,500 pounds rated capacity
- Full size, non-marring, vinyl coated S-hooks
- Padded ratchet handle
- 8 feet long by 1 inch wide
- Color yellow
- 2 units per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962377			
RATCHET TIE DOWN 8' ATV 2/PK			
05721 1500#			
5-51643-05721	С	EA	CA
		•	



Ratchet Tie-Down with J-Hooks 40ft x 2" Yellow



- 3,333 pounds working load limit
- 10,000 pounds rated capacity
- Extra long Hi-Test webbing
- Long ratchet handle with J-hooks
- Ideal for hay bales
- 40 feet long by 2 inches wide
- Color yellow

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
19962180				
RATCHET TIE DOWN HAYBALE40'X2"				
04624 1200#				



CA

Cam Buckle Tie-Down with Full-Size S-Hooks 10ft x 1" Blue



- 400 pounds working load limit
- 1,200 pounds rated capacity
- Full size, non-marring vinyl coated S-hooks
- Quick release thumb button
- Cam buckle's teeth grip the webbing
- 10 feet long by 1 inch wide
- Color blue

5-51643-05110

5-51643-04624

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961893			
UNIVERSAL TIE DOWN 10'			
05110			

Car & Truck Accessories

Cam Buckle Tie-Down with Compact S-Hooks 10ft x 1" Blue 4pk



- 300 pounds working load limit
- 900 pounds rated capacity
- Compact size, non-marring vinyl coated S-hooks
- Quick release thumb button
- Cam buckle's teeth grip the webbing
- 10 feet long by 1 inch wide
- Color blue
- 4 units per pack


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962253			
19962253 TIE DOWN 10' CAM BUCKLE			

Cam Buckle Tie-Down with Soft-Tie Extension & Full-Size S-Hooks 8ft x 1" Red 2pk



- Cam buckle tie-down with built-in soft-tie extension (U.S. Patent 6,705,811)
- 400 pounds working load limit
- 1,200 pounds rated capacity
- Hi-Test webbing
- Full size, non-marring S-hooks
- Quick release thumb button
- Cam buckle's teeth grip the webbing
- Ideal for motorcycles and ATVs
- 8 feet long by 1 inch wide
- Color red
- 2 units per pack

Revison: Mar 2016



Stake Pockets



Anchor Points Chrome 2pk



- Universal anchor point
- Chrome plated
- 2 units per pack

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19962520			
ANCHOR POINT UNIVERSAL CH	HROME		
05648 (05649) STK PKT			
5-51643-05648	С	EA	CA

Truck Tool Box

Truck Tool Box



Single Lid Aluminum Tool Box



- Patented Fully Foamed Lid creates a rigid wall between outer aluminum layers to help prevent bending or warping
- Stainless Steel Lock Handles provide strength, security and rust-free product life
- Connecting Rod Enclosure helps prevent box contents from bending or jamming the locking system
- 0.063" Aluminum One-Piece Tub and Lid is designed to support heavy loads, absorb tool drops and prevent leakage
- Self-Closing Struts Self-Closing Struts automatically close the lid, with slight manual pull, securing the box when hands are full
- MicroSeal Stripping helps seal out moisture, dust and dirt
- 2 Built-in Tool Trays and Screwdriver Holders add extra strength and rigidity to the box
- Lid Opens 90 for easy loading and unloading of tools and equipment
- 3-Compartment Sliding Tray or convenient small item storage and retrieval

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

SINGLE LID ALUMINUM TOOLBOX				
TBS-60				
7-72078-00091	С	EA	CA	
27511462				
SINGLE LID ALUMINUM TOOLBOX				

Z/511462

SINGLE LID ALUMINUM TOOLBOX

TBS-69

7-72078-00109

B EA CA

Truck Bed Bag Liner

27511462



Car & Truck Accessories

BedBag Disposable Truck Bed Liner Rain-X Glass Treatment



NEW "BedBag" is the only disposable pickup bed waste bag product on the market. Some of the many advantages to "BedBag" include low cost, compactness, portability, and its suitability for pickup truck owners who wish to keep their trucks in good clean condition. The BedBag can be stored in a truck cab for those unforeseen times its use is needed. It is already assembled and can be placed on a truck in less than 2 minutes.

One pull of the draw string and it and its contents can be thrown away. Landscapers can use the BedBag for transporting mulch, by pulling the drawstring they will prevent mulch from blowing out during transport and prevent staining of spray on type liners. The BedBag will also offer a limited protection for your load from minor weather elements if the draw string is pulled shut. Reducing scratches, keeping load clean, quick clean up, Improves resale by reducing wear and tear of your bed or fixed liner. Fits Standard Long Bed Trucks 101-1/4" L x 74" W x 50" D, as well as Short Bed Trucks

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
27512500			
BED BAG FOR PICKUP TRUCK			
BEDBAG			
1-18122-74054	С	EA	CA

1-16122-74034	C	EA	CA
Rain-X			
Rain-X			

RUMOU!



Rain-X Original Glass Treatment dramatically improves wet weather driving visibility. Simply apply the treatment to exterior glass and watch the raindrops fly off your windshield while driving. Rain-X also helps improve visibility by repelling rain, sleet and snow.

- Improves visibility
- Easily removes frost, ice, salt, mud and

 Apply to exterior glass ITEM NO. DESCRIPTION MODEL /SIZE

L	MODEL/SIZE			
	UPC	VL	UM	PK
	32250068			
	RAIN X GLASS TREATMENT 3.5oz			
Ī	800002242			
	7-79118-11101	В	EA	CA
	32250068			
	RAIN X GLASS TREATMENT 7oz			
	800002243			
ſ	7-79118-11201	В	EA	CA

Rain-X Glass Treatment Trigger Spray 16oz.



Rain-X Original Glass Treatment dramatically improves wet weather driving visibility. Simply apply the treatment to exterior glass and watch the raindrops fly off your windshield while driving. Rain-X also helps improve visibility by repelling rain, sleet and snow.

- Improves visibility
- Easily removes frost, ice, salt, mud and bugs
- Apply to exterior glass

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32250069			
RAIN X GLASS TREATMENT 16oz			
800002250 TRIGGER SPRAY			
7-79118-01073	С	EA	CA

Rain-X 2-in-1 Glass Cleaner and Rain Repellant 23 oz.



Rain-X 2-in-1 Glass Cleaner + Rain Repellent improves wet weather driving visibility and is easy to use! The Glass Cleaner applies water beading technology to enhance your driving visibility in one simple step. For the last 40 years, Rain-X has provided drivers with products to help them outsmart the elements. All Rain-X products are designed to help keep our customers a confident step ahead of Mother Nature on the road.

- Just spray on and wipe away; no buffing required
- Cleans automotive glass streak-free
- Repels rain by causing water to bead up and roll away
- Helps prevent and remove sleet, snow, ice, bugs, and road spray from sticking to glass
- Fast and easy to use just spray on and wipe away with no buffing required

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32250070			
RAIN X GLASS CLEANER/TREATM	/IENT		
	MENT		

Wax & Car Wash

Revison: Mar 2016



Rain-X Wash & Wax with Carnauba Wax Beads 20 oz.



Rain-X High Foaming Wash & Wax is a specialty car wash that washes and waxes your vehicle in one easy application. Deep cleaning foam dissolves and lifts off dirt and road grime while soft gel Carnauba Wax beads help to protect your vehicles finish. The Rain-X Wash & Wax formula protects your vehicles finish against harsh environmental conditions and leaves a brilliant shine!

- Carnauba Wax protection
- Deep cleaning foam for a brilliant shine
- Safe for all vehicle finishes
- Provides protection from the elements

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260384			
RAIN X CAR WASH & CARNAUB	BA WAX		
RXS51820D 200Z			
7-77249-51820	С	EA	CA

Turtle Wax Zip Wax Car Wash & Wax - 16 oz.



- Biodegradable formula
- Advanced sudsing action gently and safely lifts dirt and grime
- Will not streak or spot
- Leaves a sparkling shine
- Absolutely safe and easy to use

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260209			
TURTLE ZIP WAX WASH 16 OZ			
T-75			
7-74660-11175	С	EA	CA

Turtle Wax



- Legendary Super Hard Shell protection and shine
- The leading car wax in the world
- Easy on, easy off formula lasts up to 12 months
- Fights harmful UV rays

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260276			
TURTLE SUPER HARD LIQUID	WAX		
T-123 16 OZ			
7-74660-03123	С	EA	CA

32260276TURTLE SUPER HARD PASTE WAX T-222 14 OZ 7-74660-01222 B EA CA

Chamois



CHAMOIS-GENERAL DUTY



Washable, long lasting. Assures softness. Will not scratch.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32440576			
CHAMOIS GENERAL DUTY			
HW4			
7-76775-00786	C	EA	CA

Rubbing/Polish Compounds



Turtle Wax Rubbing Compound & Heavy Duty Cleaner - 10.5 oz.



- Heavy duty paste that cleans dull, oxidized finishes
- Helps remove scratches and blemishes
- Restores faded finishes
- Contains no harsh abrasives
- Easy to use formula

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

32260292			
TURTLE RUBBING COMPOUND			
T-230 10.5OZ			
7-74660-01230	С	EA	CA

Turtle Wax Polishing Compound & Scratch Remover - 10.5 oz



- Heavy duty paste that cleans dull, oxidized finishes
- Helps remove scratches and blemishes
- Restores faded finishes
- Contains no harsh abrasives
- Easy to use formula

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260306			
TURTLE POLISHING COMPOUND			
T-241 10.5OZ			
7-74660-01241	С	EA	CA
		10000	



Gunk Tar & Bug Remover 12 oz.



To remove road tars and bug debris/residue, which are not removed with normal washing techniques. Dissolves road tar, loosens bug deposits, and removes tree sap and other stains from auto finishes and metal surfaces. Formulated to evaporate slowly and not run off. Available in either aerosol or pour type can. Meets California VOC requirements.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280544			
TAR N BUG REMOVER 12 OZ			
TR1			
7-78698-20181	С	EA	CA

Sea Foam Bugs-B-Gone Cleaner



Bugs-B-Gone is a non-toxic, biodegradable soap that effectively cleans organic materials from any surface by neutralizing the organic acids they contain. It is safe to use on all surfaces including: chrome, aluminum, steel, plastic, rubber, fiber glass, vinyl, painted or clear coated surfaces, lexan windshields and headlight covers, carpet and upholstery. Once Bugs-B-Gone is applied to a cool, dry surface, allow 30-45 seconds of soak time then WASH/ RINSE THOROUGHLY WITH WATER. Water further activates the active ingredients and the rinse will eliminate the soap residue. Do not apply to a hot surface as the water in the Bugs-B-Gone may quickly evaporate leaving a soap film that will have to be buffed off. For convenient application, Bugs-B-Gone is available in four packages.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281463			
SEAFOAM BUGS-B-GONE CL	EANER		
BBG2 2 OZ			
1-18812-00100	С	EA	CA
32281463			
SEAFOAM BUGS-B-GONE CL	EANER		
BBG1 16 OZ			
1-18812-00101	С	EA	CA

ITEMA NIO

Sea Foam Bugs-B-Gone Cleaner, Gallon



Bugs-B-Gone is a highly versatile auto and truck cleaner that is specially formulated to safely remove bugs and other organic residues from windshields, front grilles, bumpers or any vehicle surface. Bugs-B-Gone cleans bugs, tree sap, bird droppings, mold, mildew, exhaust soot, tough road grime and brake dust from your vehicle's chrome, plastic and painted surfaces. When sprayed on, Bugs-B-Gone chemically neutralizes the acid in bug remains, exhaust soot and road grime, softening and loosening them within 30 to 45 seconds. The addition of water activates Bugs-B-Gone making it a highly effective detergent, which lifts that dirt and grime so it easily washes away.

Bugs-B-Gone leaves your windshield crystal clear, without hazy bug smears. It also works great on the inside of your windshield too, removing that annoying haze. Use it on your chrome too. Chrome surfaces are very porous, and Bugs-B-Gone gets deep into the pores to release the grime that hides the beauty of the finish. You can even use it to clean your carpets and upholstery too!

and apholistery too:			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281464			
SEAFOAM BUGS-B-GONE CLEAN	NER		
	NER		

Revison: Mar 2016

Sea Foam Bugs-B-Gone Cleaner Concentrate 8 oz.




For professional and high volume Bugs-B-Gone users, the concentrated one gallon package significantly reduces the cost of the product. It can be mixed with 2.5-25 gallons of water for a wide range of cost and concentration. The solution is best used in a weed sprayer so it can be applied directly to the surface being cleaned. After a 30-45 second soak, rinse with a pressure washer or hand wash.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281465			
SEAFOAM BUG-B-GONE CON	CENTRATE		
BBG5 8 OZ			
1-18812-00105	С	EA	CA

Right Stuff-Mag Cleaner



- BRI-TER Aluminum Brightener
- Wire/chrome wheel acid
- Formula that removes road grime, grease, and film from wire and chrome wheels
- Not for use on clear coat alloy or polished aluminum wheels
- Concentrated formula
- Quart bottle



Wesleys Black Magic Bleche Wite Tire Cleaner 32 oz Pump



The best selling formula that attacks brake dust, dirt and solvent dressing. Makes whitewalls and blackwalls look like new. An excellent prep agent for Black Magic Tire Wet, it's also a great idea to pre spray on tires before going through a commercial car wash. NOTE: Do not allow product to contact magnesium or aluminum wheels, painted or glass surfaces, eyewear, fabric and non-rubber items. Permanent damage can occur. USE ONLY AS PER LABEL DIRECTIONS

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260381			
BLACK MAGIC TIRE CLEANER 320	DΖ		
800002224 BLECHE-WITE PUMP			
7-77249-01064	С	EA	CA

Black Magic Tire Wet Foam 18oz.



Black Magic Tire Wet Foam cleans, shines and protects in one step. Its specifically-formulated thick foam clings to the tire to dissolve and release dirt and road grime. One can works on up to 36 tires.

- Long lasting extreme shine
- · Apply to wet or dry tires
- One can works on up to 36 tires

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260382			
BLACK MAGIC TIRE SHINE 180Z			



Turtle Wax Chrome Polish & Rust Remover - 12 oz.



- Transforms rusty, tarnished chrome to its original gleaming luster
- Works great on chrome bumpers, wheels and accessories
- Leaves a protective coating to prevent future oxidation
- Can be used with cotton, microfiber or foam pads
- Easy to use



Blue Magic Metal Polish 100 gram



• Non-abrasive

ITEM NO.

- For all metal surfaces, brass, copper, sterling silver, aluminum, stainless steel and gold
- Removes tarnish and oxidation
- Provides lasting protective coating
- Can be used with buffers and polishers

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260366			
BLUE MAGIC METAL POLISH 1	.00GR		
100-12 3.5 OZ			
7-77336-67890	С	EA	CA



ArmorAll Protectant



- Keep Your Car Looking Like New
- Guards Against UV Damage
- Renews & Restores Surface Appearance
- Protects Against Discoloration & Fading,
 Slows The Aging Process

310 W3 THE AGING FIOCE.	,,		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260012			
ARMOR ALL PROTECTANT			
10040 4 OZ			
7-70612-10040	С	EA	CA
32260012			
ARMOR ALL PROTECTANT			
10010 10 OZ			
7-70612-10010	В	EA	CA
32260012			
ARMOR ALL PROTECTANT			
10160 16 OZ			
7-70612-10160	В	EA	CA



Vehicle Wash Solution Concentrate Gallon



- Right Stuff Vehicle Wash Gold Formula #200
- Professional formula for spot-free cleaning
- Leaves a "Just Waxed Look"
- For use on cars, trucks, RVs, etc
- Safe for all finishes
- Concentrate formula
- Gallon bottle

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260586			
CLASSIC CAR WASH			
CA0210 (20104) GAL			
9-96582-95200	С	EA	CA



Engine Brite Heavy-Duty Engine Degreaser



Removes grease and grime from auto, power mower, marine and tractor engines, metals, concrete and tires, industrial equipment were water is permitted.

VL	UM	PK
	VL	VL UM

Revison: Mar 2016

32280021			
ENGINE CLEANER 16 OZ AERO			
EB-1 GUNK			
7-78698-50201	В	EA	CA

Gunk Foamy Engine Brite Degreaser 18 oz.



Removes grease and grime from auto, power mower, marine and tractor engines, metals, concrete, tires, and industrial equipment where water is permitted.

ITEM NO.	5 pciii	iittea.	
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280102			
FOAMY ENGINE BRITE 18 OZ			
FEB-1 GUNK			
7-78698-65201	В	EA	CA



3M High Power Brake Cleaner - 14 oz Spray



High power general purpose degreaser designed to remove oil, grease, brake fluid and other contaminants from all types of brake assemblies. Leaves no residue and helps eliminate disc brake squeal and chatter.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280100			
3M HIGH POWER BRAKE CLEA	NER		
08880 14OZ			
5-51135-08880	В	EA	CA

Gunk Pro-Series Brake Parts Cleaner - 19 oz



A fast acting, deep-cleaning formula that the professionals know, and trust!. Quickly removes brake dust without leaving a residue behind. The proper use of SOLDER SEAL GUNK BRAKE CLEANER can help improve performance. Its high solvency and fast evaporation quickly dissolves and flushes away brake fluid, oil, grease and other contaminants from all types of brake and C.V. joint assemblies. It cleans instantly and can be applied without disassembling the brake unit. It leaves no residue and helps stop disc brakes squeal and "chatter". Use SOLDER SEAL GUNK BRAKE CLEANER on: conventional brake units, linings and shoes, drums, cylinders, springs, disc brake units C.V. joints, caliper units, brake pads,

VL	UM	PK
	FA	CA
	VL	VL UM



Max Pro Contact Cleaner 11oz.



Max Professional(TM) Contact Cleaner is fast drying and leaves no residue. Can be safely applied to plastic, rubber and metal. Max ProfessionalTM) Contact Cleaner is non-conductive and easily removes oil, grease and dirt. CANNOT BE SOLD IN CALIFORNIA

FURINIA			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280048			
MAX PRO CONTACT CLEANER			
2015 11oz			
2015 11oz 5-52080-00201	В	EA	CA

WD-40 Dirt and Dust Resistant Dry Lube PTFE Spray - 10 oz



WD-40 Dirt and Dust Resistant Dry Lube PTFE Spray lubricates and provides superior long-lasting corrosion protection with no oily residue. It dries quickly and resists dirt, dust and oil. WD-40 Specialist Dirt & Dust Resistant Dry Lube PTFE Spray reduces friction and wear on blades and bits, door and window tracks, slides, conveyor belts, rollers, hinges, power tools and equipment. Our dry lubricant is also ideal for releasing molded parts, and it's 50-state VOC compliant.

- Reduces friction and wear
- Won't attract dirt, dust or oil
- Ideal for releasing molded parts
- 50-state VOC compliant
- NSF Category H2 (#146856)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32261874			
WD-40 SPECIALIST DRY LUBE			
300059 10 OZ			
7-79567-30005	С	EA	CA

WD-40 Machine and Engine Degreaser Foaming Spray - 18 oz



Machine and Engine Degreaser Foaming Spray makes equipment run smoother, last longer and look like new. With deep foaming penetrating action and a powerful stream that sprays up to five feet, it quickly removes grease, oil, dirt and grime. In ASTM tests, WD-40 Specialist Machine & Engine Degreaser Foaming Spray outperforms the leading competitors. It's 50-state VOC compliant and is an ideal engine cleaner and industrial degreaser for use on auto and truck engines, tractors, forklifts, gears and chains, industrial machinery, farm and power equipment and other metal tools.

- Removes grease, oil, dirt and grime
- Deep penetrating foaming action
- Sprays up to five feet
- 50-state VOC compliant
- NSF Category C1 (#146737)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32261875			
WD-40 SPECIALIST DEGREASER			
300070 18 OZ			
7-79567-30007	C	FA	CA
	C		

WD-40 Electrical Contact Cleaner Spray - 16 oz



WD-40 Electrical Contact Cleaner Spray, featuring patented Smart Straw technology, blasts away oil, dirt, flux residue and condensation from sensitive electronics and electrical equipment with pinpoint precision. It dries quickly, leaves no residue and removes more soil than leading competitors, making it the best at cleaning electrical contacts. Safe to use and 50-state VOC compliant, it's ideal for use on printed circuit boards, controls, switches, precision instruments and electric panels.

- Straw technology blasts away dirt
- Cleans sensitive electrical equipment
- · Quick-drying with no messy residue
- Safe to use on plastic, rubber and metal
- 50-state VOC compliant
- NSF Category K2 (#146857)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281823			
WD-40 SPECIALIST CONTACT	CLEAN		
300080 16 OZ			
7-79567-30008	С	EA	CA

QD Contact Cleaner, 11 Oz



A petroleum distillates and alcohol blended precision cleaner suitable for sensitive electronics. QD evaporates quickly, leaves no residue and is safe to use on all plastics. QD Contact Cleaner contains no Class I or Class II Ozone Depleting Chemicals.

- Plastic Safe
- Quick drying, leaves no residue
- Ideal for applications where lower flashpoint solvents can be used
- NSF K2 Registered for use in meat and polutry plants

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280472			
CRC DRY CONTACT CLEANER			
02130 AEROSOL 110Z			
7-78254-02130	С	EA	CA

CRC Contact Cleaner 2000 Precision Cleaner, 13 Oz



- Removes dirt, light oils & other contaminants
- Evaporates quickly, leaves no residue, has no flash or fire point
- Use caution on sensitive plastics
- Non-conductive & non-corrosive

Revison: Mar 2016

• Contains HCFC (141b) which has use restrictions and may only be sold to professional users for applications consistent with the regulations

1			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280473			
CRC PRECISION CONTACT CLE	ANER		
02140 AEROSOL 150Z			
7-78254-02140	В	EA	CA

CRC Heavy Duty Degreaser, 20 Oz



Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment. Heavy Duty Degreaser offers quick and efficient degreasing action and fast evaporation with no residue. Use caution on plastics.

- No flash or fire point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Contains no Class I or Class II Ozone Depleting Chemicals
- NSF K1 Registered for use in meat and poultry plants

podici y pidrics			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280474			
32280474 CRC HEAVY DUTY DEGREASER			
CRC HEAVY DUTY DEGREASER	В	EA	CA

CRC Contact Cleaner and Protectant, 10 Oz



High purity precision cleaner that helps make equipment perform like new. Penetrates surface pores, cleans away contaminants and leaves a fine microscopic corrosion resistant film.

- Removes grease, oil, dirt, and other contaminants
- Safe on most plastics
- Non-corrosive and non-staining
- Inhibits corrosion and protects with a non-hardening silicone film
- NSF K2 Registered for use in meat and poultry plants

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280475			
CONTACT CLEANER & PROTEC	TANT		
03140 AEROSOL 100Z			
7-78254-03140	С	EA	CA
·			

QD Electronic Cleaner, 11 Oz.



A petroleum distillate / alcohol based precision cleaner designed as an alternative to CFC based cleaners. Cleans contacts, connectors and sensitive electronics equipment. Helps prevent contact failure. Quick-drying. Ideal for apps where lower flashpoint.

- Quick drying, plastic safe formula leaves no residue
- Ideal for applications where lower flashpoing materials can be tolerated
- Not VOC Compliant for California & OTC
- Helps prevent contact failure

05103 AEROSOL 110Z			
CRC QD ELECTRONIC CLEANER			
32280476			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

CRC Contact Cleaner - 14 oz



Advanced Technology Formula contains no known ozone depleting substances or VOCs. The non-chlorinated, non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners. NSF K2 Registered.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

99968168		
CRC CONTACT CLEANER NON-FLAM		
03070 140Z		
7-78254-03070	EA	CA

Gunk Energized Electric Motor Contact Cleaner - 20 oz.



A cleaner for energized electric motors, generators, instruments and electrical controls with greasy soils. A non-flammable, non-conductive, fast drying, multi-use solvent for dissolving and flushing away greases, oils, gummy and tar residue. Leaves no residue of its own. Contains no benzene, carbon tetrachloride, or acetone. Dielectric Strength is 37500 Volts.

VL	UM	PK		
ELECTRIC MOTOR CONTACT CLEANER				
В	EA	CA		
	EANER	EANER		

Blaster Citrus Based Degreaser



- Proprietary blend of surfactants with natural terpenes
- No chlorinated or hydrocarbon solvents
- Removes grease, oil and dirt Even strips and removes wax
- Will not stain Dries with no residue
- Fast-acting, heavy duty, concentrated, penetrating citrus-based degreaser

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

99930475			
CBD CITRUS BASED DEGREASER			
16-CBD AEROSOL 110Z			
3-32167-60001	С	EA	CA



Zep Commercial Driveway, Concrete & Masonry Cleaner Concentrate 1 Gallon



- Formulated for fast, powerful cleaning of concrete surfaces
- Removes oil, grease, and dirt
- Makes up to 20 gallons
- Professional strength

2-21709-00915

• Floressional strength			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260683			
DRIVEWAY CONCRETE CLEANER			
ZUCON128 GALLON			

C

EΑ

CA

Degreaser Cleaner 1 Qt



Savogran Deep Cleaning Degreaser is a heavy bodied phosphate-free cleaner that dissolves and removes grease and oil from asphalt and concrete surfaces. Cleans and degreases concrete, blacktop driveways, machinery and parts, engines, yard tools, barbecue grills and boat bilges. Also, this product is great for degreasing machinery, small engines and parts, outdoor equipment and tools. Degreaser contains Bitrex to hinder accidental swallowing by children.

- Cleans grease, grime and dirt from concrete
- Removes grease and oil stains from driveways and blacktop
- Degreases machinery, tools, engines, metal parts etc
- Ideal for outdoor and garden equipment, boat bilges, decks, etc
- One gallon of DEGREASER covers approximately 400 square feet of surface area

 ITEM NO.

TIEWINO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36220074			
DRIVEWAY CLEANER DEGREASER			
10732 Quart			



Furniture Stripping Brush Brass Wire Bristles 9/16" with 6.75" Poly Handle



- Furniture stripping brush
- Brass wire bristles, 9/16 inch trim
- 6.75 inch poly block handle

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32450008			
7" TIRE BRUSH BRASS			
08320			
2-25881-08320	С	EA	CA


Window/Vehicle Brush Gray Synthetic Bristles 10" x 2.5" with Poly Block Head



Fountain style brush cleans all types of vehicles, large windows, aluminum siding, and fences.

- Window and vehicle washing brush
- Soft gray flagged synthetic bristles, 2.5 inch trim
- 10 inch wide brush
- Poly block head with one threaded handle hole and one tapered handle hole
- Handle not included

- 1				
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK



Utility/Pot Scrub Brush Poly Bristles 2" with 20" Poly Handle



The most versatile of all brushes, variously known as a gong, pot, dairy, for fender brush. Staple-set bristles.

- Utility/pot scrub brush
- Tampico colored poly bristles, 2 inch trim
- Poly handle with hang-up hole
- 20 inch overall length

- 20 men overan length			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32450024			
32450024 20" WHEEL & FENDER BRUSH P	OLY		
	OLY		
20" WHEEL & FENDER BRUSH P	OLY B	EA	CA

Utility/Pot Scrub Brush Palmyra Bristles 2" with 20" Wood Handle



The most versatile of all brushes, variously known as a gong, pot, dairy, for fender brush. Staple-set bristles.

- Utility/pot scrub brush
- Natural Palmyra bristles, 2 inch trim
- Wood handle with hang-up hole
- 20 inch overall length

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32450032			
32450032 20" WHEEL&FENDER BRUSH F	'ALMYRA		
	PALMYRA		

Utility/Pot Scrub Brush Poly Bristles 2" with 8" Poly Handle



The most versatile of all brushes, variously known as a gong, pot, dairy, for fender brush. Staple-set bristles.

- Utility/pot scrub brush
- Tampico colored poly bristles, 2 inch trim
- Poly handle with hang-up hole
- 8 inch overall length

0-			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32450040			
9" WHEEL & FENDER BRUSH PC	DLY		
11648			
2-25881-11648	Α	EA	CA

Utility/Pot Scrub Brush Palmyra Bristles 2" with 8" Wood Handle



The most versatile of all brushes, variously known as a gong, pot, dairy, for fender brush. Staple-set bristles.

- Utility/pot scrub brush
- Natural Palmyra bristles, 2 inch trim
- Wood handle with hang-up hole
- 8 inch overall length

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
32450083				
9" WHEEL& FENDER BRUSH PALMYRA				
11650				
2-25881-11650	С	EA	CA	



Battery Terminal Protector 7.5 Oz



Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a leadfree soft protective coating.

Applications: Battery posts, terminals, hold-downs and casings used in vehicles, boats, handling equipment and uninterrupted power supplies (UPS), and used for computer, security and emergency back-up systems.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280477			
CRC BATTERY TERMINAL PROT	ECTOR		
05046 7.5OZ			
7-78254-05046	С	EA	CA

Battery Cleaner with Acid Indicator 11 Oz



Instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off.

Applications: Battery terminals, battery casings, cable connectors & hold downs

П	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK
	32280478			
	CRC BATTERY CLEANER & INDIC	ATR		
	05023 11OZ			
	7-78254-05023	С	EA	CA
١				

Oil Dry



Can Dry Ultra All Purpose Absorbent - 25 lbs



Can Dry Ultra Premium is an all purpose absorbent that is a low dust granular mineral that has the ability to absorb and retain many types of liquid spills. The unused product is considered chemically inert in the environment and will not damage tile, concrete, asphalt, soil or plant life. Absorb oils, fuels, paints, alcohols, solvents, coolants, water, grease and odors.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99960620			
CAN DRY ULTRA 25#			
W177 ALL PURPOSE ABSORBENT			
5-58633-00177		BG	CA

Can Dry Ultra All Purpose Absorbent - 10 lbs



Can Dry Ultra Premium is an all purpose absorbent that is a low dust granular mineral that has the ability to absorb and retain many types of liquid spills. The unused product is considered chemically inert in the environment and will not damage tile, concrete, asphalt, soil or plant life. Absorb oils, fuels, paints, alcohols, solvents, coolants, water, grease and odors.\$\$

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Revison: Mar 2016

99960639		
CAN DRY ULTRA 10#		
W178 ALL PURPOSE ABSORBENT		
5-58633-00178	BG	CA

EazyZorb Sprinkles Multipurpose Absorbent - 6 lbs



EazyZorb Sprinkles are special crystals designed to absorb liquids and reduce offensive odors.

- Absorbs up to 130% of its own weight in liquid
- Environmentally Safe Granular Absorbents

DEIILS			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99961619			
99961619 EAZY SORB SPRINKLES			
EAZY SORB SPRINKLES		EA	CA

Oil Dry Absorbent Granules 40 Pound Bag



These highly absorbent granules are made of non-flammable minerals. They absorb liquids, including most types of oils, mixtures of soluble oils and water, acids, paints, inks and water. They can also reduce hazards and slipping accidents, prevent flash oil fires and keep floors clean and dry. Do not use with turpentine, vegetable oil, unsaturated organic compounds or hydrofluoric acid.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32200176			
OIL DRI ABSORBENT 40#			
OILDRY40 *FE*			
2-21603-00046	Α	EA	CA

Headlight Resoration Kit



Rain-X Headlight Restoration Kit



Over time, headlight lenses become oxidized rendering them hazy and yellow. This causes headlights to shine less brightly, which is dangerous for the driver and others on the road. The Rain-X Headlight Restoration Kit provides a deep clean to yellowed, hazed headlights with the use of a specially designed polish and sealant.

- Helps restore clear plastic by removing haze and discoloration
- Improves visibility with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products
- Saves money: Dont replace headlights when you can restore them

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32250071			
RAIN X HEADLIGHT RESTORE KIT			
800001809			
7-79118-00115	С	EA	CA

Funnels/Oil Drain Pan

Funnels/Oil Drain Pan



Galvanized Flex Funnel 17" 1 Ouart



1 quart capacity, 5-3/4 funnel diameter, 17-1/2 overall length.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230134			
20230134 GALVANIZED FLEX FUNNEL 17"			

1 Quart Galvanized Metal Flex Funnel



Flexible spout, 1 quart capacity, 6-1/2" overall height.

ITEM NO.			
TIENTINO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230169			
QUART MEASURE W/ FLEX SPC	DUT		
	DUT		

Plastic 15" Flex Funnel



15" overall length, 6" diameter with 3/4" OD tip.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230894			
PLASTIC FLEX FUNNEL 15"			
75-074			
2-28893-75074	С	EA	CA

Motor Oil



Super S Multi-Flo Oil Synthetic Blend 5W30 - 1 Quart



Super S Mult-Flo Motor Oils are premium quality, passenger car motor oils (PCMO) that meet the latest automotive manufacturers requirements of API SN. Super S Multi-Flo Motor Oils, through the use of highest quality base stocks and up-to-date additive technology, are formulated to provide the highest levels of equipment protection available.

Grades 5W20 and 5W30 are Synthetic Blends; 5W20, 5W30 and 10W30 meet the requirements of energy conserving and ILSAC GF-5 ratings. Every load of API oil is fully tested in our lab, and all manufacturing and packaging is monitored ful I-time for quality assurance.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250062			
MOTOR OIL PREMIUM 5W30 SJ			
SUS93 QUART			

Motor Oil-N.D.



- Economy lubricant used where detergent action is not required and where cost is a consideration
- Use where detergent action is not required

IT	EM NO.			
DI	ESCRIPTION			
М	IODEL/SIZE			
U	PC	VL	UM	PK
2	0250119			
М	IOTOR OIL NON-DETERGENT	30W		
SI	JS41 QUART			
8-	85051-00041	В	EA	CA
2	0250119			
М	OTOR OIL NON-DETERGENT	40W		
SU	JS45 QUART			
8-	85051-00045	В	EA	CA

Super S Motor Oil Premium 30W - 1 Ouart



Super S Mult-Flo Motor Oils are premium quality, passenger car motor oils (PCMO) that meet the latest automotive manufacturers requirements of API SN. Super S Multi-Flo Motor Oils, through the use of highest quality base stocks and up-to-date additive technology, are formulated to provide the highest levels of equipment protection available.

Grades 5W20 and 5W30 are Synthetic Blends; 5W20, 5W30 and 10W30 meet the requirements of energy conserving and ILSAC GF-5 ratings. Every load of API oil is fully tested in our lab, and all manufacturing and packaging is monitored ful I-time for quality assurance.

tor quanty assurance.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250186			
MOTOR OIL PREMIUM 30W			
SUS49 QUART			
8-85051-00049	В	EA	CA

Revison: Mar 2016

Premium Motor Oil



Multi-Flo Motor Oils are premium quality, passenger car motor oils (PCMO) that meet the latest automotive manufacturers requirements of API SM. Multi-Flo Motor Oils, through the use of highest quality base stocks and up-to-date additive technology, are formulated to provide the highest levels of equipment protection available. Grades 5W20 and 5W30 are Synthetic Blends. 5W20, 5W30 and 10W30 meet the requirements of energy conserving and ILSAC GF-4 ratings.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250194			
MOTOR OIL PREMIUM 10W30			
SUS50 QUART			
8-85051-00050	В	EA	CA
20250194			
MOTOR OIL PREMIUM 10W40			
SUS51			
8-85051-00051	В	EA	CA

Chevron Delo 400 Motor Oil



Delo 400 LE SAE 15W-40 is a premium quality, heavy-duty motor oil formulated to meet the requirements of post-2007 low emission engines equiped with advanced em ission control technologies. Provides outstanding performance with Ultra Low Sul fur Diesel and also with normal and low sulfur diesel fuels, Delo 400 LE is back ward compatible and may be used in older, conventional engines and gasoline engines. Delo 400 LE is formulated with ISOSYN technology, which combines highly refinedb ase oils and an optimal blend of the latest technology in dispersant, detergent, oxidation inhibition, antiwear, corrosion inhibition, viscosity improver and def oaming additives.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250216			
DELO 400 ENGINE OIL 15W40			
CHE16 GALLON			
2-23698-34637	В	EA	CA
20250216			
DELO 400 ENGINE OIL 30W			
CHE9 GALLON			
2-23698-34635	В	FΔ	CA

ITEM NO.

Chevron Delo 400 SAE40 - 1 Gallon



Chevron Delo 400 SAE 40 is manufactured using carefully selected premium paraffinic base oils and an optimal blend of the latest technology in dispersant, detergent, oxidation inhibition, antiwear, corrosion inhibition, and defoaming additives. Chevron Delo 400 oils reduce valve and piston crownland deposits and, thus, lower oil consumption.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250225			
DELO 400 ENGINE OIL 40W			
CHE13			
2-23968-34636	(EA	CA

Fleetgard Heavy Duty Engine Oil SAE 15W40, 3 Gallon



Super S FleetGARD 15W40 super premium quality motor oil provides outstanding engine protection and is recommended for all types of service in truck and automotive diesel and gasoline engines, including those with diesel particulate filters and engines operating under severe service and/or wide variations of climate conditions. It provides excellent performance in the new EGR (Exhaust Gas Recirculation) engines, extends engine life and controls oil consumption.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250300			
FLEETGARD ENGINE OIL 15W40			
SUS95-3 GALLON			
2-21603-00095			C 4
2-21603-00095	С	EA	CA

Outboard Motor Oil



Super S TC-W3 Premium Outboard Oil is a high performance, 2-cycle engine oil meeting or exceeding the warranty requirements of all leading manufacturers. 2-cycle products include chain saws, lawn mowers, motorcycles, string trimmers, as well as outboard engines made by Johnson/Evinrude, Mercury Marine, Yamaha, Suzuki, Nissan, Force/U.S. Marine, Mariner, Sears, and all other manufacturers requiring TC-W3 oil.

It protects against piston scuffing and ring sticking as well as keeping spark plugs and exhaust parts clean. It is also suitable for use in oil injected systems requiring a TC-W3 oil.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250372			
OIL OUTBOARD MOTOR 50:1			
SUS177 GAL			
8-85051-00177	В	EA	CA
20250372			
OIL OUTBOARD MOTOR 50:1			
SUS176 QUART			
8-85051-00176	В	EA	CA
20250372			
OIL OUTBOARD MOTOR 50:1			
SUS175 PINT			
2-21603-00175	С	EA	CA

Dexos Synthetic Motor Oil 5W30



Super S dexos1 is a Full Synthetic formulation using the most advanced additive technology available, newly developed to meet the fuel economy standards of both the dexos1 and ILSAC GF-5 specifications, while dramatically exceeding the dexos1 specification (which is more stringent than the GF-5 specification) in areas such as weighted piston deposits, wear control, seal and emission system compatibility, cleanliness (sludge, varnish and deposits), shear stability and oxidation control.

The stability and extuate						
ITEM NO.						
DESCRIPTION						
MODEL/SIZE						
UPC	VL	UM	PK			
20252161						
DEXOS MOTOR OIL SYNTHETIC	5W30					
SUS793 QUART						
8-85051-00793	С	EA	CA			
20252161						
DEXOS MOTOR OIL SYNTHETIC	5W30					
SUS79305 5 QUART JUG						
8-85051-79305	С	EA	CA			
Transmission Fl	اہ :					

Transmission Fluid



Transmission Fluid Dexron III - 1 Quart



TRANSMISSION FLUID - Dexron III Mercon

- Dexron III Mercon automatic transmission fluid
- Additives to enhance oxidation stability & thermal resistance, improve low temperature operation, and friction control
- Multi-purpose ATF is suitable for power steering units & other applications where Dexron III-Mercon fluid is recommended
- Other manufacturer suggested applications include mobile hydraulic and industrial systems, and rotary air compressors under certain service conditions

dider certain service conditions					
ITEM NO.					
DESCRIPTION					
MODEL/SIZE					
UPC	VL	UM	PK		
20260114					
TRANSMISSION FLUID DEXRON III					
SUS26 QUART					
8-85051-00026	В	EA	CA		

Super S Type F Automatic Transmission Fluid - 1 Quart



Super S Type F Automatic Transmission Fluid is used in all pre-1977 and some pre-1982 Ford transmissions or in any application where the manufacturer recommends Type F fluid. It meets requirements of Ford specification M2C33-F

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260122			
TRANSMISSION FLUID TYPE F			
SUS27 QUART			
2-21603-00027	С	EA	CA

Super S Type A Automatic Transmission Fluid - 1 Quart



Super S Type A Automatic Transmission Fluid is formulated primarily for add-on purposes. It blends smoothly with all original transmission fluids. It contains red dye for ease of leak identification.

VL	UM	PK
	VL	VL UM

SuperSyn Premium Universal Automatic Transmission Fluid Quart



SuperSyn Premium Universal ATF is a Full Synthetic fluid for use in virtually all automatic transmissions manufactured worldwide, as well as heavy duty transmissions, power steering units and hydraulic systems.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20262160			
TRANSMISSION FLUID SYNTHI	ETIC		
SUS3226 QUART			
8-85051-03226	С	EA	CA

Brake Fluid



Brake Fluid-Heavy Duty



Super S DOT 3 Brake Fluid is a fully approved, DOT 3 type motor vehicle brake fluid suitable for use in all vehicles where DOT 3 fluids are recommended. It is suitable for both disc and drum brake systems.

20260002			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

20260092			
BRAKE FLUID DOT 3 HEAVY DUTY			
SUS32 QUART			
8-85505-10003	В	EA	CA
20260092			
BRAKE FLUID DOT 3 HEAVY DUTY			
SUS31 12 OZ			
8-85051-00031	В	EA	CA

Gear Oil



Marine Lower Unit Gear Lube Oil #90



For mechanical shift outboards and stern drives.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20271272			
MARINE LOWER UNIT OIL #90			
11-556 Qt			
7-79700-11556	С	EA	CA

Super S GL-5 85W140 Gear Oil - Quart



Formulated for severe service conditions and environments in cars, trucks and heavy equipment. Super S gear oils provide excellent load carrying capability, wear resistance, oxidation stability, anti-rust, anti-corrosion and anti-foam properties.

These lubricants contain sulfur and phosphorus additive materials, but no zinc, in compliance with most manufacturers requirements for truck driving axles.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250046			
GL-5 GEAR OIL 85W-140			
SUS25 QUART			
2-21603-00025	В	EA	CA

GL-1 Gear Oil-90



Smitty's Super S GL-1 Gear Oil is blended from tested select base stocks, because you need top performance from even the most basic gear oil. Your equipment depends on it.

- Blended from Selected Mid V.I. Base Stocks
- Every batch produced is fully tested in our In-House Lab
- Every batch meets Smitty's Quality Assurance Testing

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20250097			
GL-1 GEAR OIL 90W			
SUS21 GALLON			
8-85051-00213	В	EA	CA
20250097			
GL-1 GEAR OIL 90W			
SUS8 5 GALLON			
2-21603-00058	В	EA	CA

High Performance Gear Oil



Formulated for severe service conditions and environments in cars, trucks and heavy equipment. They provide excellent load carrying capability, wear resistance, oxidation stability, anti-rust, anti-corrosion and anti-foam properties.

- Automotive/ Truck/ 4-wheel Drive/ Sport Vehicles
- Highway/ Off-Highwayand Industrial/ Construction
- Tractors & Farm Equipment

ITEM NO.

DESCRIPTION

2-21603-00052

GL-5 GEAR OIL 85W-140

20250135

- Heavy Duty, Severe Environments
- Conventional and High Performance Differentials
- Hypoid & Spiral or Bevel Gearsand Outboard Motor Gear Boxes

П				
	MODEL/SIZE			
	UPC	VL	UM	PK
	20250135			
	GL-5 GEAR OIL 80-90W			
	SUS82 GALLON			
	8-85051-00823	В	EA	CA
	20250135			
	GL-5 GEAR OIL 80-90W			
	SUS52 5 GALLON			

SUS83 GALLON			
2-21603-00083	В	EA	CA
20250135			
GL-5 GEAR OIL 85W-140			
SUS54 5 GALLON			
2-21603-00054	В	EA	CA

С

EΑ

CA

Tractor Fluid



Premium Universal Tractor Hydraulic Fluid - 5 Gallons



Premium Tractor Hydrolic Oil is blended to incorporate advanced additive technology combined with highly refined base stocks to provide excellent long-term service in modern agri-industrial equipment under severe conditions. It is designed for use in equipment utilizing a common pump or requiring a single fluid for final drive, transmission, differential, power take-off (PTO) units and wet brake system.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260084			
HYDRAULIC OIL PREMIUM			
SUS236 5 GALLON			
2-21603-05236	В	EA	CA
The alone of the Elected			



Hydraulic Fluid 303



Smitty's Super Trac 303 Tractor Hydraulic Fluid is a multi-service oil that is suitable as a replacement fluid for the hydraulic, wet brake and transmission requirements of many heavy equipment manufacturers, including:

- Has excellent anti-wear and extreme pressure properties which protect tractor transmission, axle and hydraulic pumps
- Provides excellent clutch and PTO performance
- Reduces brake chatter

ITEM NO.

2-21603-20035

- Protects against rust and corrosion
- Provides excellent results for foam suppression and water sensitivity
- Every batch of Super Trac is tested in our on-site lab to assure premium quality and performance.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260000			
HYDRAULIC OIL 303 TRACTOR			
SUS24 GALLON			
8-85051-00024	В	EA	CA
20260000			
HYDRAULIC OIL 303 TRACTOR			
SUS35_5 GALLON			

EΑ

CA

Supply Super S R & O Hydraulic Oil - 5 Gallons



Super S R & O Hydraulic Oil gives you performance and value with a general purpose hydraulic oil formulation containing highly effective rust and oxidation inhibitors, plus a moderate anti-wear additive and foam dispersant package.

It is suitable for use in hydraulically actuated equipment, both old and new, where service requirements are normal to moderate and long term, heavy-duty wear protection is not critical.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260009			
HYDRAULIC OIL R & O			
SUS1 5-GALLON			
2-21603-00001	В	EA	CA

Hydraulic Oil-AW32



Super S AW Hydraulic Oils are general purpose, antiwear, rust, corrosion and oxidation inhibited oils with an anti-foam additive. They are suitable for use where service requirements are normal to moderate and long term, heavy-duty wear protection is not critical.

When used in the proper grade, Super S AW Hydraulic Oils may be used in circulation splash bath and ringed oil systems supplying bearings and gears.

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260025			
HYDRAULIC OIL AW32			
SUS36-1 GALLON			
2-21603-00361	В	EA	CA
20260025			
HYDRAULIC OIL AW32			
SUS36 5 GALLON			
2-21603-20036	В	EA	CA

Super S Anti Wear Hydraulic Oil - 5 Gallon



Super S AW Hydraulic Oils are general purpose, antiwear, rust, corrosion and oxidation inhibited oils with an anti-foam additive. They are suitable for use where service requirements are normal to moderate and long term, heavy-duty wear protection is not critical.

When used in the proper grade, Super S AW Hydraulic Oils may be used in circulation splash bath and ringed oil systems supplying bearings and gears.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20260068			
HYDRAULIC OIL AW68			
SUS40 5 GALLON			
2-21603-20040	В	EA	CA

Fuel Additive/Treatment



Sta-Bil Fuel Stabilizer 4 oz



- Fuel stabilizer keeps fuel fresh for quick, easy starts after storage, while prolonging engine life
- Removes water to prevent corrosion and cleans carburetors and fuel injectors
- Protects engine from gum, varnish rust, and corrosion
- Eliminates need to drain fuel before storage

010.400			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300037			
STA-BIL FUEL STABILIZER			
22204 4 OZ			
7-73905-22204	В	EA	CA

Marine Formula Sta-Bil Ethanol Treatment,Treats up to 80 Gallons - 8 Oz.



Marine Formula Sta-Bil is designed to fight damaging effects of Ethanol in gasoline in Marine fuel systems. Double the corrosion preventers than regular Sta-Bil. 5-times the fuel system cleaners to improve engine performance year around. 8 oz.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

47300050 STA-BIL MARINE TREATMENT 80GAL 22239 8 OZ 7-73905-22239 B EA CA

STA-BIL 360 Protection Ethanol Fuel Treatment and Stabilizer, 12 Fl 0z



STA-BIL 360 Protection Ethanol Fuel Treatment and Stabilizer *12 Fluid Oz Treats up to 60 Gallons

- Prevents corrosion above and below the fuel line where no other additive can.
- Ultimate protection against Ethanol blended fuels
- Cleans fuel system to improve performance
- Stabilizes fuel up to 12 months
- Use at every fill up, improves power and fuel efficiency

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300051			
STA-BIL 360 FUEL TREATMENT			
22284 12 OZ			
22204 12 02			

STP Oil Treament 15 oz.



- This high-viscosity formula is specially formulated to help fight metal-to-metal friction by providing a thicker cushion between moving engine parts
- Helps protect against engine wear
- Helps reduce oil consumption
- Helps protect engine parts

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300096			
STP OIL TREATMENT 15 Oz			
STP66079			
7-71153-16514	В	EA	CA

Marvel Mystery Oil



- Capacity Vol.=1 pt, Packing Type=Can, Applications=Gas, Oil, Type=Mystery Oil
- When added to gasoline: Cleans and lubricates fuel injectors and carburetors
- Improves gas mileage
- Reduces and prevents varnish and gum build-up
- Extends spark plug life.

Revison: Mar 2016

Exterior spark plag mer			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300533			
MARVEL MYSTERY OIL			
012 PINT			
7-77874-00012	С	EA	CA
47300533			
MARVEL MYSTERY OIL			
013 QUART			
7-77874-00013	В	EA	CA
47300533			
MARVEL MYSTERY OIL			
014 GALLON			
7-77874-00014	В	EA	CA

Sea Foam Transmission Tune Conditioner 16 oz.



Safely cleans components. Does NOT harm or swell seals. Does NOT alter the viscosity of the transmission fluid. Reduces rough or erratic shifting. Removes damaging moisture. For Automatic Transmissions, Power Steering Systems and Industrial or Agricultural Hydraulic Systems.

TRANS TUNE is a Petroleum based product comprised of three specific oils, blended in just the right proportions to SAFELY clean varnish deposits in transmission, power steering and hydraulic pump components. TRANS TUNE is compatible with all commonly used petroleum and synthetic based hydraulic fluids used in automatic transmissions, power steering systems, marine transmissions, agricultural equipment and industrial hydraulic lifts.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281459			
32201433			
SEAFOAM TRANS TUNE CONDIT	IONER		
	IONER		
SEAFOAM TRANS TUNE CONDIT	TIONER	EA	CA

Sea Foam Motor Treatment 16 oz.



Safely helps quiet noisy lifters, helps remove fuel deposits and oil residue, helps smooth rough idle. For Carburetors or Fuel Injected Gasoline Engines - Autos - Trucks - Tractors - Motorcycles - Marine - Small Engines - Industrial Engines Great for Diesel Engines Too!

SEA FOAM Motor Treatment is a petroleum based product that helps clean internal fuel and oil system components. SEA FOAM is an EPA-registered product, and will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. SEA FOAM helps liquefy gum and varnish deposits helping to quiet noisy valve lifters. By using SEA FOAM to help eliminate varnish and deposit buildup, mechanics can more accurately diagnose mechanical problems that may exist. That is why Sea Foam has been so popular with professional mechanics for over 65 years.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281460			
SEAFOAM MOTOR TREATMENT			
SF16 16 OZ			
1-18812-00001	Α	EA	CA

Sea Foam Motor Treatment 1 Gallon



Safely helps quiet noisy lifters, helps remove fuel deposits and oil residue, helps smooth rough idle. For Carburetors or Fuel Injected Gasoline Engines - Autos - Trucks - Tractors - Motorcycles - Marine - Small Engines - Industrial Engines Great for Diesel Engines Too!

SEA FOAM Motor Treatment is a petroleum based product that helps clean internal fuel and oil system components. SEA FOAM is an EPA-registered product, and will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. SEA FOAM helps liquefy gum and varnish deposits helping to quiet noisy valve lifters. By using SEA FOAM to help eliminate varnish and deposit buildup, mechanics can more accurately diagnose mechanical problems that may exist. That is why Sea Foam has been so popular with professional mechanics for over 65 years.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32281461			
SEAFOAM MOTOR TREATMENT			
SF128 GALLON			
1-18812-00006	В	EA	CA

Super S DEF (Diesel Exhaust Fluid) 1-Gallon



Super S DEF is a high purity 32.5% (by weight) aqueous urea solution (urea in de-ionized water) developed for use in all SCR (Selective Catalytic Reduction) Emission Control Systems. DEF is a reducing agent which is injected into the hot exhaust gas to form ammonia and carbon dioxide with the reacts with the SCR system catalytic converter and the NOx (oxides of nitrogen) in the exhaust, converting the harmful NOx emissions to harmless nitrogen and water.

- Non-toxic
- Non-flammable
- Non-polluting
- Non-hazardous
- No special handling required
- 1 gallon bottle

ITEM NO.

DESCRIPTION

 Meets ISO 22241-2 specifications and meet all applicable standards and specifications for use in all SCR systems

MODEL/SIZE				
UPC		VL	UM	PK
32280065				
DEF DIESEL EX	HAUST FLUID			
SUS160-3 G	ALLON			
2 21602 0160	า	D	ГΛ	CA

Gumout Carb and Choke Cleaner 14oz.



Overtime, carburetors and choke valves can become clogged with gum, varnish and dirt, affecting performance. Gumout Carb/ Choke & Parts Cleaner quickly removes these deposits from the inside and outside of the carburetor to improve engine performance and fuel economy. It also effectively cleans all nonpainted metal parts and surfaces.

- Cleans quickly and easily
- No straw needed
- New stronger formula

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280066			
GUMOUT CARB & CHOKE CLE	ANER		
GUMOUT CARB & CHOKE CLE 800002231 140Z AEROSOL	ANER		

Gumout Fuel Injector & Carburetor Cleaner



Carbon buildup from combustion can clog fuel injectors and carburetors, limiting the amount of fuel that reaches the engine. Gumout Fuel Injector & Carburetor Cleaner keeps deposits from forming on these crucial parts to maintain performance and fuel economy.

- Restores your horsepower
- Prevents future deposit buildup in injectors, intake valves and ports
- Use with every fill up

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280067			
GUMOUT FUEL INJ & CARB CL	EANER.		
800001373 6OZ			
7-71948-90094	С	EA	CA

Gunk Carb Medic Fuel Injector Cleaner 12 oz.



Improves gasoline mileage, smooths rough idle and removes gum and varnish. Keeps fuel injectors and carburetors clean. Use in every tank to remove water and improve cleaning performance of the gasoline. Maintains fuel system cleanliness. WILL NOT HARM CATALYTIC CONVERTERS.

ITEM NO.

Revison: Mar 2016

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280064			
FUEL INJECTOR CLEANER 12 OZ			
M49-12 GUNK			
7-78698-13491	(FA	CA

Carb Cleaner Chlorinated 12.5 oz.



Cleans carburetor, choke linkage and manifold heat controls. Applied by spray to areas to be cleaned. Will not harm catalytic converters or oxygen sensors. Cleans gasoline carburetors without removal from engine. Economical. Permits repeated applications from one can. No additional tools or equipment required.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32280447			
CARB MEDIC CLEANER 12.5 OZ			
M48-14 GUNK			
7-78698-13481	В	EA	CA

Washer Fluid



Rain-X Windshield Washer Fluid Additive 16.9 oz



Simply add Rain-X Washer Fluid Additive to water or any windshield washer fluid to apply Rain-X technology. Simply apply the mixture to exterior glass and watch the raindrops fly off your windshield while driving. Rain-X also helps improve visibility by repelling rain, sleet and snow.

- Improves visibility
- Easily removes frost, ice, salt, mud and bugs
- Apply to exterior glass
- Treats 4 gallons

UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

32260383			
RAIN X WINDOW WASHER FLUID			
RX11806D 16.9 ADDITIVE			
7-79118-11801	С	EA	CA

Windshield Washer Fluid - Gallon



• Summer Blend, Winter Blend 0, Winter Blend -20

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260624			
32260624 WASHER FLUID PREMIX GALLON			
WASHER FLUID PREMIX GALLON	В	EA	CA

Power Steering Fluid



Gunk Power Steering Fluid 12 oz



A top off power steering fluid with stop leak is designed for vehicles requiring a specific type of non synthetic fluid for proper operation of power steering systems. Meets service requirements of GM, Ford, and Chrysler.

VL	UM	PK
VL	UM	PK
VL	UM	PK
VL	UM	PK

Starting Fluid



Gunk Thrust Starting Fluid 11 oz.



To promote quick starting of gasoline and diesel engines under extreme cold conditions. Produce quick, smooth starting of gasoline and diesel engines under extreme cold conditions down to - 65F. Saves battery and ignition during cold weather. Contains upper cylinder lubricant and corrosion inhibitors.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300045			
THRUST STARTING FLUID 11 OZ			
M38-15 GUNK			
7-78698-13381	Α	EA	CA

Gunk Liquid Fire Quick Starting Fluid 7.5 oz.



To promote quick starting of gasoline and diesel engines under extreme cold conditions. Produce quick, smooth starting of gasoline and diesel engines under extreme cold conditions down to - 65F. Saves battery and ignition during cold weather. Contains upper cylinder lubricant and corrosion inhibitors.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

47300118			
LIQUID FIRE START FLUID 7.5 OZ			
M39-11 GUNK			
7-78698-13392	С	EA	CA

Gunk Instant Starting Fluid 11 oz.



Produce quick, smooth starting of gasoline and diesel engines under extreme cold conditions down to - 65F. Saves battery and ignition during cold weather. Contains upper cylinder lubricant and corrosion inhibitors.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47300274			
47300274 INSTANT STARTING FLUID 11 OZ			

Gumout Starting Fluid 11oz.



Gumout Starting Fluid helps to instantly start gasoline engines. It can be used in extreme cold or humid weather. Spray directly into carburetor, air cleaner or air intake for a few seconds then start engine.

- Fast acting formula
- For all gasoline engines
- Works in extreme cold or humid weather
- Maintenance aerosol

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

47300046 GUMOUT STARTING FLUID 5072866 110Z 7-71948-90070 C EA CA

Battery Post Lugs/Acc

Battery Post Lugs/Acc



Battery Top Post Lug



- Heavy duty top post battery terminal
- Lead with steel plated cable clamp and hardware
- For use with wire gauges 2 AWG to 6 AWG
- See Product data sheet for more information

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940008			
BATTERY TOP POST LUG			
903-1			
8-85407-30903	В	CG	CA
46940008			
BATTERY TOP POST LUG			
962-1			
8-85407-30961	С	CG	CA

Battery Terminal Heavy Duty - Side Post



- Heavy duty side post battery terminal
- Lead with steel plated cable clamp and hardware
- For use with wire gauges 2 AWG to 6 AWG
- See Product data sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940032			
BATTERY SIDE POST LUG			
905-1			
8-85407-30905	С	CG	CA

Battery Terminal Extra Heavy Duty - Top Post



- Extra heavy duty side post battery terminal
- Lead with steel plated cable clamp and hardware
- For use with wire gauges 2 AWG to 6 AWG
- See Product data sheet for more information

tion			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940059			
TOP POST TERMINAL HEAVY T	RUCK		
906-1			
8-85407-30906	В	CG	CA

Top Post Terminal 2-4/0 Gauge -Heavy Duty Commercial 10pk



- Brand: Deka
- Fits 2 to 4/0 gauge cables
- Universal polarity: fits positive or negative post
- Heavy duty commercial use
- Removable clamp plate for easy assembly
- Made in the USA
- 10 per pack

VL	UM	PK
IAL		
В	CG	CA
	IAL	IAL

Top Post Terminal 6-1 Gauge -Heavy Duty 10pk



- Brand: Deka
- Fits 6 to 1 gauge cables
- Universal polarity: fits positive or negative post
- Heavy duty use
- Removable clamp plate for easy assembly
- Made in the USA
- 10 per pack

• 10 per pack			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46942101			
DEKA BATTERY TOP POST TER	MINAL		
00369 10 PER CARD			
8-83996-00369	В	CG	CA

Battery Terminal Cleaning Tool




Clean your battery terminals before they corrode or wear out and extend the life and cable connectivity.

- Victor brand
- Dual purpose brush
- All metal construction
- Previously sold as #V609
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
45040040			
46940040			
BATTERY POST AND CABLE CL	EANER		
	EANER		

Top Post Battery Washers



These Victor top post battery washers replace old and corroded battery washers.

- Top post design
- Green and Red

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Battery Cables/Bag



Booster Cables 200-Amp 8-Gauge 12ft



- Medium duty automotive battery booster cables with Polar-Glo clamps
- 8 gauge cable
- Copper plated steel clamps
- Rating: 200 amps
- Yellow PVC insulation
- 12 feet length
- See Product data sheet for more information

ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL UM PK

46940024			
BOOSTER CABLE 8 GA 400A			
08467 W/BAG			
2-29892-08467	В	EA	CA

Automotive Booster Cable



- Commercial grade automotive battery No-Tangle booster cables with Parrot-Jaw clamps
- 4 gauge cable
- Copper plated steel clamps
- Rating: 500 amps
- Black PVC insulation is oil, chemical, and water resistant
- 16 feet length
- See Product data sheet for more information

ITEM NO. DESCRIPTION MODEL/SIZE UPC VL UM PK 46940067 16' 4 GA BOOSTER CABLE 08766 HEAVY 2-29892-08766 В CA 46940067 20' 4 GA BOOSTER CABLE 08760 HEAVY 2-29892-08760

Booster Cables 150-Amp 10-Gauge 12ft



- Light Duty automotive battery No-Tangle booster cables
- 10 gauge cable
- Copper plated steel clamps
- Rating: 150 amps
- Black PVC insulation is oil, chemical, and water resistant
- 12 feet length
- See Product data sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940261			
46940261 12' 10 GA BOOSTER CABLE			

Jumper Cable Bag



This storage bag keeps jumper cables or extension cords protected and easy to store in tight places. It can also be used for flares, tow ropes, gloves, and other emergency supplies. It works great for toe snaps too. A handy front pocket holds maps, a tire gauge, or ice scraper, and the double web handles make it easy to carry.

manares make it easy to early.		
ITEM NO.		
DESCRIPTION		
MODEL/SIZE		
UPC VL	UM	PK

Revison: Mar 2016

27541146 JUMPER CABLE BAG 69000 2-21415-06009 C EA CA

Battery Chargers/Testers



Battery Charger 1 Amp 6/12 Volt Manual Trickle



A must for motorcycle owners. Has a quick-disconnect harness with ring connector. Hook the harness up once. No need to take the battery out again to charge it. For 6 and 12 volt batteries.

• 1 amp trickle charge rate - charges in 2 to 12 hours * Reverse-hookup protection * Quick-Disconnect Harness - Snap either connector into place in seconds - Use the 50 amp clamps or permanently attach the ring connectorsgreat for hard-to-reach motorcycle batteries * Molded plastic case *CSA Certified: Model MCF-1 (metal case not shown)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940350			
BATTERY CHARGER 1 AMP TR	ICKLE		
	ICKLE		
BATTERY CHARGER 1 AMP TR	ICKLE B	EA	CA

On-Board Battery Charger 1.5A 12V Automatic Trickle



Keeps 12 volt batteries charged. Fully automatic. Turns on and off as needed. Allows safe charging of RV, deep-cycle or most batteries that may have a long storage period. "On-Board" feature allows mounting of charger next to battery on collectibles, street rods and other infrequently used vehicles. Hardware and mounting brackets are included.

- 1.5 amp trickle charge rate charges in 2 to 12 hours
- LED lights indicate Power On and Charged
- Reverse-hookup protection o Molded plastic case
- Short leads for safety won't get tangled in moving engine parts
- CSA Certified: Model SF-1-12S

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940369			
ON BOARD BATTERY CHARGER	1.25A		
SE-1-12S			
2-26666-70501	С	EA	CA

Battery Charger 2/6A 6/12V Manual | Schumacher XP400 Peak Amp In-Farm/Ranch Charger



This best-selling dual-rate charger is designed for the economy-minded user. Charges both 6 and 12 volt batteries and has two charging rates.

- 6 amp medium rate for most everyday charging needs
- Charges in 6 to 8 hours
- 2 amp trickle charge charges a small 12 volt battery in 2 to 12 hours
- · Back-lit, impact-resistant, color-coded meter - for easy viewing day or night

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940377			
BATTERY CHARGER 6/2 AMP M	IANUAL		
SE-3002 6/12V			
2-26666-03002	В	EA	CA

stant Portable Power Source



This Schumacher Instant Portable Power Source has an on/off switch that activates the jump start mode. A built-in charger for automatic charging of the internal battery; just connect an extension cord to the plug to recharge (cord not included). The battery status LEDs tell when a battery is charged or needs to be charged. The Sure-Grip Clamps fit both top and side-mount batteries. The cable will stay flexible in the coldest weather. A maintenance-free, sealed lead acid battery allow for storage in any position.

- On/Off switch activates the jump starting mode
- Built-in charger for automatic charging of internal battery
- Battery status LEDs tells when battery is charged or needs to be charged
- Sure-Grip clamps fit both top and sidemount batteries
- A maintenance-free, sealed lead acid battery allow for storage in any position

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940378			
JUMP START 400 AMP PEAK P	OWER		
XP400			
2-26666-70980	С	EA	CA

Schumacher 750 Peak Amp Instant Portable Power With Air Compres-



This Schumacher Instant Portable Power Source has an on/off switch that activates the jump start mode. A built-in charger for automatic charging of the internal battery; just connect an extension cord to the plug to recharge (cord not included). The battery status LEDs tell when a battery is charged or needs to be charged. The Sure-Grip Clamps fit both top and side-mount batteries. The cable will stay flexible in the coldest weather. A maintenance-free, sealed lead acid battery allow for storage in any position.

- On/Off switch activates the jump starting mode
- Built-in charger for automatic charging of internal battery
- Battery status LEDs indicate when battery is charged or needs to be charged
- Sure-Grip clamps fit both top and sidemount batteries
- A maintenance-free, sealed lead acid battery allow for storage in any position

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940379			
JUMP START 750 AMP PEAK PC	OWER		
XP750C W/AIR COMPRESSOR			
2-26666-70982	С	EA	CA

Battery Charger 10A 6/12V Automatic/Manual Traditional Farm/ Ranch



Fully automatic or manual battery charger. This all-around charger accommodates everyday 6 and 12 volt charging needs.

- 10 amp fast charge for everyday charging needs
- Charges in 3 to 5 hours

ITEM NO.

Revison: Mar 2016

- Control circuit for fully automatic charging

 brings battery to full charge, then shuts
 off. Starts again if battery condition starts
 to drop off from non-use
- Back-lit, impact-resistant, color-coded meter for easy viewing day or night

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940385			
BATTERY CHARGER 10AMP MA	AN/AUTO		
SE-3004MA 12V			
2-26666-03004	В	EA	CA

Battery Charger 10A 12V Automatic/Manual Ship 'N Shore



This Ship 'N Shore model is a state-of-theart charger for boats and RVs with deep-cycle batteries. Circuit-controlled, fully automatic. Never worry about overcharging. Use it for onshore charging needs. Can also be switched to manual mode for special uses. For conventional 12 volt batteries.

- 10 amp fast charge for everyday charging needs. Charges a deep-cycle battery in 7 to 11 hours; an automotive battery in 3 to 5 hours
- Fully automatic will not overcharge batteries
- Manual Operation o Maintains charge
- LED Full Charge indicator
- Reverse hookup safeguard

ITEM NO.

- Convenient carrying handle
- CSA Certified: Model SF-51A-PE

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940393			
BATTERY DEEP CHARGER 10 AMP)		
SS-51A-PE			
2-26666-70491	В	EA	CA

Battery Charger 2/10/50A 12V Automatic/Manual Farm/Ranch w/ Engine Start



For users who want the features of a starter/charger with the added convenience of circuit-controlled fully automatic operation. Just hook it up, make the setting and forget about it - charger knows when to stop. For 12 volt batteries.

- 50 amp engine start for emergency starting
- 10 amp fast charge for everyday charging needs. Charges in 3 to 5 hours
- 2 amp trickle charge charges a small 12 volt battery in 2 to 12 hours
- Control circuit for fully automatic charging

 brings battery to full charge, then shuts
 off. Starts again if battery condition starts
 to drop off from non-use
- Back-lit, impact-resistant, color-coded meter for easy viewing day or night
- 3-function rate switch

O TOTTO TO TO TO TOTTO			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940407			
BATTERY CHARGER 2/10/50A			
SE-3005MA 12V			
2-26666-03005	В	EA	CA

Battery Charger on Wheels w/Engine Start 2/40/200A 6/12V Manual Farm/Ranch



This versatile wheel-style starter/charger is great for both slow and fast applications on 6 and 12 volt batteries. High-output engine start will assist batteries in cranking most engines under severe summer/winter weather conditions.

- 200 amp engine start for emergency starting
- 40 amp rapid charge charges in 1/2 to 1 hour
- 2 amp trickle charge charges a small 12 volt battery in 2 to 12 hours
- 2-1/4 hour timer with "Hold" position for continuous charging
- Stud-mounted, heavy-duty silicon diode rectifiers
- Back-lit, impact-resistant, color-coded meter for easy viewing day or night
- Fasy-roll wide-track wheels

• Easy-roll, wide-track wil	ieeis		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940415			
BATT WHEEL CHARGER 2/40/2	00A		
SE-3612 6/12V			
2-26664-70535	В	EA	CA

100 AMP Load Battery Tester



For everyday do-it-yourself use. Easy to operate. Test load, battery condition, starter motor draw and complete charging system diagnosis. Works on 6 and 12 volt batteries.

- 50 amp load test for 6 volt batteries
- 100 amp load test for 12 volt batteries
- Tests 6 and 12 volt batteries up to 1000 CCA
- Top mounted rocker switch for easier operation
- Super-grip battery clamps heavy-duty and color-coded
- Easy-to-read meter accurate and shock resistant
- Baked enamel, steel case ventilated to keep cool
- Rubber insulated carrying handle for comfort and safety

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46940423			
100 AMP LOAD BATTERY TESTER			
BT-100			
2-26666-00100	В	EA	CA

Schumacher 2.4 Watt Solar Battery Maintainer



The Schumacher 2.4 Watt solar battery maintainer trickle charges your 12 Volt battery and extends battery life. It is easy to use and requires minimal maintenance. It provides 2.4 Watt of clean solar power for your auto, motorcycle, ATV, or riding mower batteries and even works under cloudy conditions. It has dual adapters for connecting to a battery or to the 12 Volt port of a vehicle.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99932309			
SOLAR BATTERY MAINTAINER			
SP200 2.4 WATT			
2-26666-81010	D	EA	CA

Antifreeze/Coolant



Super S Antifreeze/Coolant (6pk of 1-Gallon)



An ethylene glycol base antifreeze containing inhibitors providing protection from freezing, overheating, rust and corrosion when used as recommended. It protects all cooling system metal surfaces including aluminum. It will not damage auto finishes or rubber parts. (Six 1-gallon jugs)

	- ,		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47320003			
UNIVERSAL ANTI FREEZE COOL	ANT		
SUS65 GALLON			
2-21603-20065	Α	EA	CA

Antifreeze/Coolant 50/50 Full Strength 1-Gallon



Super S Antifreeze & Summer Coolant is an ethylene glycol base antifreeze containing inhibitors that provide protection from freezing, overheating, rush, and corrosion when used as recommended. Protects all cooling system metal surfaces including aluminum. Will not damage auto finishes or rubber parts.

• Ready-to-use, pre-diluted 50/50 formula

|--|

Revison: Mar 2016

• 1 ganon bottle			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

47320020 50/50 ANTI FREEZE COOLANT SUS80 GALLON 8-85051-00080

Super S Extended Life Antifreeze/ Coolant (6pk of 1-Gallon)



A new generation of antifreeze technology that can be used to upgrade any automobile or light truck cooling system to a remarkable 150,000 mile or 5 years of protection. Extended Life Antifreeze is compatible with conventional antifreeze, but may reduce its characteristics to conventional antifreeze levels and is not recommended by manufacturers. Super S Extended Life Antifreeze should be mixed to a 50% water concentration. (Six 1-gallon jugs)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47320050			
EXTENDED LIFE ANTI FREEZE			
SUS265 GALLON			
2-21603-00265	В	EA	CA

Radiator Sealant/Tester



Anti-Freeze & Coolant Tester



- Victor brand
- Prevents winter freezing and summer overheating with a quick and easy test
- Ethylene glycol type
- Floating ball style
- Easy to use
- Previously sold as #V330
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47320011			
ANTIFREEZE TESTER			
V330			
7-77231-00330	С	CG	CA


Gunk C105 M-P Radiator Sealant and Conditioner - 5.5 oz.



A heavy-duty sealant to repair leaks in radiators, blocks, and cylinder heads. Insures positive protection against head gasket and cylinder head seepage. Lubricates water pump. Acid neutralizer prevents lime and scale deposits. Inhibits against rust formation and corrosion.

- Circulates through the cooling system
- Seals leaks
- Stops head gasket seepage
- Stops combustion camber seepage
- Prevents rust and lime from forming

Auto Sealers & Adhesives



Gasket Makers

Gasket Makers



Form-A-Gasket No.1 Sealant



Fast-drying, hard-setting sealant designed for sealing rigid materials and flanges, or patching holes and joints where permanent assembly is desired. Temperature range -65F to 400F (-54C to 204C); resists common shop fluids and fuels.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
17630008			
FORM-A-GASKET #1 1.5 OZ			
1AR/80007			
8-86226-80007	С	CG	CA
17630008			
FORM-A-GASKET #1 3 OZ			
1BR/80008			
8-86226-80008	С	CG	CA
17630008			
FORM-A-GASKET #1			
80003 11 OZ			
8-86226-80003	D	EA	CA

Form-A-Gasket No.2 Sealant



Slow-drying, non-hardening sealant designed for sealing cut gaskets and stamped parts. Allows for easy disassembly if required. Temperature range -65F to 400F (-54C to 204C); resists common shop fluids and fuels. Use where sealing is more important than adhesion.

important than danesion.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
17630024			
FORM-A-GASKET #2 1.5 OZ			
2AR/80015			
8-86226-80015	С	CG	CA
17630024			
FORM-A-GASKET #2 3 OZ			
2BR/80016			
8-86226-80016	В	CG	CA

Permatex Sensor-Safe Blue RTV Silicone Gasket Maker 3 oz.



The original Permatex Blue. Will not foul oxygen sensors. Replaces almost any cut gasket. Makes reliable formed-in-place gaskets that resist cracking, shrinking and migrating. Coats pre-cut gaskets to increase reliability. Temperature range -65F to 500F (-54C to 260C) intermittent; resists auto and shop fluids. First generation 1970-1980 gasket maker.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
17630059			
BLUE SILICONE RTV GASKT			
6BR/80022 3 OZ			
8-86226-80022	В	CG	CA

Permatex High-Temp Red RTV Silicone Gasket 3 oz.



OEM specified. Formulated for hi-temp applications, or heavy-duty use (such as towing, etc.). Replaces almost any cut gasket by making reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating caused by thermal cycling. Coats pre-cut gaskets to increase reliability. Temperature range 65F to 650F (-54C to 343C) intermittent; resists auto and shop fluids. First generation 1970-1980 gasket maker.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
17630067			
RED SILICONE RTV GASKET 3 OZ			
26BR/81160			
8-86226-81160	В	CG	CA

Auto Sealers & Adhesives

Permatex Ultra Blue Multipurpose RTV Silicone Gasket Maker 3.35 oz.



OEM specified. Permatex Ultra silicones were developed to meet todays technology changes. Sensor-safe, low odor, noncorrosive. Outstanding oil resistance and joint movement values. Eight times more flexible than cork/composite gaskets; three times more oil resistant than conventional silicones. Temperature range -65F to 500F (-54C to 260C) intermittent; resists auto and shop fluids and vibration

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021512			
PERMATEX RTV SILICONE 3.35oz			
77BR/81724			
8-86226-81724	В	CG	CA

Revison: Mar 2016

DAP Gasket Maker 100% RTV Silicone 2.8 oz Black



DAP Gasket Maker is a one component, acetoxy cure, 100% RTV silicone rubber sealant that is ideal for mechanical repair and household use. It can be used for making gaskets on engine parts, cars, motorcycles, appliances, power yard equipment and more. It provides a waterproof seal, stays flexible and won't crack, crumble or dry out. Once cured, it is unaffected by temperature extremes (-40F to 400F).

- Forms a durable flexible seal
- Resists temperatures up to 400F
- Resistant to oil, grease, water and fuels
- Unaffected by vibration
- OEM Specified
- Sensor-safe

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37001406			
DAP GASKET/SEALANT BLACK			
00686 2.8 OZ			
7-70798-00686	С	EA	CA
37001406 DAP GASKET/SEALANT BLACK 00686 2.8 OZ			

J-B Weld Clear Silicone Sealant & Adhesive



J-B Weld Clear Silicone Sealant & Adhesive is a general purpose sealant adhesive, RTV (Room Temperature ulcanized) Silicone designed for use in household or mechanical assembly applications. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof, mildew and mold resistant seal on most surfaces. It will not shrink or crack, resists weathering, is sensor safe and is great for many household and automotive applications.

- Great for:
- Windshields
- Windows
- Lens Housing
- Door Frames
- Tub & Shower
- Aquariums

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930858			
CLEAR ATV ACETOXY 3 OZ.			
31310			
31310 4-43425-31310		CG	CA

Auto Sealers & Adhesives

J-B Weld White Silicone Sealant & Adhesive



J-B Weld White Silicone Sealant & Adhesive is a general purpose sealant adhesive, RTV (Room Temperature ulcanized) Silicone designed for use in household or mechanical assembly applications. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof, mildew and mold resistant seal on most surfaces. It will not shrink or crack, resists weathering, is sensor safe and is great for many household and automotive applications.

- Great for:
- Tub & Shower
- Sinks & Bathroom Fixtures
- Windows
- Interior Trim
- Moldings
- Door Fames

• Lens Housing			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930859			
WHITE ATV ACETOXY 3 OZ.			
31312			

J-B Weld Hi-Temp Red Silicone Gasket Maker & Sealant



J-B Weld Hi-Temp Red Silicone Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material, designed for use in mechanical assemblies where the existence of higher, continuous temperatures up to 550 F or 650 F intermittent might exist. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof seal on most surfaces. It will not shrink or crack, resists weathering, is sensor safe and is great for many automotive applications.

- Great for:
- Oil Pans
- Valve Covers
- Exhaust Manifolds
- Water Pumps
- Timing Covers
- Differential Covers
- Drive Housing
- Oven Deers

• Oven Doors			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930860			
HIGH TEMPERATURE RED ACET	OXY		
31314 3 OZ			
4-43425-31314		CG	<u></u>

J-B Weld Blue Silicone Gasket Maker & Sealant



J-B Weld Blue Silicone Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material designed for use in mechanical assemblies, sealing and bonding uneven surfaces. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof seal on most surfaces. It will not shrink or crack, resists weathering, is sensor safe and is great for many automotive applications.

- Great for:
- Timing Gear Covers
- Transmission Pans
- Oil Pans
- Water Pumps
- Valve Covers
- Differential Covers
- Thermostat Housing

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930861			
BLUE RTV ACETOXY 3 OZ			
31316			
4-43425-31316	С	CG	CA

J-B Weld Black Silicone Gasket Maker & Sealant



J-B Weld Blue Silicone Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material designed for use in mechanical assemblies, sealing and bonding uneven surfaces. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof seal on most surfaces. It will not shrink or crack, resists weathering, is sensor safe and is great for many automotive accessories and household applications.

- Great for:
- Bonding & Sealing
- Weather Stripping
- Moldings
- Interior Trim
- Windows
- Windshields
- Door Frames
- Lens Housing

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930862			
BLACK RTV ACETOXY 3 OZ			
BLACK RIV ACEIOXY 3 UZ			
31319			

J-B Weld Water Pump & Thermostat Housing Gasket Maker & Sealant



J-B Weld Water Pump & Thermostat Housing Gasket Maker & Sealant is a specially designed RTV (Room Temperature Vulcanized) Silicone gasketing material for use in mechanical assemblies. Curing occurs with exposure to moisture in the air, forming a tough, waterproof, petroleum and weather resistant gasket and seal on most surfaces. This product is grey in color, will not shrink or crack, is sensor safe, has good temperature resistance up to 500 F intermittent and is great for many automotive applications.

- Great for:
- Oil Pans
- Valve Covers
- Transmission Pans
- Timing Gear Cover%

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930863			
GREY WATER, PUMP & THERM	OXIME		
32507 5 OZ			
4-43425-32507	С	CG	CA

J-B Weld Ultimate Black Gasket Maker & Sealant



J-B Weld Ultimate Black Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material designed for use in mechanical assemblies where maximum petroleum and oil resistance is required. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof, gasket and seal on most surfaces. It will not shrink or crack, resists oil and petroleum products, resists weathering, is sensor safe, has good temperature resistance up to 500 F intermittent and is great for many automotive applications.

- Great for:
- Oil Pans
- Valve Covers
- Transmission Pans
- Timing Gear Covers

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930864			
MAXI BLACK OXIME 5 OZ			
32509			
4-43425-32509		CG	CA

J-B Weld Ultimate Grey Gasket Maker & Sealant



J-B Weld Ultimate Grey Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material designed for use in mechanical assemblies where higher torque or closely spaced bolt profiles can lead to higher loads and cause gasket and sealing failures for average silicones. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof, gasket and seal on most surfaces. It will not shrink or crack, resists oil and petroleum products, resists weathering, is sensor safe, has good temperature resistance up to 500 F intermittent and is great for many automotive applications.

- Great for:
- Oil Pans
- Valve Covers
- Transmission Pans
- Timing Gear Cover

• Timing Gear Covers			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930865			
ULTIMATE GREY OXIME 5 OZ			
32327			
4-43425-32327	С	CG	CA

J-B Weld Ultimate Black Gasket Maker & Sealant



J-B Weld Ultimate Black Gasket Maker & Sealant is an RTV (Room Temperature Vulcanized) Silicone gasketing material designed for use in mechanical assemblies where maximum petroleum and oil resistance is required. Upon curing, which occurs when the product is exposed to the moisture in air, the silicone forms a tough, waterproof, gasket and seal on most surfaces. It will not shrink or crack, resists oil and petroleum products, resists weathering, is sensor safe, has good temperature resistance up to 500 F intermittent and is great for many automotive applications.

- Great for:
- Oil Pans
- Valve Covers
- Transmission Pans
- Timing Gear Covers

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99930866			
ULTIMATE BLACK OXIME 5 OZ			
32329			
4-43425-32329	С	CG	CA

Red Hi-Temp RTV Silicone Instant Gasket



Specially formulated for high temperature applications. Safe for all car models. Will not foul computer sensors. Resists high pressures to 5,000 psi. Resists oil ,antifreeze, grease and transmission fluids. Dries flexible. Resists shrinking and crack-

ıng.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
16810185			
RED HI-TEMP SILICONE GASKET			
N80726 3oz			
5-50291-80726	В	EA	CA

Blue RTV Instant Gasket



Replaces most pre-cut gaskets. Will not foul computer sensors. May also be used to coat gaskets for reliable seal. Resists oil, transmission fluid, water and antifreeze.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
16810657			
BLUE RTV SILICONE GASKET			
N80006 3oz			
5-50291-80006	В	EA	CA

Rearview Mirror Adhesive



Rear View Mirror Adhesive



Permanently bonds rear view mirror brackets to windshields. Mirrors can be mounted in minutes. Withstands hot and cold cycling. For bonding rear view mirror brackets, vent window latches, window toggles, auto emblems and lettering, cellular telephone antenna mounts.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37022640			
REARVIEW MIRROR ADHESIVE			
N61067			
5-50291-61067	С	CG	CA

All Purpose Sealr/Adh

Revison: Mar 2016



Permatex Black Silicone Adhesive Sealant 3 oz.



General-purpose, black RTV indoor/out-door sealant. Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -75F to 450F (-59C to 232C); resists oil, water, weather, vibration, grease.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021482			
PERMATEX BLACK SILICONE 3oz			
16BR/81158			
8-86226-81158	В	CG	CA

Fitting Compound



Permatex Prussian Blue Fitting Compound .75 oz.



Aids precision-fitting of machined surfaces. Locates high spots on bearings, valves, gears and other close-to-tolerance components. Nondrying. Easy clean-up.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
17631448			
PRUSSIAN BLUE FITTING COM	POUND		
80038 .75 OZ			
8-86226-80038	С	EA	CA

Thread Lockers



J-B Permalock Red Threadlocker - 1.2 Oz.



J-B Weld Threadlockers provide a reliable and superior lock and seal for threaded fasteners. Ideal on all mechanical parts, body assemblies, and hundreds of other applications to prevent loosening of fasteners from shock and vibration. J-B Weld Perma-lock High Strength Threadlocker is ideal for heavy-duty applications requiring resistance to severe shock and vibrations. Heating and hand tools are required to separate parts.

- Seals threads against leakage
- Prevents rust and corrosion
- Temperature resistant to 300 Fahrenheit
- No spill, drip or clog cap
- OEM approved

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021850			
J-B PERMALOCK RED THREAD	LOCKER		
27136 1.2 OZ			
4-43425-27136	С	CG	CA

J-B Permalock Red Threadlocker - 0.44 Oz.



J-B Weld Threadlockers provide a reliable and superior lock and seal for threaded fasteners. Ideal on all mechanical parts, body assemblies, and hundreds of other applications to prevent loosening of fasteners from shock and vibration. J-B Weld Perma-lock High Strength Threadlocker is ideal for heavy-duty applications requiring resistance to severe shock and vibrations. Heating and hand tools are required to separate parts.

- Seals threads against leakage
- Prevents rust and corrosion
- Temperature resistant to 300 Fahrenheit
- No spill, drip or clog cap
- OEM approved

′L	UM	PK
ER		
2	CG	CA
	ER	ER .

J-B Permalock Blue Threadlocker - 1.2 Oz



J-B Weld Threadlockers provide a reliable and superior lock and seal for threaded fasteners. Ideal on all mechanical parts, body assemblies, and hundreds of other applications to prevent loosening of fasteners from shock and vibration. J-B Weld Perma-lock Medium Strength Threadlocker is ideal for fastener applications requiring easy disassembly with hand tools.

- Seals threads against leakage
- Prevents rust and corrosion
- Temperature resistant to 300 Fahrenheit
- No spill, drip or clog cap
- OEM approved

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021852			
J-B PERMALOCK BLUE THREADL	OCKE.		
24236 1.2 OZ			
4-43425-24236	С	CG	CA

J-B Permalock Blue Threadlocker - 0.44 Oz



J-B Weld Threadlockers provide a reliable and superior lock and seal for threaded fasteners. Ideal on all mechanical parts, body assemblies, and hundreds of other applications to prevent loosening of fasteners from shock and vibration. J-B Weld Perma-lock Medium Strength Threadlocker is ideal for fastener applications requiring easy disassembly with hand tools.

- Seals threads against leakage
- Prevents rust and corrosion
- Temperature resistant to 300 Fahrenheit
- No spill, drip or clog cap
- OEM approved

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021853			
J-B PERMALOCK BLUE TH	READLOCKE		
24213 .44 OZ			
4 40 405 0 4040			

Blue Removable Thread Locker



Blue, removable Thread Locker prevents threaded metal fasteners, nuts, bolts, and screws from loosening. Thread Locker is an advanced anaerobic adhesive.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

37020621			
THREAD LOCKER REMOVABLE	BLUE		
15190 6-ML			
7-73754-15190	В	CG	CA

Red Permanent Thread Locker



Red, permanent Thread Locker prevents loosening by filling in the inner spaces in threaded metal parts to form a tough solid assembly.

assembly.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
37021849			
THREAD LOCKER PERMANENT	RED		
15191 6-ML			
7-73754-15191	В	CG	CA

Undercoater



Dupli-Color Paintable Rubberized Undercoat - 16 oz.



Paintable, Flexible, Rubberized, Resists rust,

Tairitable, Flexible, Nabbe	rizcu,	11031313	i ust.
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Revison: Mar 2016

46190521 DUPLICOLOR UNDERCOATER 16 OZ UC101 16oz 2-26916-30101 B EA CA

Fuel Cans

Safety Cans/Funnels



Funnel 9-inch Polyethylene Yellow (for Type I Safety Can)



- Funnel/spout for Type I safety can
- HDPE (high density polyethylene)
- 9 inches long
- 1.125 inch outside hose diameter
- Color yellow
- Meets OSHA (Occupational Safety and Health Administration) and NFPA (National Fire Protection Association) Code 30 standards

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230010			
9" LONG POLY FUNNEL			
F-15 EAGLE			
4-48441-22100	В	EA	CA

Type One Safety Cans



Eagle Safety Containers are manufactured to exacting standards, reflecting sophisticated technology and superior workmanship. Eagle equals engineering excellence, providing you with the most dependable containers on the market.

- 1 gallon capacity
- 9 inch diameter, 10 inch height
- Metal and HDPE (high density polyethylene)
- Meets OSHA (Occupational Safety and Health Administration) requirements
- FM (Factory Mutual) approved
- UL & ULC listed

20240040

UI-50S GASOLINE 4-48441-22151

• Color red (for gasoline use)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

1 GALLON TYPE 1 SAFETY CAN			
UI-10S GASOLINE			
4-48441-22131	В	EA	CA
20240040			
2 CALLON TYPE 1 SAFETY CAN			

2 0/122011 111 2 1 3/11 211 3/11			
UI-20S GASOLINE			
4-48441-22141	В	EA	CA
20240040			
5 GALLON TYPE 1 SAFETY CAN			

CA

EΑ

Metal Type I Safety Can 5gal - Yellow (diesel)



Eagle Safety Containers are manufactured to exacting standards, reflecting sophisticated technology and superior workmanship. Eagle equals engineering excellence, providing you with the most dependable containers on the market.

- 5 gallon capacity
- 12.5 inch diameter, 13.5 inch height
- Lead-free, hot-dipped 24 gauge, deep drawn galvanized steel construction
- Non-sparking pour spout with flame arrester
- Spring closing lid with neoprene gasket vents at 5 PSI internal pressure
- Meets OSHA (Occupational Safety and Health Administration) and NFPA (National Fire Protection Association) Code 30 standards
- FM (Factory Mutual) approved
- UL & ULC listed
- Color yellow (for diesel use)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20240173			
5 GALLON TYPE 1 SAFETY CAN			
UI-50S-SY DIESEL YELLOW			
4-48441-22155	В	EA	CA

Flammable Liquid Safety Cabinet -4 Gallon Yellow



Eagle's 4 Gallon, Self-Closing, Bench Top Safety Cabinet is constructed of 18-gauge steel. The sides, top, bottom, and doors are double-walled with a 1 1/2" air space between walls. Includes two vents (each have 2" threaded fittings and fire baffle and cap). Standard Flammable Liquid Safety Cabinets come in yellow high gloss powder finish with red warning, plus grounding attachment, 3-point latch system, and 2" raised, leakproof door sill. Each shelf is adjustable, supported by 4 brackets, and can support 350 pounds. (All Eagle metal cabinets meet NFPA Code 30 and OSHA requirements).

- Capacity: 4 gal
- Color: Yellow
- Door Style: Self Close
- Inside Dimensions: 14 1/2" W x 15" D x 19 1/2" H
- Lock: True

4-48441-33340

- Number of Shelves: 1

• Sneir Deptn: 14 3/4"			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20240174			
FLAMMABLE SAFETY CABINE	T-GAL		
1903 YELLOW			

Oily Waste Can - Red 14-gallon



OSHA compliant oily waste cans are essential whenever solvent soaked cloths and wiping rags are used. Rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives, and other flammable liquids present a serious fire risk when improperly discarded. The specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation or air around can to disperse heat and reduce moisture buildup and rusting.

- 14 gallon (52 liter) capacity
- Foot operated lid
- 16.063 inch (408 mm) outer diameter by 20.25 inches (514 mm) high
- Color red

CA

	-		
9-97841-00247	В	EA	CA
09500			
OILY WASTE CAN 14 GALLON			
20240175			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			



Plastic EPA Gas Can



- 1 gallon capacity
- Durable HDPE (high density Polyethylene) construction
- Spill proof spout with automatic shutoff
- CARB (California Air Resource Board) compliant
- EPA (Environmental Protection Agency) certified
- 7.5 inch length, 5.25 inch width, 9.5 inch height
- Color red (for gasoline use)

PLASTIC EPA GAS CAN 5 GALLON

5600

7-79223-05600

ITEM NO.

20240121			
7-79223-02300	Α	EA	CA
2300			
PLASTIC EPA GAS CAN 2 GALLON			
20240121			
7-79223-01200	Α	EA	CA
1200			
PLASTIC EPA GAS CAN 1 GALLON			
20240121			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			



CA

EΑ

Kerosene Can Polyester 5-gal Blue



- 5 gallon capacity
- Durable HDPE (high density Polyethylene) construction
- Two handles for easier use and handling
- CARB (California Air Resource Board) compliant
- EPA (Environmental Protection Agency) certified
- 12.5 inch length, 9.75 inch width, 14 inch height
- Color blue (for kerosene use)

20240210			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			


UPC		٧L	UIVI	PK
2024	0210			
PLASTI	C EPA KEROSINE CAN			
7600	5 GALLON			
7-7922	23-07900	С	EA	CA



Diesel Can Polyester 5-gal Yellow



- 5 gallon capacity
- Durable HDPE (high density Polyethylene) construction
- Two handles for easier use and handling
- CARB (California Air Resource Board) compliant
- EPA (Environmental Protection Agency) certified
- 12.5 inch length, 9.75 inch width, 14 inch height
- Color yellow (for diesel use)



Oi C		v	_	Olvi	1 1
20240	229				
PLASTIC	EPA DIESEL CAN				
8600	5 GALLON				
7-79223	-08600	E	3	EA	CA



Export Plastic Gas Can



NOT FOR SALE TO ANY USA MARKETS. THIS PRODUCT MAY ONLY BE SOLD TO INTERNA-TIONAL CUSTOMERS.

- 1 gallon capacity
- Durable plastic construction
- Spill proof spout
- UL listed
- Not CARB (California Air Resource Board) compliant
- 7.5 inch length, 5.25 inch width, 9.5 inch height
- Color red (for gasoline use)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20240547			
EXPORT PLASTIC GAS CAN 1-0	iAL		
*1100 **NOT FOR SALE IN US	A**		
7-79223-01100	В	EA	CA
20240547			
EXPORT PLASTIC GAS CAN 2-0	iAL		
*2200 **NOT FOR SALE IN US	A**		
7-79223-02200	В	EA	CA
20240547			
EXPORT PLASTIC GAS CAN 5-0	iAL		
*6119 **NOT FOR SALE IN US	A**		

Spill Proof Spout

7-79223-06119



EΑ

CA

EZ-POUR Spout & Vent Kit



- Replacement spout and vent for fuel jugs
- --- Kit includes: ---
- EZ-POUR spout and cap
- Additional cap
- 1/2 inch push-in vent
- Base cap
- Flame arrester

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232541			
EZ-POUR REPLACEMENT SPOU	T KIT		
10050			
5-57413-00300	Α	EA	CA

EZ-POUR Spout & Vent Kit Hi-Flo



- Replacement spout and vent for fuel jugs
- --- Kit includes: ---
- EZ-POUR spout and cap
- 8 inch spout extension with 7/8 inch diameter opening
- 1/2 inch push-in vent
- Base cap

• Flame arrester			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232542			
20232372			
EZ-POUR REPLACEMENT SPOUT	ГКІТ		
	ГКІТ		

EZ-POUR Chilton Adapter



- Adapter to connect EZ-POUR spout to Chilton fuel cans
- Works best with yellow base cap and yellow block off cap
- F7-POLIR shout not included

• EZ-POOR Spout not incit	uueu		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232543			
EZ-POUR CHILTON ADAPTER			
A1			
5-57413-00307	С	EA	CA
l •			

EZ-POUR Wedco/Scepter Vent Cap 2pk Yellow



- Vent cap
- Fits many old Wedco and Scepter vents
- Color yellow
- 2 per pack
- EZ-POUR spout not included

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232544			
EZ-POUR WEDCO/SCEPTER VE	NT CAP		
C3			
5-57413-00310	С	EA	CA

EZ-POUR Spout Gasket 2pk Black



- Spout gasket
- Fits all EZ-POUR spouts
- Made of Viton equivalent rubber
- Color black
- 2 per pack
- EZ-POUR spout not included

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232545			
EZ-POUR SPOUT GASKET			
G1			
5-57413-00304	С	EA	CA

EZ-POUR Push-In Vent 2pk Yellow



- Push-in vent
- Fits cans with a 1/2 inch hole for vent
- Can be installed in other cans by drilling a 1/2 hole
- Color yellow
- 2 per pack
- EZ-POUR spout not included

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232546			
EZ-POUR VENT			
V1			
5-57413-00305	С	EA	CA

EZ-POUR Solid Base Cap 2pk Yellow



- Solid base cap
- For tank storage or transportation
- Coarse thread, fits Blitz, Midwest, Scepter fuel cans
- Fits Chilton adapters and Jerry can adapters
- Color yellow
- 2 per pack
- EZ-POUR spout not included

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20232547			
EZ-POUR BASE CAP YELLOW			
B4			
B4 5-57413-00309	С	EA	CA

EZ-POUR Spout Cap 2pk Yellow



- Spout cap
- For EZ-POUR spout
- Also fits some vent caps on older Briggs and Stratton, Rubbermaid, Essence, and Gott cans
- Color yellow
- 2 per pack
- EZ-POUR spout not included

LZ-1 OON Spout not inclu	ucu		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

20232548			
EZ-POUR SMALL SPOUT CAP			
C1			
5-57413-00311	С	EA	CA

Replacement Spout for Fuel Cans



- Spill proof fuel can spout
- For use with all Midwest Can Co. fuel containers

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230231			
SPILL PROOF GAS SPOUT KIT			
4230			
7-79223-04230	В	EA	CA

Siphon Pumps



Siphon Pump 5ft



- Victor brand
- Quickly and easily transfers fluids for everyday projects or in emergency situations
- Light duty, plastic
- 5 feet of PVC hose
- Previously sold as #V782
- See instructions for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20240164			
SIPHON PUMP			
V782			
7-77231-00782	С	CG	CA

Fuel Line



Premium Fuel Line & Vapor Emission Hose



PRODUCT SPECIFICATIONS, Designed for conveying gasoline, E-85, diesel, and bio-diesel fuels in cars, trucks, buses, etc. Withstands oil, grease, abrasion, and ozone. Black Nitrile tube and Nitrile/PVC cover is constructed with a two spiral polyester reinforcement that provides a long, trouble-free service life. Temperature resistance is -40 Degrees F to +212 degrees F. Style - SAE 30R6

1. Style SAL SOIL			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49000014			
1/4" FUEL LINE PLUS			
24060 1/4" X 25'			
1-14965-74046	В	EA	CA
49000014			
5/16" FUEL LINE PLUS			
24078 5/16" X 25'			
7-78698-25078	В	EA	CA

49000014			
3/8" FUEL LINE PLUS			
24088 3/8" X 25'			
7-78698-25088	В	EA	CA

Fuel Transfer Pumps/Acc



Fill-Rite Fuel Transfer Pump 12V



Pump with 18' of Battery Cable, Hose, Nozzle and Telescoping Suction Pipe and 12VDC Motor.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810000			
FILL-RITE FUEL TRANSFER PUMP			
FR121OG 12 VOLT (15GPM)			
8-89404-22307	В	EA	CA

Fill-Rite Fuel Transfer Pump DC



Pump with 1"x12' Hose and Nozzle, Telescoping Suction Tube and 18' of Battery Cable and Model 901 Meter and 12VDC Motor.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

48810001		
FILL-RITE FUEL TRANSFER PUMP		
FR421OG 12 VOLT (20GPM)		
8-89404-22316	EA	CA

Fill-Rite Fuel Transfer Pump w/ Nozzle 12V DC



Rugged, yet compact. Cast iron body. Positive displacement rotary vane. Sealed ball bearing construction, no lubrication needed. Thermally protected UL/CUL listed, explosion proof, 1/4 HP motor. Low amp draw pump. 30 minute duty cycle. 13 GPM/49 LPM. Low profile design. Designed for tank or barrel mounting. 10', 3/4" hose with static wire. Designed for use with gasoline, diesel fuel, light oils, and most noncorrosive petroleum based fluids. 1 year warranty.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810002			
FILL-RITE FUEL TRANSFER PUMP			
SD1202G 12 VOLT (13GPM)			
8-89404-22326	В	EA	CA

Fill-Rite Fuel Transfer Pump 600AC



Pump with 3/4"x12' Hose and Nozzle, Telescoping Suction Pipe, and 115VAC 60 Hz 1/4HP Motor. (Weight 31 lbs)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810003			
FILL-RITE FUEL TRANSFER PUMP			
FR610G 115 VOLT (15GPM)			
8-89404-22324	В	EA	CA

5-55 Gallon Lever Barrel Pump



General purpose. Specifically designed for fast transfer of petroleum based noncorrosive liquids from 5 to 55 gallon drums with 2" bung opening. Hand operated. Dispenses approximately 9 oz. per stroke. With polypropylene housing, Viton seal, self adjusting telescopic suction tube, curved spout with standard threaded Male hose connector.

- Drum Vol. 5 gal [Min], 55 gal [Max]
- Style Lever Style
- Designated Fluid Water, Alcohol, Gas, Diesel, Kerosene, Petroleum Based Products
- Rod Material Steel

Revison: Mar 2016

ITEM NO.

• Vol. @ No. of Strokes - 9 oz @ 1

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810004			
FILL-RITE ROTARY HAND PUMP			
FR112 MANUAL			
8-89404-00280	В	EA	CA

Full-Rite Piston Hand Pump



Piston Hand Pump Series 5200 This compact, high flow, dual-action design delivers up to 20 GPM (76LPM) per 100 strokes. Lightweight and portable, with a variety of options, these pumps meet a full range of applications. Ideal for gasoline, oil or a wide variety of approved liquids.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810005			
FILL-RITE PISTON HAND PUMP			
FR152 MANUAL			
8-89404-00428	С	EA	CA

Fill-Rite 28 GPM In-line Digital Flow Meter



ITEM NO.



Introducing the Fill-Rite FR1118A10 In-line Digital Meterits the little meter that takes on big chores. Even though the new meter is remarkably small and lightweight, its still a heavyweight performer. The FR1118A10 is ideal for metering the transfer of diesel fuel and kerosene. Its easy to handle and easy to use. It can be installed in line or at the end of the hose.

- +/- 1% accuracy
- 3 26 GPM (11 98 LPM)
- Five digit readout with resettable totalizer
- Maximum pressure 50 psi (3,4 bar)
- 1 in. inlet and outlet
- Made out of anodized aluminum
- One-year warranty

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810007			
IN LINE DIGITAL FLOW METER			
FR1118A10			
8-89404-21654	С	EA	CA

Rotary Hand Pump 7.5-GPM



- Hand operated rotary vane transfer pump
- Smooth easy turn handle
- 7.5 GPM (gallons per minute), assuming 100 revolutions per minute
- Pail spout
- Tank or barrel mounting
- Compatible with diesel, E15, kerosene, B20, and light oils

VL	UM	PK
В	EA	CA

5 - 55 Gallon Lever Barrel Pump



- Drum Vol. 5 gal [Min], 55 gal [Max]
- Style Lever Style
- Designated Fluid Water, Alcohol, Gas, Diesel, Kerosene, Petroleum Based Products
- Rod Material Steel
- Vol. @ No. of Strokes 9 oz @ 1

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
48810006			
LEVER BARREL PUMP 5-55 GAL	LON		
55-160			
2-28893-55160	В	FA	CA

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230088			
OIL DRAIN PAN 9 QUART			
6601			



Funnels/Oil Drain Pan



Plastic Funnels



- 1/2 pint funnel

20230460

7-79223-03588

3588

PLASTIC FUNNEL SET 3 PIECE

• 4.75 inch x 4.3 inch x 4.	25 inch	ı	
Color red			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230460			
PLASTIC FUNNEL 1/2 PINT			
3508			
7-79223-03508	С	EA	CA
20230460			
PLASTIC FUNNEL 1 PINT			
3516			
7-79223-03516	С	EA	CA
20230460			
PLASTIC FUNNEL 2 QUART			
3564			
7-79223-03564	С	EA	CA

• Funnel with flexible spout • 5.5 inches x 4.5 inches x 18 inches

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230614			
PLASTIC FLEXIBLE FUNNEL 18"			
3610			
7-79223-03610	С	EA	CA

Steel Funnel 8-quart



- Galvanized steel
- Centered pout with filter screen
- 8 quart capacity

CA

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230096			
HEAVY DUTY FUNNEL GALVAN	IZED		
LX-1708(TF123) 8 QT			
2-27719-05113	В	EA	CA

Revison: Mar 2016



- Extra long funnel
- 4.88 inches x 4.88 inches x 18.25 inches

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230053			
FUNNEL PLASTIC SUPER			
3600			
7-79223-03600	В	EA	CA

Oil Recovery Drain Pan 9-quart



- Oil collecting drain pan
- Closed top screws
- 9 quart capacity
- 20.5 inch length, 13.25 inch width, 5 inch height

Steel Funnel 6-quart with Offset Spout



- Galvanized steel
- Offset spout with filter screen
- 6 quart capacity

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20230118			
OFFSET SPOUT FUNNEL HEAVY	DUTY		
LX-1706(60) 5 QT			
2-27719-05112	С	EA	CA

Grease/Guns & Fittings

Grease



Super S Multi-Purpose Lithium Grease - 14oz.



Super S Multi-Purpose (MP2) Grease is a NLGI 2, lithium based, water resistant grease for automotive and light to medium trucks, farm and industrial applications. It is recommended for automotive chassis lubrication points, ball joints and universal joints and resists softening at high operating temperatures. It seals out dirt and moisture contamination and protects against rust and corrosion.

Revison: Mar 2016

VL	UM	PK
В	EA	СТ

Multi-Purpose Lithium Grease - 1 lb.



Super S Multi-Purpose (MP2) Grease is a NLGI 2, lithium based, water resistant grease for automotive and light to medium trucks, farm and industrial applications. It is recommended for automotive chassis lubrication points, ball joints and universal joints and resists softening at high operating temperatures.

It seals out dirt and moisture contamination and protects against rust and corrosion.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20270055			
LITHIUM GREASE 1# TUB			
SUS66-1			
2-21603-00661	С	EA	CA

Hi-Temp Red EP Lithium Grease - 14oz.



Super S Hi-Temp Red Grease is a NLGI 2, lithium complex premium quality, multi-functional grease with outstanding high temperature and extreme pressure characteristics. It provides excellent lubrication over a wide range of operation temperatures and services.

Its dropping point exceeds 500F. It also has outstanding lubrication qualities that extend over a wide range of Heavy-Duty/ Fleet applications including wheel bearings (disc and drum), vehicle chassis, boat trailers, universal joints, ball and roller bearings and many others. Super S Hi-Temp Red Grease is well suited for automotive, farm and industrial applications.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20270063			
20270063 HI-TEMP GREASE CARTRIDGE F	RED		
	RED		
HI-TEMP GREASE CARTRIDGE F	RED	EA	CA

Super CS EP2 Synthetic Grease 14 Oz. Cartridge



Ultra performance Calcium Sulfonate Extreme Pressure Synthetic grease made with premium high VI (Viscosity Index) oils, additives and Calcium Sulfonate thickener. This grease is world renowned for its unequalled corrosion properties as well as its Extreme Pressure properties and shear stability. It is specifically formulated for marine applications and off-road machinery.

Tille applications and on-ic	au III	acillile	: i y.
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20270918			
SYNTHETIC GREASE CARTRIDGE			
SUS202 14OZ TUBE			
2-21603-00202	(EA	CA

Super S Hi-Temp Red Grease - 1 lb.



Super S Hi-Temp Red Grease is a NLGI 2, lithium complex premium quality, multi-functional grease with outstanding high temperature and extreme pressure characteristics. It provides excellent lubrication over a wide range of operation temperatures and services. Its dropping point exceeds 500F.

It also has outstanding lubrication qualities that extend over a wide range of Heavy-Duty/Fleet applications including wheel bearings (disc and drum), vehicle chassis, boat trailers, universal joints, ball and roller bearings and many others. Super S Hi-Temp Red Grease is well suited for automotive, farm and industrial applications.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20271124			
HI-TEMP GREASE 1# TUB			
SUS77			
2-21603-00077	В	EA	CA

Multi-Pupose Grease Lube 14 oz.



Special economy blend for general purpose use. 14 oz cartridge.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

20220376

GREASE MULTI PURPOSE

11-310 14 OZ CARTRIDGE

7-79700-11310 B EA CA

White Lithium Grease 8 oz. Tube



White Lithium Grease 8 oz. Tube

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220880			
WHITE LITHIUM GREASE 80Z	TUBE		
11-487			
7-79700-11487	С	CG	CA

Multi-Purpose Grease



Multi-Purpose Lithium Grease 3 oz. 2/PK

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20271051			
GREASE LITHIUM 3OZ 2/PK			
11-302			
7-79700-11302	С	PK	CA
20271051			
GREASE LITHIUM 14 OZ CARTF	RIDGE		
11-315			
7-79700-11315	В	EA	CA

Marine Corrosion Control and Trailer Wheel Bearing Grease



Marine Trailer Wheelbearing Grease 3 oz.

2/PK			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20271140			
GREASE MARINE 3OZ 2/PK			
11-399			
2-28893-30146	В	PK	CA
20271140			
GREASE MARINE 140Z CART			
11-402			
7-79700-11402	В	EA	CA
20271140			
GREASE MARINE 1 LB CAN			
11-404			
7-79700-11404	В	EA	CA



Grease Gun Standard Pistol Grip w/ Pipe



Easy one-hand operation. 2-way loading: 14 oz. cartridge or bulk load. Head cap port for adding air bleeder or bulk loader fitting. Develops up to 5,000 PSI. Equipped with 3-1/2" grease pipe and coupler.

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20210036			
GREASE GUN STANDARD PISTOL			
30-300			
2-28893-30300	В	EA	CA

Grease Gun Kit, Mini, Multi-Purpose | Grease Gun, Industrial Lever, Vari-Grease w/Pipe 3 oz.



A compact, "tool box" size grease gun perfect for hard-to-reach jobs. Ideal for do-it-yourself automotive, industrial, farm, RV and marine applications. Includes zinc die-cast head cap and pistol grip for easy one hand operation and 3 oz. cartridge of LubriMatic grease. Develops up to 3,600 psi. with 3-1/2" pipe and coupler and Lubri-Matic Multi-Purpose Grease.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20210613			
GREASE GUN w/3oz GREASE			
30-132			
2-28893-30132	В	CG	CA

Grease Gun Standard Lever w/Pipe



Ideal for household and do-it-yourself automotive use. Uses standard 14 oz. cartridge. Develops up to 6,000 psi. Delivers 1 oz of grease/40 strokes.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20210672			
GREASE GUN STANDARD LEVER			
30-200			
2-28893-30200	B	EA	CA

able, Plated, w/Pipe



Made for the punishing day-in and day-out service required by industrial customers

service required by industri	iai cu	3101116	13.
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20210680			
GREASE GUN INDUSTRIAL LEVER			
30-465			
2-28893-30350	В	FA	CA

GREASE GUN COUPLER 1/8"fpt



Standard jaw-type coupler features spring-loaded ball check valve. Fits all 1/8 NPT threads. For hand operated lube equipment only. Recommended working pressure is 4,500 PSI. Length 1-7/16, width 5/8 Carded 10 ner master

l	ITEM NO.			
l	DESCRIPTION			
l	MODEL/SIZE			
I	UPC	VL	UM	PK

20210710			
GREASE GUN COUPLER 1/8" FPT			
05-031			
2-28893-05031	В	CG	CA

Flexible Hoses



For use on hand operated grease guns only. Steel 1/8" NPT male fittings on each end. Recommended working pressure is 5,000 PSI.

VL	UM	PK
В	CG	CA
В	CG	CA
	В	B CG



Grease Fittings Assorted Metric



Metric grease fitting assortment - 8 piece. 6 mm x 1 metric fittings on blister card. Includes 4 straight, 2 at a 45 degree angle and 2 at a 90 degree angle.

VL	UM	PK
	VL	VL UM

UPC	VL	UM	PK
20210028			
GREASE FITTINGS METRIC			
11-957 ASSORTED			
2-28893-11957	С	CG	CA

Grease Fittings



Grease Fitting 1/8" PT Straight

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
20210052				
GREASE FITTING STRAIGHT				
11-151 1/8"pt				
2-28893-11151	С	CG	CA	
20210052				
GREASE FITTING STRAIGHT SHORT				
11-101 1/4"28 10PK				
2-28893-11101	С	CG	CA	
20210052				
GREASE FITTING 45 DEGREE				
11-159 1/8"pt				
2-28893-11159	С	CG	CA	
20210052				
GREASE FITTING 90 DEGREE				
11-167 1/8"pt				
2-28893-11167	С	CG	CA	
20210052				

20210052		
GREASE FITTING 90 DEGREE		
11-113 1/4"28		
7-79700-12075	CG	CA

Grease Fitting Assortee English



Standard grease fitting assortment - 8 piece. 1/4" -28 standard fittings on blister card. Includes 4 straight, 2 at a 45 degree angle and 2 at a 90 degree angle.

	aligie aliu z at a 30 deglet	angic	÷.	
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK
	20210648			
	GREASE FITTINGS ENGLISH			
	11-955 ASSORTED			
	2-28893-11955	С	CG	CA
П				

Liquid Wrench



Liquid Wrench



A point of use penetrant for use by mechanics and DIY. Used for disassembly of corroded pipe joints, rusted bolts and machinery, and painted or gummed up metal mechanisms. Also used to clean typewriters, guns, and sports equipment. Spray or squirt product on frozen joint or part. Tap the joint to set up vibrations. If part is stubborn, repeat application and allow to soak into joint for a few minutes. 4 oz. size.

CG

GREASE FITTING 45 DEGREE

11-105 1/4"28

2-28893-11105

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220104			
LIQUID WRENCH 4 OZ SPOUT			
L1-04 GUNK			
7-78698-12012	С	EA	CA
20220104			
LIQUID WRENCH 6 OZ AEROSOL			
L1-06 GUNK			
7-78698-12013	С	EA	CA
20220104			
LIQUID WRENCH 12 OZ AEROSOL			
L1-12 GUNK			
7-78698-12015	В	EA	CA

Liquid Wrench Non Flammable Lubricating Oil With Cerflon 11 oz.



LIQUID WRENCH SUPER LUBRICANT with Cerflon lubricates and protects surfaces. Fast penetrating solvents free rusted and frozen bolts and parts. Rust inhibitor protects metal parts from corrosion. Cerflon increases lubricity.

- Contains state of the art Cerflon
- Lubricates and protects
- Leaves a dry film
- No oily residue

7-78698-12262

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220198			
LIQUID WRENCH W/CEFLON	11 OZ		
L5-12 GUNK			

С

EΑ

CA

Liquid Wrench Universal Chain Lube 11 oz.



Liquid Wrench Universal Chain Lube is for all chains and wire cables. Contains anti-wear additives and synthetic moly for premium performance. Dry time optimized for maximum protection. Dries only after entering chain links or wire cable strands. A superior lubricant formulated for chains.

- 11 oz
- Optimized to lubricate & protect all o-ring chains
- Universal chain & cable lube
- Anti-sling formula
- Improved formula

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220252			
UNIVERSAL CHAIN LUBE 11 OZ			
L7-11 GUNK			
7-78698-21734	В	EA	CA

Liquid Wrench Super Lubricant Aerosol 11oz.



Quickly cleans and lubricates typewriters, clocks, sewing machines, air conditioners, guns, fishing reels, fine instruments, hand and power tools, toys, zippers, sliding doors, casters and all moving parts. It frees rusted parts and helps stop corrosion on nuts, bolts, screws, fasteners, chains, cables and linkages, valves and fittings, lawn mowers and automobile engines. Displaces water from wet surfaces and leaves a rust inhibiting film. It dries out engines, spark plugs, coils, switches and wiring.

ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL

UM

PK

20220317

LIQUID WRENCH LUBE 10 OZ

L2-12 GUNK AEROSOL

7-78698-12025

B

EA

CA

Gunk Liquid Wrench Heavy Duty Silicone Spray Lubricant - 11 oz.



A general-purpose silicone lubricant in aerosol form. Stops squeaks, rust and corrosion. Excellent mold release. Brightens rubber, vinyl and leather. Protects aluminum and chrome from pitting.

- Compatible with all metals and rubber
- Compatible with all plastic and wood
- High viscosity formula
- Eliminates squeaks

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221216			
SILICONE SPRAY LUBRICANT 1	2 OZ		
M9-14 GUNK			

Liquid Wrench White Lithium Grease Spray 10 oz.



- Reduces friction in all metal to metal applications
- Reduces friction in all metal to plastic applications
- Protects against rust and corrosion
- Will not melt, run or freeze

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20270926			
WHITE LITHIUM SPRAY GREASE			
L6-16 GUNK 10 OZ			

Silicone Spray Lubricant (SL) 11-oz Spray



B'laster Silicone Lubricant is a super concentrated silicone lube provides the ultimate in lubrication and protection in the heaviest industrial applications. Completely eliminates the sticking, binding, and squeaking caused by constant friction, thus extending the life metal, plastic, wood, rubber, vinyl, leather, etc. Also great as a tire shine/protectant.

- Non-staining
- Odorless
- 11 ounce aerosol spray can

3-32167-70004	С	EA	CA
16-SL 11oz			
BLASTER SILICONE DRY LUBE			
20223221			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			



LC Wax AlumaSlick Lubricant 12oz.



A spray lubricant that cleans and restores luster to aluminum and protects from corrosion for months.

Use a nylon pad soaked in AlumaSlick's cleaning lubricant solution to renew oxidized or salt-corroded windows and door frames, outdoor furniture, marine hardware, etc. Wipe excess oxidation from window frames with a rag and polish with a clean coat of AlumaSlick.

- Quick penetration and release
- Long lasting lubrication
- Cleans corrosion and tarnish
- Protects from salty corrosion
- Reduces wear
- Stops squeaks, bumps, clunks, clinks Use on: awnings, jalousies, sliding doors & windows, storm shutters, hinges, folding & extension doors

UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

20220058			
LC WAX ALUMASLICK LUBRICANT			
22311 11 OZ			
7-75541-22311	В	EA	CA



Super Slick Stuff Lube 11oz.



Super Slick is a greaseless product that lubricates, penetrates, cleans, and protects in a wide range of applications. Can be used for almost anything that rubs, slides, turns, grinds, moves, or rotates. Works in extreme cold. Coats and protects with a unique plating effect. Super Slick lifts rust, dirt, grime, and built up grease and wax right off. Also can be used on corrosive acids on battery terminals. Penetrates deeper and faster and stays put. The spreading action is instant. It's dripless, not messy, and does not dry out. 11 oz. aerosol spray.

ITEM NO.			
TILIVI NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220066			
SUPER SLICK STUFF LUBE			
02001 11 OZ			
8-86507-02001	В	FA	CA

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK



Revison: Mar 2016

Fault-Finder Cleaner (Group 1) 7.5-



Step 1 of the Fault-Finding system. Use to clean metals, glass, and plastic before applying penetrant (1072). Contains no chlorine or sulfur bearing solvents. Group 1 was developed specifically for testing materials where halogenated safety solvents are not permitted.

- 7.5 ounce aerosol spray can
- See Product data sheet for more information

VL	UM	PK
В	EA	CA

Fault-Finder Penetrant (Group 1) 8.5-oz



Step 2 of the Fault-Finding system. Use on metals, glass, and plastic 20 minutes before applying developer (1073). Contains no chlorine or sulfur bearing solvents. Group 1 was developed specifically for testing materials where halogenated safety solvents are not permitted.

- 8.5 ounce aerosol spray can
- See Product data sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221593			
FAULT FINDER PENETRANT			
1072 SPOTCHECK			
8-88193-01072	В	EA	CA

Fault-Finder Developer (Group 1) 7.5-oz



Step 3 of the Fault-Finding system. Use on metals, glass, and plastic to reveal material faults. Contains no chlorine or sulfur bearing solvents. Group 1 was developed specifically for testing materials where halogenated safety solvents are not permitted.

- 7.5 ounce aerosol spray can
- See Product data sheet for more information

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221674			
FAULT FINDER DEVELOPER			
1073 SPOTCHECK			
8-88193-01073	В	EA	CA



All-Purpose Lubricant 8-oz Spray & Penetrating Catalyst (PB) 11-oz Spray Combo



- 2 pack combo containing All-Purpose Lubricant 8-oz Spray & Penetrating Catalyst (PB) 11-oz Spray
- --- B'laster All-Purpose Lubricant lubricates moving parts such as window tracks, all hinges, valves, wheels, rollers, chains, glides, and gears. Protects and helps prevent rust and corrosion on items such as car parts, fishing reels and tackle, all tools, firearms, sports equipment, and all marine applications. Penetrates to free rusted or stuck tools and parts such as nuts and bolts, hinges, valves, dials, chains, and locks. Displaces and repels moisture and is excellent for drying set or submerged machinery and equipment, such as engines, spark plugs and wires, power tools, and electric motors. Great for rust proofing tools, fishing gear, and other metals prone to corrosion. ---
- 8 ounce aerosol spray can
- --- B'laster Penetrating Catalyst (PB) quickly breaks loose surface tension rust and corrosion by creeping up, around and in to hard-to-reach cavities. Ideal for brake, exhaust, and suspension system jobs. Plus, lubricating film remains on parts to help prevent further rusting. ---
- A true penetrant
- Formulated in 1957
- Rust inhibitor
- Breaks loose surface tension of rust/frozen parts
- Much higher flashpoint of 152 degrees
 Fahrenheit
- Non-evaporating lubricant
- Saves time and money by ensuring user will not have to burn off or drill out nuts and bolts or other expensive and time consuming means of repairs
- 11 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220074			
PB BLASTER 2-PACK COMBO DE	AL		
PB20/PB50			
3-32167-00038	В	EA	CA

Penetrating Catalyst (PB) 11-oz Spray



B'laster Penetrating Catalyst (PB) quickly breaks loose surface tension rust and corrosion by creeping up, around and in to hard-to-reach cavities. Ideal for brake, exhaust, and suspension system jobs. Plus, lubricating film remains on parts to help prevent further rusting.

- A true penetrant
- Formulated in 1957
- Rust inhibitor

ITEM NO.

- Breaks loose surface tension of rust/frozen parts
- Much higher flashpoint of 152 degrees
 Fahrenheit
- Non-evaporating lubricant
- Saves time and money by ensuring user will not have to burn off or drill out nuts and bolts or other expensive and time consuming means of repairs
- 11 ounce aerosol spray can

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220155			
PB BLASTER PENETRANT OIL			
16-PB 13 OZ			
3-32167-10001	Α	EA	CA

All-Purpose Lubricant 8-oz Spray



B'laster All-Purpose Lubricant lubricates moving parts such as window tracks, all hinges, valves, wheels, rollers, chains, glides, and gears. Protects and helps prevent rust and corrosion on items such as car parts, fishing reels and tackle, all tools, firearms, sports equipment, and all marine applications. Penetrates to free rusted or stuck tools and parts such as nuts and bolts, hinges, valves, dials, chains, and locks. Displaces and repels moisture and is excellent for drying set or submerged machinery and equipment, such as engines, spark plugs and wires, power tools, and electric motors. Great for rust proofing tools, fishing gear, and other metals prone to corrosion.

• 8 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220156			
BLASTER ALL PURPOSE LUBRIC	CANT		
PB50 8 OZ			
3-32167-00050	В	EA	CA

Blaster Chain and Cable Lube - 11 oz Spray



B'laster Chain and Cable Lube is a long lasting formula designed specifically for use on any light-duty chain or wire cable applications. It reduces friction and prevents further rust and corrosion, and shreds contaminants like mud, grass, and water. Keeps equipment at peak performance by running better for longer.

- Safe for use on all light-duty applications like all moving parts including chains, cables, sports equipment, marine equipment, lawn equipment, lifts, pulleys, and more
- Wax-based formula prevents further corrosion
- Reduces friction and noise
- 11 ounce aerosol spray can

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220157			
BLASTER CHAIN & CABLE LUBE			
16-CCL 11 OZ			
3-32167-11011	C	FA	CA

Penetrating Catalyst (PB) 128-oz Can with Sprayer Bottle



B'laster Penetrating Catalyst (PB) quickly breaks loose surface tension rust and corrosion by creeping up, around and in to hard-to-reach cavities. Ideal for brake, exhaust, and suspension system jobs. Plus, lubricating film remains on parts to help prevent further rusting.

- A true penetrant
- Formulated in 1957
- Rust inhibitor
- Breaks loose surface tension of rust/frozen parts
- Much higher flashpoint of 152 degrees
 Fahrenheit
- Non-evaporating lubricant
- Saves time and money by ensuring user will not have to burn off or drill out nuts and bolts or other expensive and time consuming means of repairs
- 128 ounce can

3-32167-10010

• Includes sprayer bottle

128-PB GALLON W/SPRAY BOTTLE

- Includes sprayer bottle			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220160			
PB BLASTER PENETRANT OIL			

С

EΑ

CA

Corrosion Stop (CSP) 11-oz Spray



B'laster Corrosion Stop (CSP) protects all metals and leaves a protective film on applied surfaces. Excellent for automotive, marine, farm and agriculture, industrial, and heavy duty. Penetrates and resists water, displaces moisture and prevents further corrosion. Use for thousands of applications.

- Water resistant spray grease
- 11 ounce aerosol spray can
- Includes straw attachment

3-32167-99009

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221704			
BLASTER CORROSION STOP			
16CSP 11oz			

White Lithium Grease (LG) 11-oz Spray



B'laster White Lithium Grease is a clean, white grease with a very low odor. It offers long-lasting lubrication and protection in a wide range a applications and conditions. For use on open lube points and high load applications including gears, shafts, heavy-duty chains, axles, bearings, fan motors, couplings, automotive hinges, heavy machinery, conveyor belts and chains, mechanical mechanisms, non-disc brake parts, springs, plumbing fixtures, and hundreds of other applications.

- Excellent for heavy-duty application *Low friction
- Creates a protective barrier
- 11 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20222219			
BLASTER WHITE LITHIUM GREA	SE		
16-LG 11 OZ			
3-32167-99008	С	EA	CA

Lawn Mower Tune-Up (LMT) 11-oz Spray



B'laster Lawn Mower Tune-Up helps to prevent stalling in small engines. It is well known for doubling the life of small engines and making lawns (and your pockets) a much greener place. Add to air intake, gas tank, and spark plug hole after winter layover period and remove carbon, gum, and varnish deposits. Regular use will help tune-up engines all season long.

- 2-cycle and 4-cycle engine tune-up
- Frees rings and valves
- Restores power and consumption
- Prevents vapor lock
- 11 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20223223			
BLASTER MOWER TUNE UP			
BLASTER MOWER TUNE UP 16-LMT 11 OZ			

Dry Lube (TDL) 12-oz



B'laster Dry Lube (TDL) is a superior, long-lasting lubrication for every household lubricant need. Use on locks and catches, hinges, cables, window tracks and glass, rope, door tracks, and conveyor belts. Safe for use on plastics.

- Safe for use on most plastics
- 12 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260000			
BLASTER TEFLON DRY LUBE 12	OZ		
16 TDL			
3-32167-90024	С	EA	CA

Garage Door Lube (GDL) 12-oz



B'laster Garage Door Lube (GDL) has been formulated to replace messy aerosol grease products typically used on overhead doors, rollers and tracks, wires, rope, etc. It incorporates the lubrication and lasting protection of silicone with an extreme pressure agent. This combination provides B'laster Garage Door Lube with superior lubrication, protection, and cleanliness.

- Leaves a tack-free film that will not accumulate dust and dirt
- Safe on virtually all surfaces
- Superior anti-wear characteristics
- 12 ounce aerosol spray can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
32260001			
BLASTER GARAGE DOOR LUBE	12 OZ		
16 GDL			
3-32167-90025	С	EA	CA

Penetrating Catalyst (PB) 11-oz Spray Display (144 Cans)



B'laster Penetrating Catalyst (PB) quickly breaks loose surface tension rust and corrosion by creeping up, around and in to hard-to-reach cavities. Ideal for brake, exhaust, and suspension system jobs. Plus, lubricating film remains on parts to help prevent further rusting.

- A true penetrant
- Formulated in 1957
- Rust inhibitor
- Breaks loose surface tension of rust/frozen parts
- Much higher flashpoint of 152 degrees
 Fahrenheit
- Non-evaporating lubricant
- Saves time and money by ensuring user will not have to burn off or drill out nuts and bolts or other expensive and time consuming means of repairs
- 11 ounce aerosol spray can

• 144 can display

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99966009			
PB BLASTER FLOOR DISPLAY			
16-PB 13oz (144 Cans)			
9-99660-09	В	EA	CA



WD-40 Multi-Use Spray with Smart Straw 12 oz.



- With Smart Straw, never lose the straw again
- Cleans grease, grime and dirt
- Removes adhesives, bugs, tar and more
- Protects tools and equipment from rust and corrosion

• Penetrates stuck and rusted parts

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220341			
WD-40 SMART STRAW 12OZ			
10152			
7-79567-10152	В	FΔ	CA

Rust Preventatives Lubricants



- Cleans grease, grime and dirt
- Removes adhesives, bugs, tar and more
- Protects tools and equipment from rust and corrosion
- Penetrates stuck and rusted parts
- Displaces moisture, restoring wet tools and equipment

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221410			
20221410 WD-40 LUBRICANT 3 OZ			

20221410			
WD-40 INDUSTRIAL SIZE 160Z			
10116			
7-79567-10016	Α	EA	CA

WD-40 Multi-Use Spray with Smart Straw 8 oz.



- With Smart Straw, never lose the straw again
- Cleans grease, grime and dirt
- Removes adhesives, bugs, tar and more
- Protects tools and equipment from rust and corrosion

• Penetrates stuck and rusted parts

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221429			
MID 40 CMAART CTRAM 0.6.07			

WD-40 SMART STRAW 9.6 OZ

110054 (BONUS CAN)

7-79567-11005 A EA CA

WD-40 Multi-Use Spray with Smart Straw 11 oz.



- With Smart Straw, never lose the straw again
- Cleans grease, grime and dirt
- Removes adhesives, bugs, tar and more
- Protects tools and equipment from rust and corrosion
- Penetrates stuck and rusted parts

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221437			
20221437 WD-40 SMART STRAW 11 OZ			

WD-40 Heavy Duty 1 Gallon Can



- Cleans grease, grime and dirt
- Removes adhesives, bugs, tar and more
- Protects tools and equipment from rust and corrosion
- Penetrates stuck and rusted parts
- Displaces moisture, restoring wet tools and equipment

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221445			
WD-40 LUBRICANT 1 GALLON			
10110			
7-79567-10010	В	EA	CA

WD-40 Empty Spray Applicator 1 Pint



- One pint heavy-duty sprayer for use with WD-40 bulk liquid
- Adjustable spray nozzle for stream or spray
- Durable plastic
- Specially treated on inside to add stability for use with penetrating quality of formula
- Perfect applicator for heavy users of WD-40

TIEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221453			
WD-40 EMPTY SPRAY APPLICA	TOR		
10100			
7-79567-10000	С	EA	CA

WD-40 Specialist Rust Release Penetrant Spray, 11 oz.



- Rust release spray frees components that have been rusted together
- Protects surfaces against future corrosion
- Proprietary formula penetrates into crevices to quickly free rusted threads, nuts, bolts, locks, and chains
- Lubricant can be used on metal, plastic, and rubber
- Permanently attached, hinged straw offers the option of a precision stream or fan-shaped spray

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20222216			
WD-40 SPECIALIST PENETRANT			
300004 11 OZ			
7-79567-30000	С	EA	CA

WD-40 Specialist Silicone 11oz.



- Lubricates, waterproofs and protects
- Quick drying with no messy residue
- Safe to use on rubber, vinyl and plastic
- 50 state VOC complaint
- Dries fast and leaves a clear non staining film
- Smart straw for precise application
- 11oz

20222217			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			
■ 1102.			

	20222217			
	WD-40 SPECIALIST SILICONE			
	300011 11 OZ			
	0-02222-17	С	EA	CA
ı				

WD-40 Specialist Protective White Lithium Grease Spray, 10 oz.



- White lithium grease adds a thick coating to metal that protects against rust and lubricates to withstand metal-to-metal contact
- Weather-resistant formula will not run, melt, or freeze off, making it suitable for use outdoors
- Grease sprays on as a liquid for application and cures into a hard, protective coating
- Permanently attached, hinged straw offers the option of a precision stream or fan-shaped spray
- Coating can be applied to components prior to storage to protect against rust and abrasion

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20222218			
WD-40 SPECIALIST WHITE LITE	HIUM		
300028 10 OZ			
7-79567-30024	С	EA	CA

Revison: Mar 2016

WD-40 Specialist Long Term Corrosion Inhibitor Spray, 6.5 oz.



- Long-term corrosion inhibitor coats metal parts to lubricate and protect against rust and other corrosion
- Blocks rust and corrosion for up to 2 years when used indoors and for up to 1 year when used outdoors
- Recommended for preventative maintenance or for protection in corrosive environments, such as highly humid atmospheres
- Included straw creates a precision stream of lubricant for controlled application and fastens to the notched cap for secure storage
- Non-drying lubricant does not run

Tron arying rabilicant acc	23 1100	ı aıı	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36222190			
WD-40 SPECIALIST INHIBITOR			
300035 6.5 OZ			
6-62221-90	С	EA	CA

WD-40 Specialist Rust Remover Soak, 1 Gallon



- Rust remover soak dissolves rust from corroded metal parts without requiring scraping or scrubbing
- Formula removes rust from both lightly and heavily rusted pieces
- Targets rust and leaves painted and non-metal components unaffected
- Solution is non-toxic and biodegradable for easy disposal
- Spout dispenses large amounts of the soak, and handle enables controlled pouring

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36222198			
36222198 WD-40 SPECIALIST RUST SOAK			

9.6 Oz Smart Straw Display - 48 10328



WD-40 Smart Straw Display 48 Count (9.6 Oz)

02)			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

99932988			
8 OZ SMART STRAW DISPLAY 48			
11016			
7-79567-11022	В	EA	CA

11 Oz Smart Straw Display - 48 110075



WD-40 Smart Straw Pre-Pack 48 County Display (11 Oz)

Display (11 Oz)			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99932996			
99932996 11 OZ SMART STRAW DISPLAY 4	8		
	8		

12 Oz Smart Straw Display - 48 100325



WD-40 Smart Straw Pre-Pack 48 Count Display (8 Oz)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99935049			
12OZ SMART STRAW DISPLAY 48			

12 Oz Smart Straw Display - 96 10425



WD-40 Smart Straw Half-Stack 96 Count Display (12 Oz)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
99935057			
120Z SMART STRAW DISPLAY 96			
10425			
7-79567-10424		EA	CA



Gunk Heavy Duty Spray Lubricant with PTFE - 6 oz.



Reduces friction, wear, penetrates, lubricates, cleans and protects, prevents rust and corrosion. The very small particles act as "ball bearings" to reduce friction significantly. Cleans and forms barrier which resists dust, dirt, sand, salt, ice, and other abrasive particles. Penetrates and dissolves rust and corrosion while preventing further corrosion. Can be used in thousands of applications. Some of the areas where this product can be used: Locks, Fishing Reels, Auto Parts, Hinges, Typewriters, Boat Parts, Guns, Sewing Machines, Cables, Toys, Sliding Doors, Chains, Clocks, Lawn Mowers, Linkages, Zippers, Air Conditioners, Gears, Hand Tools, Fine Instruments, Valves, Power Tools, Conveyor Parts, Fittings, Casters, Machine Tools, and more.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221194			
TEFLON SPRAY LUBE 8 OZ			
L5-08 GUNK			
7-78698-12051	С	EA	CA



Super Penetrant



- Max Professional Super Penetrant is a fast acting deep-penetrating lubricant that reduces friction, fights corrosion and displaces moisture.
- Max Professional Super Penetrant removes dirt and grease while leaving a coating that protects against subsequent corrosion. Cuts through rust and corrosion to free locks. bolts and nuts.

0.011 to 11 oc 10 onto) 50 orto			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221471			
PENETRANT			
4019			
5-52080-00401	С	EA	CA



Sea Foam Deep Creep Lubricant 12



Deep Creep's fast acting, petroleum based formula quickly penetrates rusted parts, lubricates moving metal parts, disperses moisture, and cuts through grease, engine varnish and road tar. It withstands heat better than other penetrating oils allowing you to use it in combination with a torch to loosen a badly rusted part. Deep Creep has hundreds of household and workshop uses and outperforms all the leading penetrating sprays on the market. Deep Creep's unique spray can even works with the can held upside down so you can use it in difficult-to-reach applications.

Mechanics, sportsmen and hobbyists love Deep Creep as a gun cleaner, lubricating and dispersing moisture on fishing reels, engine parts, clamps, wheels, air tools, locks, rollers, chains, gears, drawer slides, hinges and ball bearings.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221480			
SEAFOAM DEEP CREEP LUBRIC	ANT		
DC14 12 OZ			
1-18812-00003	В	EA	CA

Sea Foam Spray Cleaner & Lube 12 oz.



Sea Foam Spray is for internal engine use only to clean carbon deposits from intake systems, intake valves, and combustion chambers of your engine. Use Sea Foam Spray to clean all these areas with the cleaning tube and hook guide tool inserted into a sealed air intake system. Spray the Sea Foam Spray into the engine from in front of the throttle plate.

Sea Foam Spray is a petroleum based product for use in cleaning harmful gums, varnish and carbon from air induction systems and combustion chambers on all 2-cycle and 4-cycle gasoline engines

- Cures hesitation, stalls, pings, flat spots and rough idle due to carbon buildup
- Use to store and fog 2-cycle and 4-cycle engines
- Helps pass emission tests. EPA registered
- Cleans intake valves and pistons
- Cleans Catalytic converter odors
- Restores power and pickup

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20221481			
SEAFOAM SPRAY CLEANER 8	k LUBE		
SS14 12 OZ			
1-18812-00007	В	EA	CA

3-IN-ONE Oil



3-in-One



3-IN-ONE Multi-Purpose Oil Telescoping Spout easily fits into hard-to-reach places, lubricating, cleaning and protecting to extend the life of tools and equipment.


ITEM NO.	1- 1-		
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220287			
3-IN-ONE MULTI PURPOSE 3 OZ			
10135			
7-79567-10035	В	EA	CA
20220287			
3-IN-ONE MULTI PURPOSE 8 OZ			
10138			
7-79567-10038	В	EA	CA

3-In-One Silicone Drip Oil



When you need a fast-drying, no-mess lubricant that works in extreme temperatures, you can count on the 3-IN-ONE All-Temp Silicone.

- Lubricates, waterproofs and protects in temperatures between -100F to 500F
- Marksman spout for easy precision application
- Dries quickly
- Leaves no messy residue
- Safely works on multiple surfaces, including plastic, metal and rubber
- 50-state VOC compliant
- Convenient 4-ounce size



3-In-One 100% Dry to Touch Dry Lube



3-IN-ONE Dry Lube reduces wear and friction on your tools and equipment. Plus, it protects metal parts to keep your tools and equipment in better working order.

- Lubricates and protects against corrosion better than the leading competitors
- Quick-drying formula
- Won't attract dirt and dust
- Marksman spout for easy precision application
- Ideal for blades and bits, rollers and more
- 50-state VOC compliant
- Convenient 4-ounce size

VL	UM	PK
С	EA	CA

3-In-One 100% PTFE Lube



3-IN-ONE 100% PTFE Lubricant extends the life for all types of tools and equipment. It is specially designed for heavy loads and for use in high temperatures.

- Reduces friction and wear
- Protects and extends tool life
- Works in temperatures between -50F to 500F
- Excellent for heavy loads
- Marksman spout for each precision application
- Works on axels, chains, hinges and more
- 50-state VOC compliant
- Convenient 4-ounce size

3-IN-ONE 4 OZ PTEF LUBE OU			
20220302			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			
- Convenient - Cance Size			

20220302			
3-IN-ONE 4 OZ PTFE LUBE OIL			
120039			
7-79567-12003	С	EA	CA

3-In-One 100% Pneumatic Tool Oil



To extend the life of your tools, you can count on 3-IN-ONE Pneumatic Tool Oil. It quickly dissolves gum and sludge, and provides rust prevention.

- Professional grade formula quickly dissolves gum and sludge
- Removes calcium build-up and moisture for improved tool performance
- Waterproof formula minimizes rust formation under extreme conditions
- Marksman spout for easy precision application
- Ideal for all types of pneumatic tools
- 50-state VOC compliant
- Convenient 4-ounce size

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220303			
3-IN-ONE 4 OZ AIR TOOL OIL			
120046			
7-79567-12004	С	EA	CA

3-In-One Fast-Acting Penetrant



3-IN-ONE Fast-Acting Penetrant quickly loosens stuck parts and prevents rust.

- Penetrates up to 3 times faster than the leading competitors
- Prevents rust better than the leading competitors
- Marksman spout for easy precision application
- Great for use on tools, hinges, nuts and bolts
- Safe for use on plastics, rubber and metal
- 50-state VOC compliant
- Convenient 4-ounce size

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220304			
3-IN-ONE 4 OZ PENETRATE OIL			
120015			
7-79567-12001	С	EA	CA

WD-40 3-IN-ONE Motor Oil Drip 3 oz.



- Special blend of high grade oils equivalent to SAE-20
- For lubricating electric motors of 1/4 HP and larger

andiaigei			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
•			

20220309			
3-IN-ONE MOTOR OIL DRIP 3OZ			
10145			
7-79567-10045	С	EA	CA

WD-40 3 in 1 Multi-Purpose Oil Telescopic Drip Spout 4 oz.



With an extra 5 inches, 3-IN-ONE Multi-Purpose Oil Telescoping Spout easily fits into hard-to-reach places, lubricating, cleaning and protecting to extend the life of tools and equipment.

3-IN-ONE Multi-Purpose Oil Telescoping Spout helps pinpoint applications when precise control is required. It works great on small mechanisms, tool maintenance and threads on screws and bolts.

It's also great to have around the office, ensuring those chairs keep moving freely, and quietly. Available in 4 oz. bottle with 5" extendable oil spout.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20220392			
3-IN-ONE TELESPOUT			
10134 4OZ MULTI PURPOSE			
7-79567-10070	С	EA	CA

Lock Lubricants



Panef Lock Lubricant 4 oz.



This lubricant is made with a special Graphite formula designed to keep all locks lubricated and working smoothly. Guards against dirt build up. Reduces wear and rust. Help prevent frozen locks during cold weather-especially after a car wash.

VL	UM	PK
В	EA	CA

Panef Powdered Graphite Lubricant 6.5 gram



Use lubricant regularly to keep all locks lubricated and working smoothly. Guards against sticking and dirt build-up. Reduces wear and corrosion. Easy to use. Powdered Graphite is the finest lubricant for metal, wood, plastic, and rubber.

Ideal for many uses including: hinges, tools, guns, fishing reels, auto locks, door locks and model derby cars.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

20220929 GRAPHITE LUBRICANT 6.5 GRAM TB L300 2-25522-01201 B EA CA

Pump Oilers



Pistol Pump Oiler Steel 6-oz



- Goldenrod brand
- Pistol pump oiler with leak proof joints
- Steel container with powder coated copper bronze finish
- 5 inch straight spout
- Zinc die-cast high pressure pump with precision ground piston
- Flared bottom to prevent tipping
- 6 ounce capacity

JM PK
EA CA

Pump Oilers



- Goldenrod brand
- Pistol pump oiler
- Plastic container
- 5 inch straight spout
- Zinc die-cast high pressure pump with precision ground piston
- Seamless tubing oil cup cap lifter tips
- 6 ounce capacity
- Color yellow

8-85077-56136

• Color yellow			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
20200529			
PUMP OILER 4" SPOUT			
610, 6,07			

20200529			
PUMP OILER 6" FLEX SPOUT			
606-S 5 OZ			
8-85077-56128	С	EA	CA

CA

20200529			
PUMP OILER 5" RIGID SPOUT			
600-S 5-OZ			
8-85077-56096	С	EA	CA

Hydraulic Pump Oilers



- Goldenrod brand
- Industrial pump oiler
- Steel container with powder coated copper bronze finish
- 8 inch removable flexible spout
- Zinc die-cast high pressure pump with precision ground piston
- High pressure pump with precision ground piston *16 ounce capacity

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

20200634			
PUMP HYDRAULIC OILER 8	" FLEX		
727 16 OZ			
8-85077-56288	С	EA	CA
20200634			

20200634			
PUMP HYDRAULIC OILER 8" FLEX	X		
737 32 OZ			
8-85077-56322	С	EA	CA

Tractor Pins & Connectors

Hitch Pin Clips

Revison: Mar 2016



Hitch Pin Clip



Zinc Plated.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960323			
HAIR PIN 3/32" ZINC PLATE			
60838			
3-32874-60838	С	EA	CA
	•		

Hitch Pin Clip 21/64" x 7/8" to 1" - Zinc (clear)



• Hitch pin clip

Wire diameter: 0.31 inchFits hole: 21/64 inch

• Overall length: 3-15/16 inches

• Fits shaft: 7/8 inch to 1 inch

- 1103 Share. 770 men to 1 men

• Inside diameter of eye: 7/8 inch

Clear zinc plated, spring steel wire

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960331			
HAIR PIN 5/16" ZINC PLATE			
60890			
3-32874-60890	С	EA	CA

Clinchpin/Hitchpin Clip Disply 180-Piece



- ** Clinch pin (part #63630):
- Diameter: 3/8 inch
- Fits shaft: up to 1-1/2 inches
- Fits hole: 7/16 inch to 5/8 inch
- Clear zinc plated
- Quantity: 10
- ** Hitch pin clip (part #68838):
- Wire diameter: 0.093 inch
- Overall length: 1-5/8 inches
- Yellow zinc plated, spring steel wire
- Quantity: 50
- ** Hitch pin clip (part#68860):
- Wire diameter: 0.125 inch
- Overall length: 2-1/16 inches
- Yellow zinc plated, spring steel wire
- Quantity: 30
- ** Hitch pin clip (part #68870):
- Wire diameter: 0.148 inch
- Overall length: 3 inches
- Yellow zinc plated, spring steel wire
- Quantity: 30
- ** Hitch pin clip (part #68880):
- Wire diameter: 0.177 inch
- Overall length: 3-3/4 inches
- Yellow zinc plated, spring steel wire
- Quantity: 20
- ** Hitch pin clip (part #68884):
- Wire diameter: 0.243 inch
- Overall length: 4 inches
- Yellow zinc plated, spring steel wire
- Quantity: 10
- ** Hitch pin clip (part #68890):
- Wire diameter: 0.31 inch
- Overall length: 3-15/16 inches
- Yellow zinc plated, spring steel wire
- Quantity: 30

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960404			
HAIR PIN DISPLAY 180 PIECE			
HAIR PIN DISPLAY 180 PIECE 21909			

Tractor Parts

Hitch Pin Clip 9/64" x 1/2" to 3/4" - Zinc (clear)



Hitch pin clip

Wire diameter: 0.125 inchFits hole: 9/64 inch

Overall length: 1-15/16 inches
Fits shaft: 1/2 inch to 3/4 inch
Inside diameter of eye: 7/16 inch
Clear zinc plated, spring steel wire

Clear Zilic plateu, spring	5 Steel v	VIIC	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19966607			
HAIR PIN 1/8" ZINC PLATE			
60860			
3-32874-60860	С	EA	CA

Hitch Pin Clip 5/32" x 5/8" to 1" - Zinc (clear)



Hitch pin clip

Wire diameter: 0.148 inchFits hole: 5/32 inch

Overall length: 2-15/16 inchesFits shaft: 5/8 inch to 1 inch

Inside diameter of eye: 3/4 inch
Clear zinc plated, spring steel wire

• Clear Zille plateu, Spring	steer t	wire	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19966615			
HAIR PIN 5/32" ZINC PLATE			
60870			
3-32874-60870	В	EA	CA

Hitch Pin Clip 3/16" x 7/8" to 1-1/4" - Zinc (clear)



• Hitch pin clip

• Wire diameter: 0.177 inch

• Fits hole: 3/16 inch

• Overall length: 3-3/4 inches

• Fits shaft: 7/8 inch to 1-1/4 inches

• Inside diameter of eye: 15/16 inch

• Clear zinc plated, spring steel wire

ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL UM PK

19966623			
HAIR PIN 3/16" ZINC PLATE			
60880			
3-32874-60880	В	EA	CA

Hitch Pin Clip 17/64" x 3/4" to 1" -Zinc (clear)



• Hitch pin clip

• Wire diameter: 0.243 inch

• Fits hole: 17/64 inch

Overall length: 4 inchesFits shaft: 3/4 inch to 1 inch

• Inside diameter of eye: 15/16 inch

• Clear zinc plated, spring steel wire

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19966631			
HAIR PIN 1/4" ZINC PLATE			
60884			
3-32874-60884	С	EA	CA



Clinch Pin 3/8" - Zinc (clear)



Clinch pin

• Diameter: 3/8 inch

Fits hole: 7/16 inch to 5/8 inchFits shaft: up to 1-1/2 inches

• Clear zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960358			
HAIR/GUEST PIN 3/8"			
63630 ZINC PLATE			
3-32874-63630	С	EA	CA



Hitch Pins-Cold Forged



High carbon steel, zinc plated. Spring wire handle. Includes clip.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960013			
HITCH PIN 1/2"X4-1/4"			
25613			
3-32874-25613	В	EA	CA

Hitch Pin 5/8" x 6-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 5/8 inch
- Usable length: 6-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchpin clip

orarareeeor.p ep			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960048			
HITCH PIN 5/8X6-1/4"			
25625			
3-32874-25625	В	EA	CA

Hitch Pin 3/4" x 6-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 3/4 inch
- Usable length: 6-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchpin clip

ITEM NO.

3-32874-25636

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960056			
HITCH PIN 3/4X6-1/4"			
25636			

Hitch Pin 7/8" x 6-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 7/8 inch
- Usable length: 6-1/4 inches
- Yellow zinc plated, high carbon steel

Includes hitchpin clip			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960064			
HITCH PIN 7/8X6-1/4"			
25643			
3-32874-25643	В	EA	CA

Hitch Pin 1" x 6-1/4" - Zinc (yellow)



- One piece forge hitch pin
- Spring wire handle
- Shaft diameter: 1 inch
- Usable length: 6-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchpin clip

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960072			
19960072 HITCH PIN 1X6-1/4"			

Hitch Pin 5/8" x 4-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 5/8 inch
- Usable length: 4-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchpin clip

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960544			
HITCH PIN CF 5/8X4-1/4"			
25623			
3-32874-25623	В	EA	CA

Tractor Parts

Hitch Pin 3/4" x 4-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 3/4 inch
- Usable length: 4-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchpin clip

merades meempin emp			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960552			
HITCH PIN CF 3/4X4-1/4"			
HITCH PIN CF 3/4X4-1/4" 25633			
	В	EA	CA

Hitch Pins-Red Head Forged



Made of high tensil steel. One piece forged pin. Double heat treated. Includes c lip.

<u>'</u>		•	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960862			
HITCH PIN 1/2"X3-5/8"			
00113			
3-32874-00113	В	EA	CA

Hitch Pin 5/8" x 4" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 5/8 inch
- Usable length: 4 inches
- Heat treated, high tensile steel
- Includes hairpin

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960870			
HITCH PIN 5/8"X4"			
00223			
3-32874-00223	(EA	CA

Hitch Pin 5/8" x 5-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 5/8 inch
- Usable length: 5-1/2 inches
- Heat treated, high tensile steel
- Includes hairpin

19960889			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

UPC	VL	UIVI	PK
19960889			
HITCH PIN 5/8"X5-1/2"			
00123			
3-32874-00123	В	EA	CA

Hitch Pin 3/4" x 4" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 3/4 inchUsable length: 4 inches
- Heat treated, high tensile steel
- Includes hairpin

3-32874-00233

- melaacs man pin			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960897			
HITCH PIN 3/4"X4"			

Hitch Pin 3/4" x 6-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 3/4 inch
- Usable length: 6-1/2 inches
- Heat treated, high tensile steel
- Includes hairpin

1	morara a a mampini			
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK

19960900			
HITCH PIN 3/4"X6-1/2"			
00133			
3-32874-00133	В	EA	CA

Hitch Pin 7/8" x 6-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 7/8 inch • Usable length: 6-1/2 inches • Heat treated, high tensile steel
- Includes hairpin

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960919			
HITCH PIN 7/8"X6-1/2"			
00143			
3-32874-00143	В	EA	CA

Hitch Pin 1"x 7-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 1 inch • Usable length: 7-1/2 inches
- Heat treated, high tensile steel
- Includes hairpin

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960927			
HITCH PIN 1"X7-1/2"			
00153			
3-32874-00153	В	EA	CA

Hitch Pin 1-1/8" x 8-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 1-1/8 inches • Usable length: 8-1/2 inches
- Heat treated, high tensile steel
- Includes hairpin

ITEM NO.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960935			
HITCH PIN 1-1/8"X8-1/2"			
00163			
3-32874-00163	В	EA	CA

Hitch Pin 1-1/4" x 8-1/2" with Coated Head - Heat Treated Steel



- Hitch pin with red plastisol coated head
- Heavy duty
- Shaft diameter: 1-1/4 inches
- Usable length: 8-1/2 inches
- Heat treated, high tensile steel

 Includes hairpin 			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960943			
HITCH PIN 1-1/4"X8-1/2"			

CA

Hitch Pin 7/8" x 4-1/4" - Zinc (yellow)



- One piece forged hitch pin
- Spring wire handle
- Shaft diameter: 7/8 inch
- Usable length: 4-1/4 inches
- Yellow zinc plated, high carbon steel
- Includes hitchnin clip

• includes filteripin clip			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961001			
HITCH PIN 7/8"X4-1/4"			
25640			
3-32874-25640	В	EA	CA

Hitch Pin-Highlander



Oversized washer-head. High tensile steel pin. Spring wire handle. Zinc Plated. Includes clip.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961028			
HITCH PIN 1"X4-1/4"			
00253			
3-32874-00253	В	EA	CA



00173

3-32874-00173

Tractor Parts

Bushing Lift Arm - Category 1-2, 1-3/4" - Zinc (yellow)



- Reducing bushing
- Adapts larger category hitches to smaller category implements
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960382			
19960382 BUSHING LIFT ARM 1 TO 2			
BUSHING LIFT ARM 1 TO 2	C	EA	CA

Top Link Bushing



Machined from D.O.M. steel tubing. Zinc Plated.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960390			
BUSHING TOP LINK 1 TO 2			
21190			
3-32874-21190	С	EA	CA

Bushing Assortment 48-Piece



- ** Bushing (part #21190):
- Category 1-2 TL
- I.D. (inside diameter): 1 inch
- O.D. (outside diameter): 1-15/16 inches
- Quantity: 8
- ** Bushing (part #21192):
- Category 2-3 TL
- I.D. (inside diameter): 1-1/4 inches
- O.D. (outside diameter): 2 inches
- Quantity: 6
- ** Bushing (part #21194):
- Category 1-2 LA
- I.D. (inside diameter): 1-1/8 inches
- O.D. (outside diameter): 1-3/4 inches
- Quantity: 14
- ** Bushing (part #21195):
- Category 2-3 LA
- I.D. (inside diameter): 1-7/16 inches
- O.D. (outside diameter): 1-3/4 inches
- Quantity: 10
- ** Bushing (part #21196)
- Category 2-3 with hole LA
- I.D. (inside diameter): 1-7/16 inches
- O.D. (outside diameter): 2-1/2 inches
- Quantity: 10

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960420			
BUSHING DISPLAY 48 PIECE			
21185			
8-80235-01056	С	DS	CA

Bushing Top Link - Category 2-3, 2" - Zinc (yellow)



Reduces bushing. Adapts larger category hitches to smaller category implements.

- Category 2-3
- Overall length: 2 inches
- I.D. (inside diameter): 1 inch
- O.D. (outside diameter): 1-1/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960447			
BUSHING TOP LINK 2 TO 3			
21192			
3-32874-21192	С	EA	CA


Bushing Lift Arm - Category 2-3, 1-3/4" - Zinc (yellow)



Reduces bushing. Adapts larger category hitches to smaller category implements.

- Category 2-3
- Overall length: 1-3/4 inches
- I.D. (inside diameter): 1-1/8 inches
- O.D. (outside diameter): 1-7/16 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK



Bushing Lift Arm - Category 2-3 with Hole, 2-1/2" - Zinc (yellow)



Reduces bushing. Adapts larger category hitches to smaller category implements.

- Category 2-3 with hole
- Overall length: 2-1/2 inches
- I.D. (inside diameter): 1-1/8 inches
- O.D. (outside diameter): 1-7/16 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960463			
BUSHING LIFT ARM 2 TO 3			
21196			
3-32874-21196	С	EA	CA

Lift Arm Bushing



Machined from D.O.M. steel tubing. Zinc plated.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961214			
BUSHING TOP LINK/LIFT			
21193			
3-32874-21193	С	EA	CA



Top Link Pins



Top link pin connects top link to tractor and to implement

- Category 1
- Shaft diameter: 3/4 inchOverall length: 4-1/2 inches
- Usable length: 2-3/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960080			
TOP LINK PIN 3/4X2-3/4"			
21252			
3-32874-21252	С	EA	CA

Pin Top Link - Category 1, 3/4" x 3-7/8" - Zinc (yellow)



Top link pin connects top link to tractor and to implement.

- Category 1
- Shaft diameter: 3/4 inch
 Overall length: 5-1/2 inches
 Usable length: 3-7/8 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19960099			
TOP LINK PIN 3/4X3-7/8"			
21256			
3-32874-21256	В	EA	CA

Pin Top Link - Category 2, 1" x 3-9/16" - Zinc (yellow)



Top link pin connects top link to tractor and to implement

- Category 2
- Shaft diameter: 1 inch
 Overall length: 5-1/4 inches
 Usable length: 3-9/16 inches
- Yellow zinc plated


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960102			
19960102 TOP LINK PIN 1X3-9/16"			

Pin Top Link - Category 2, 1" x 4-5/16" - Zinc (yellow)



Top link pin connects top link to tractor and to implement

- Category 2
- Shaft diameter: 1 inch
 Overall length: 6 inches
 Usable length: 4-5/16 inches
- Yellow zinc plated



Pin Top Link - Category 1, 3/4" x 4-3/4" - Zinc (yellow)



Top link pin connects top link to tractor and to implement

- Category 1
- Shaft diameter: 3/4 inch
 Overall length: 6-3/8 inches
 Usable length: 4-3/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960641			
TOP LINK PIN FORD "A"			
21257			
3-32874-21257	С	EA	CA

Forged Top Links



Adjustable top link attaches upper 3-joint attaching point of implement to tractor

- Category 1
- Standard
- Hole diameter: 3/4 inch
 Thread: 1-1/8 inches
 Body length: 16 inches
 Open length: 29 inches
 Closed length: 20-1/2 inches
- Yellow zinc plated
- Includes adjusting handle

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960706			
TOP LINK 16"			
22510			
3-32874-22510	В	EA	CA

Top Link - Category 1, 3/4" x 20" - Zinc (yellow)



Adjustable top link attaches upper 3-joint attaching point of implement to tractor

- Category 1
- Standard
- Hole diameter: 3/4 inch
 Thread: 1-1/8 inches
 Body length: 20 inches
 Open length: 33 inches
 Closed length: 24-1/2 inches
- Yellow zinc plated
- Includes adjusting handle

- 1				
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK
	19960714			
	TOP LINK 20"			
	22512			
	3-32874-22512	С	EA	CA

Top Link - Category 2, 1" x 16" - Zinc (yellow)



Adjustable top link attaches upper 3-joint attaching point of implement to tractor

- Category 2
- Standard
- Hole diameter: 1 inch
 Thread: 1-1/8 inches
 Body length: 16 inches
 Open length: 33 inches
 Closed length: 21 inches
 Yellow zinc plated
- Includes adjusting handle

- 1	+ includes adjusting namal	_		
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK

19960722			
TOP LINK 16" LIGHT DUTY			
22520			
3-32874-22520	В	EA	CA

Pin Top Link - Category 3, 1-1/4" x 4-7/16" - Zinc (yellow)



Top link pin connects top link to tractor and to implement

• Category 3

Shaft diameter: 1-1/4 inches
Overall length: 6-1/2 inches
Usable length: 4-7/16 inches

Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961087			
TOP LINK PIN 1-1/4" D/A			
21270			
3-32874-21270	С	EA	CA

Top Link - Category 2 HD, 1" x 19" - Zinc (yellow)



Adjustable top link attaches upper 3-joint attaching point of implement to tractor

Category 2HD

Hole diameter: 1 inch
Thread: 1-1/4 inches
Body length: 19 inches
Open length: 35-1/2 inches
Closed length: 24-1/2 inches

Yellow zinc plated

Includes adjusting handle

• Includes adjusting name	i C		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK



Stabilizer Pin - 7/8" x 1" - Zinc (yellow)



Stabilizer pin
Diameter: 7/8 inch
Thread diameter: 5/8 inch
Overall length: 3-1/8 inches
Usable length: 1 inch

Yellow zinc platedIncludes nut and washer

19960501			
STABILIZER PIN 7/8"FORD			
21283			
3-32874-21283	С	EA	CA

Stabilizer Pins



Stabilizer pinDiameter: 7/8 inch

Thread diameter: 5/8 inch
Overall length: 2-5/8 inches
Usable length: 3/8 inch
Yellow zinc plated

• Includes nut and washer

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960536			
STABILIZER PIN FORD/MF			
21281			
3-32874-21281		FΔ	CA

Stabilizer Straps



Flat Bar

	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC	VL	UM	PK
1	19960676			
	STABILIZER STRAP FORD			
	24176			
	3-32874-24176	С	EA	CA

Stabilizer Arm - Flat RH/LH Category 1 (MF) - Black




Increases the stability of tractor arms. Replaces MF ST96362358.

• Flat bar, RH or LH

• Category 1

Pin hole diameter: 7/8 inchHoles on center: 33-1/8 inches

Thickness: 3/8 inchWidth: 1-3/4 inches



Stabilizer Arm - Adjustable 28-1/2" to 36" - Zinc (yellow)



Stabilizer arm for all Ferguson models; Ford model #2N, 8N, 9N, NAA, 600; and MF model #35, 50, 65, 135, 150, 165, 175, 180.

- Heavy duty
- Adjustable 28-1/2 inches to 36 inches
- Thread: 20MM
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
40064344			
19961311			
STABILIZER ARM			



Replacement Balls



- Replacement ball for Category 1 lift arm (Ford)
- Ball diameter: 2-1/4 inches
 Hole diameter: 7/8 inch
 Hole length: 1-3/8 inches
- Zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960625			
19960625 BALL FORD LIFT ARM			

Replacement Ball for Lift Arm Category 2 (Ford) - Zinc



- Replacement ball for Category 2 lift arm (Ford)
- Ball diameter: 2-1/4 inches
 Hole diameter: 1-1/8 inches
 Hole length: 1-3/4 inches
- Zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960633			
BALL FORD LIFT ARM			
BALL FORD LIFT ARM 22444			
	C	EA	CA

Forged Weld-On Ball Sockets



Lift Arm Straight

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960811			
BALL SOCKET WELD ON			
22622			
3-32874-22622	С	EA	CA

Weld-On Repair End - Lift Arm (Straight, Lower) Category 2, 1-1/8" x 5"



- Straight, lower weld-on lift arm end
- Category 2
- Hole diameter: 1-1/8 inches
- Overall length: 5 inches

- Overall length 5 menes			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960838			
BALL SOCKET WELD ON			
22671			
3-32874-22671	С	EA	CA

Replacement Ball for Top Link Category 1 (JD/Oliver) - Zinc



- Replacement ball for Category 1 top link (JD/Oliver)
- Ball diameter: 2 inches • Hole diameter: 3/4 inch • Hole length: 1-3/4 inches
- Zinc plated

- Zine placea			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961133			
BALL DEERE/OLIVER TOP LINK			
22441			
3-32874-22441			

Replacement Ball for Top Link Category 2 (JD/Oliver) - Zinc



- Replacement ball for Category 2 top link (JD/Oliver)
- Ball diameter: 2 inches • Hole diameter: 1 inch • Hole length: 1-3/4 inches
- Zinc plated

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961141			
BALL DEERE/OLIVER TOP LINK			
22442			
3-32874-22442	С	EA	CA

Replacement Ball for Lift Arm Category 2 (Ford) - Zinc



- Replacement ball for Category 2 lift arm
- Ball diameter: 2-1/4 inches • Hole diameter: 1-1/8 inches • Hole length: 1-3/8 inches
- Zinc plated

19961168			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

BALL FORD LIFT ARM NARROW		
22447		
3-32874-22447	EA	CA



Linch Pin - Category 1-2, 7/16" x 1-1/4" - Zinc (yellow)



- Linch pin
- Category 1, 2
- Shaft diameter: 7/16 inch • Overall length: 2 inches • Shank length: 1-3/4 inches • Usable length: 1-1/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19960005 LINCH PIN 7/16" ZINC PLATE 21940 3-32874-21940

Linch Pin Display 160-Piece



- --- Lynch pin (part #21940):
- Category 1, 2
- Shaft diameter: 7/16 inch • Overall length: 2 inches • Shank length: 1-3/4 inches • Usable length: 1-1/4 inches
- Yellow zinc plated

21905

• Qualitity. 100			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960412			
LINCH PIN DISPLAY 160 PIECE			

Lynchpin Display 135-Piece

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960749			
LINCH PIN DISPLAY 135 PCS			
21907			
8-80235-01044	С	DS	CA

Linch Pin - Category 1-2, 7/16" x 1-1/4" with 12" Chain - Zinc (yellow)



- Linch pin
- Category 1, 2
- Shaft diameter: 7/16 inch
 Overall length: 2 inches
 Shank length: 1-3/4 inches
 Usable length: 1-1/4 inches
- Yellow zinc platedIncludes 12 inch chain

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961036			
LINCH PIN 7/16" W/CHAIN			
21945			
3-32874-21945	D	EA	CA

Linch Pin - Category 1-3, 7/16" x 1-7/16" - Zinc (yellow)



- Linch pin
- Category 1, 2, 3
- Shaft diameter: 7/16 inch
 Overall length: 2-7/16 inches
 Shank length: 2 inches
- Usable length: 1-7/16 inches
- Yellow zinc plated

- Tellow Zille placea			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961044			
LINCH PIN 7/16" XL			
21938			
3-32874-21938	С	EA	CA

Linch Pin - Category 1, 1/4" x 1-1/4" - Zinc (yellow)



- Linch pin
- Category 1
- Shaft diameter: 1/4 inch
 Overall length: 2-1/8 inches
 Shank length: 1-3/4 inches
 Usable length: 1-1/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19961052			
LINCH PIN 1/4"			
21920			
3-32874-21920	С	EA	CA

Linch Pin - Category 1&2, 5/16" x 1-1/4" - Zinc (yellow)



Linch pinCategory 1, 2

Shaft diameter: 5/16 inch
Overall length: 2-1/8 inches
Shank length: 1-3/4 inches
Usable length: 1-1/4 inches

Yellow zinc plated

Tellow zine placed			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961060			
LINCH PIN 5/16"			
21930			
3-32874-21930	(EA	CA

Linch Pin - Category 1-3, 7/16" x 1-1/2" with HD Ring - Zinc (yellow)



Linch pinCategory 1, 2, 3

Shaft diameter: 7/16 inch
Overall length: 2-1/2 inches
Shank length: 1-3/4 inches
Usable length: 1-1/2 inches

Yellow zinc platedIncludes HD ring

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961095			
LINCH PIN 7/16" ZINC PLATED			
21960			
3-32874-21960	В	EA	CA

Linch Pins



Carbon steel forged pins


DESCRIPTION MODEL/SIZE UPC VL UM PK 19961222 LINCH PIN 3/16" 21910 3-32874-21910 B EA CA	ITEM NO.			
UPC VL UM PK 19961222 LINCH PIN 3/16" 21910	DESCRIPTION			
19961222 LINCH PIN 3/16" 21910	MODEL/SIZE			
LINCH PIN 3/16" 21910	UPC	VL	UM	PK
21910	19961222			
3-32874-21910 B EA CA	LINCH PIN 3/16"			
	•			



Clevis - Check Chain 1" - Forged Steel



- Utility check chain clevis
- 1 inch
- Forged steel



Universal Clevis Pins



Multiple holes. Adjustable length. Cut off excess length. Zinc plated.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960773			
CLEVIS PIN 1/4"X2"			
62720			
3-32874-62720	С	EA	CA

Clevis Pin - Adjustable 5/16" x 2" - Zinc (clear)



- Adjustable clevis pin
- Multiple holes
- Shaft diameter: 5/16 inch
- Overall length: 2 inches (cut off excess length if needed)

• Clear zinc plated

- Cicai ziiic piacca			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19960781			
CLEVIS PIN 5/16"X2"			
62730			
3-32874-62730	С	EA	CA

Clevis Pin - Adjustable 3/8" x 2" - Zinc (clear)



- Adjustable clevis pin
- Multiple holes
- Shaft diameter: 3/8 inch
- Overall length: 2 inches (cut off excess length if needed)
- Clear zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960803			
CLEVIS PIN 3/8"X2"			
62740			
3-32874-62740	С	EA	CA

Farm Straight Clevises



Painted Finish. Zinc plated pin and clip.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961524			
CLEVIS STRAIGHT7/8X3.25			
24015			
3-32874-24015	С	EA	CA

Clevis - Straight 3/4" x 4-1/4" - Black



- Straight clevis
- Pin diameter: 3/4 inch
 Usable length: 4-1/4 inches
 Opening width: 1-1/4 inches
- Diameter: 7/8 inch
- WLL (working load limit): 16,000 pounds
- Black painted finish
- Pink zinc plated pin and clip

19961540				
UPC		VL	UM	PK
MODEL/SIZE				
DESCRIPTION	1			
ITEM NO.				

19961540			
CLEVIS STRAIGHT7/8X4.25			
24016			
3-32874-24016	С	EA	CA

Clevis - Twisted 3/4" x 2-3/4" - Black



- Twisted clevis
- Pin diameter: 3/4 inch
 Usable length: 2-3/4 inches
 Opening width: 1-1/4 inches
- Diameter: 7/8 inch
- WLL (working load limit): 16,000 pounds
- Black painted finish
- Pink zinc plated pin and clip

up		
VL	UM	PK
		VL UM

19961559			
CLEVIS STRAIGHT1X5-5/16			
24018			
3-32874-24018	С	EA	CA

Clevis - Twisted 3/4" x 3-7/8" - Black



- Twisted clevis
- Pin diameter: 3/4 inch
 Usable length: 2-3/4 inches
 Opening width: 1-1/4 inches
- Diameter: 7/8 inch
- WLL (working load limit): 16,000 pounds
- Black painted finish
- Pink zinc plated pin and clip


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19961575			
CLEVIS TWISTED7/8X3-7/8			
24026			
3-32874-24026	С	EA	CA

Clevis - Twisted 1" x 5" - Black



- Twisted clevis
 Pin diameter: 1 inch
 Usable length: 5 inches
 Opening width: 2 inches
- Diameter: 1 inch
- WLL (working load limit): 25,000 pounds
- Black painted finish
- Pink zinc plated pin and clip





Yoke Pin Assembly 1-3/8" x 21 Spline - Zinc (yellow)



- Yoke pin assembly
- For use with 21 spline
- 1-3/8 inches

ITEM NO.

Yellow zinc plated

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960765			
PTO QR YOKE PIN			
21396 (23190)			
3-32874-21396	С	EA	CA

PTO Adapter - Sleeve Increaser (non-Ford) - Zinc (yellow)



- PTO adapter
- Sleeve increaser for all tractors except
 Ford
- Ext PTO length: 0
- Female spline: 1-1/8 inches by 6
 Male spline: 1-3/8 inches by 6
 Overall length: 2-3/16 inches
- Max HP: 75
- Yellow zinc plated

• Tellow Zille platea			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961613			
PTO ADAPTER INCREASER			
23249			
3-32874-23249		EA	CA

PTO Adapter - Sleeve Increaser (Ford) - Zinc (yellow)



- PTO adapter
- Sleeve increaser for Ford tractors
- Ext PTO length: 0
- Female spline: 1-1/8 inches by 6
 Male spline: 1-3/8 inches by 6
- Overall length: 2 inches
- Max HP: 75
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19961621

PTO ADAPTER INCREASER

23250

3-32874-23250 EA CA

PTO Adapter - HD Increaser 2-3/4" - Zinc (yellow)



• PTO adapter

• HD increaser forged

Ext PTO length: 2-3/4 inches
Female spline: 1-1/8 inches by 6
Male spline: 1-3/8 inches by 6
Overall length: 5-1/2 inches

• Max HP: 75

Yellow zinc plated

40054540			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

19961648

PTO ADAPTER INCREASER

23252

3-32874-23252

EA CA

PTO Adapter - Universal Reducer 2-7/8" - Black Oxide



PTO adapter

• Universal reducer

Ext PTO length: 2-7/8 inches
Female spline: 1-3/8 inches by 6
Male spline: 1-1/8 inches by 6
Overall length: 5-3/4 inches

Max HP: 75Black oxide finish

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961656			
PTO ADAPTER REDUCER			
23251			
23231			

PTO Adapter - Quick Release 4-1/2" - Zinc (yellow)



- PTO adapter
- Quick release 21 spline 1,000 RPM to 6 spline 540 RPM
- Ext PTO length: 4-1/2 inches
- Female spline: 1-3/8 inches by 21
- Male spline: 1-3/8 inches by 6
- Overall length: 7 inches
- Max HP: 75
- Yellow zinc plated

VL	UM	PK
	VL	VL UM

PTO Adapter - Quick Release Extender 4-1/8" - Zinc (yellow)



- PTO adapter
- Quick release extender 12 spline 1,000 RPM
- Ext PTO length: 4-1/8 inches
 Female spline: 1-3/8 inches by 21
 Male spline: 1-3/8 inches by 21
- Overall length: 7 inches
- Max HP: 75
- Yellow zinc plated

TOTION ETITO PIGEOG			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961680			
PTO ADAPTER 21QR EXTENDER			
23529(23328)			
3-32874-23328		EA	CA
•			

PTO Adapter - Quick Release 4-1/2" - Zinc (yellow)



- PTO adapter
- Quick release 6 spline 540 RPM to 21 spline 1,000 RPM
- Ext PTO length: 4-1/2 inchesFemale spline: 1-3/8 inches by 6
- Male spline: 1-3/8 inches by 21
- Overall length: 7 inches
- Max HP: 75
- Yellow zinc plated

• Tellow Zille plated			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19961699		
PTO ADAPTER QR6-21		
23539(23338)		
3-32874-23338	EA	CA

PTO Adapter - Set Screw Type 4-1/2" - Zinc (yellow)



- PTO adapter
- Short increaser
- Ext PTO length: 4-1/2 inches
 Female spline: 1-3/4 inches by 20
 Male spline: 1-3/8 inches by 6
- Overall length: 7-1/8 inchesMax HP: 100
- Yellow zinc plated

3-32874-23335

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961702			
PTO ADAPTER 20-6			
23335			

PTO Adapter - Set Screw Type 4-1/2" - Zinc (yellow)



- PTO adapter
- Short increaser
- Ext PTO length: 4-1/2 inches
 Female spline: 1-3/4 inches by 20
 Male spline: 1-3/8 inches by 21
- Overall length: 7-1/8 inchesMax HP: 100
- Yellow zinc plated

CA

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961745			
PTO ADAPTER 20-21			
PTO ADAPTER 20-21 23336			

PTO Adapters



Used to increase or reduce the diameter, or extend the length of the tractor's p ower take-off shaft to fit an iomplement's PTO shaft

Jilait.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961788			
PTO ADAPTER INCREASER			
23253			
3-32874-23253		EA	CA



Wirelock Pin - Round 5/16" x 2-1/4" - Zinc (yellow)



- Round wirelock
- Shaft diameter: 5/16 inch • Overall length: 3 inches • Shank length: 2-3/4 inches • Usable length: 2-1/4 inches
- Yellow zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960366			
LOCK PIN 5/16" ROUND			
21982 ZINC PLATE			
ZIJOZ ZINCTEATE			
3-32874-21982	В	EA	CA

Wirelock Pin - Square 5/16" x 2-1/4" - Zinc (yellow)



- Square wirelock
- Shaft diameter: 5/16 inch • Overall length: 3 inches
- Shank length: 2-3/4 inches
- Usable length: 2-1/4 inches

 Yellow zinc plated 			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960374			
LOCK PIN 5/16"SQUARE			
21980 ZINC PLATE			

PTO Accessories - Lock Pin



Round, Zinc plated.





Pin Lift Arm - Type F, Category 1 Forged, 7/8" x 1-3/4" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: F (forged shoulder)
- Category 1 Forged
- Diameter: 7/8 inch
- Thread diameter: 7/8 inch NF (National
- Overall length: 5-1/2 inches • Usable length: 1-3/4 inches
- Yellow zinc plated
- Includes nut and washer

DESCRIPTION MODEL/SIZE UPC VL UM PK	ITEM NO.			
	DESCRIPTION			
UPC VL UM PK	MODEL/SIZE			
	UPC	VL	UM	PK

19960137			
LIFT ARM PIN 7/8X1-3/4"			
21226			
3-32874-21226	В	EA	CA

Pin Lift Arm - Type U, Category 1 Adjustable, 7/8" x 2" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: U (universal adjustable)
- Category 1 AdjustableDiameter: 1-1/8 inches
- Thread diameter: 7/8 inch NF (National Fine)
- Overall length: 6-3/8 inchesUsable length: 2 inchesYellow zinc plated
- Includes nut and washer

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960145			
19960145 LIFT ARM PIN 7/8X2-1/8"			

Pin Lift Arm - Type F, Category 1 Forged, 7/8" x 2-1/4" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: F (forged shoulder)
- Category 1 ForgedDiameter: 7/8 inch
- Thread diameter: 7/8 inch NF (National Fine)
- Overall length: 6-3/4 inchesUsable length: 2-1/4 inches
- Yellow zinc plated
- Includes nut and washer

• Includes flut and washer			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960153			
LIFT ARM PIN 7/8X2-1/4"			
21224			
3-32874-21224	В	EA	CA

Pin Lift Arm - Type A-M, Category 1-2, 1-1/8" x 1-3/4" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: A-M (adapter machined)
- Category 1-2
- Diameter: 1-1/8 inches
- Thread diameter: 7/8 inch NF (National Fine)
- Overall length: 5-1/4 inchesUsable length: 1-3/4 inches
- Yellow zinc plated
- Includes nut and washer

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960161			
LIFT ARM PIN 1-1/8X1.75"			
21230			
3-32874-21230	С	EA	CA

Pin Lift Arm - Type A-F, Category 1-2 Forged, 1-1/8" x 1-3/4" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: A-F (adapter forged shoulder)
- Category 1-2 ForgedDiameter: 1-1/8 inches
- Thread diameter: 7/8 inch NF (National
- rine)
- Overall length: 5-1/4 inchesUsable length: 1-3/4 inches
- Yellow zinc plated
- Includes nut and washer

Therades that and washer			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960188			
LIFT ARM PIN 1-1/8X1.75"			
21232			
3-32874-21232	В	EA	CA

Pin Lift Arm - Type U, Category 2 Adjustable, 1-1/8" x 1-3/4" - Zinc (yellow)

Pin Lift Arm - Type F(M), Category 2-3 Forged, 1-7/16" x 1-7/8" - Zinc (yellow)

Pin Lift Arm - Type U, Category 1 Adjustable, 7/8" x 1-5/8" - Zinc (yellow)







Lift arm pin connects implement to lift arms on tractor.

- Pin type: U (universal adjustable)
- Category 2 Adjustable • Diameter: 1-1/8 inches
- Thread diameter: 1-1/8 inches NF (National Fine)
- Overall length: 6-1/8 inches • Usable length: 1-3/4 inches
- Yellow zinc plated
- Includes nut and washer

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960196			
19960196 LIFT ARM PIN 1-1/8X1.75"			
LIFT ARM PIN 1-1/8X1.75"	C	EA	CA

Lift arm pin connects implement to lift arms on tractor.

- Pin type: F (forged shoulder machined)
- Category 2-3 Forged • Diameter: 1-7/16 inches
- Thread diameter: 1-1/8 inches NF (National Fine)
- Overall length: 5-3/4 inches • Usable length: 1-7/8 inches
- Yellow zinc plated

ITEM NO.

• Includes nut and washer

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960218			
LIFT PIN 1-7/16X1-7/8"			
21244			
3-32874-21244	С	EA	CA

Lift arm pin connects implement to lift arms on tractor.

- Pin type: U (universal adjustable)
- Category 1 Adjustable • Diameter: 7/8 inch
- Thread diameter: 7/8 inch NF (National
- Fine) • Overall length: 3-7/8 inches • Usable length: 1-5/8 inches
- Yellow zinc plated

ITEM NO.

Includes nut and washer


DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960285			
LIFT ARM PIN 7/8X1-5/8"			
21222			
3-32874-21222	С	EA	CA

Pin Lift Arm - Type F, Category 2 Forged, 1-1/8" x 2" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: F (forged shoulder)
- Category 2 Forged • Diameter: 1-1/8 inches
- Thread diameter: 1-1/8 inches NF (National Fine)
- Overall length: 6-1/8 inches • Usable length: 2 inches Yellow zinc plated
- Includes nut and washer



Clevis Pin - Non-Threaded - Catego- Lift Arm Pins ry 2, 1-1/8" x 4-3/4"



- Type non-threaded clevis pin
- Category 2
- Diameter: 1-1/8 inches • Overall length: 6-1/4 inches • Usable length: 4-3/4 inches


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961109			
13301103			
LIFT PIN CLEVIS TYPE			

Clevis Pin - Non-Threaded - Category 2, 1-1/8" x 7-5/8"



- Type non-threaded clevis pin
- Category 2

• Diameter: 1-1/8 inches • Overall length: 9-1/4 inches • Usable length: 7-5/8 inches





Lift arm pin connects implement to lift arms on tractor.

- Pin type: U (universal adjustable)
- Category 0 Adjustable • Diameter: 5/8 inch
- Thread diameter: 5/8 inch NF (National
- Overall length: 3-7/8 inches • Usable length: 1-1/4 inches
- Yellow zinc plated

10001104			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			
Includes nut and washer			

19961184			
LIFT PIN ADJUSTABLE 5/8			
21210			
3-32874-21210	С	EA	CA

Pin Lift Arm - Type A-F, Category 1-2 Forged, 1-1/8" x 2-1/4" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

- Pin type: A-F (adapter forged shoulder)
- Category 1-2 Forged
- Diameter: 1-1/8 inches
- Thread diameter: 7/8 inch NF (National
- Overall length: 6-1/2 inches • Usable length: 2-1/4 inches
- Yellow zinc plated Includes nut and washer

- 1	+ Includes flat alla Washer			
	ITEM NO.			
	DESCRIPTION			
	MODEL/SIZE			
	UPC V	/L	UM	PK
1				

UPC	VL	UM	PK
19961192			
LIFT PIN FORGED XL			
21240			
3-32874-21240	С	EA	CA

Pin Lift Arm - Type C, Category 1-2 Adjustable Forged, 7/8" x 2" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

• Pin type: C (combination)

• Category 1-2 Adjustable Forged

• Diameter: 7/8 inch

• Thread diameter: 1 inch NF (National

Fine)

Overall length: 7-3/4 inches
Usable length: 2 inches
Yellow zinc plated

• Includes nut and washer

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961338			
LIFT ARM PIN 7/8&1-1/8"			
21235			
3-32874-21235	С	EA	CA

Pin Lift Arm - Type F, Category 2-1 Forged, 7/8" x 1-5/8" - Zinc (yellow)



Lift arm pin connects implement to lift arms on tractor.

• Pin type: F (forged shoulder)

Category 2-1 ForgedDiameter: 7/8 inch

• Thread diameter: 1-1/8 inches NF (National Final)

tional Fine)

Overall length: 5-3/4 inchesUsable length: 1-5/8 inches

Yellow zinc plated

Revison: Mar 2016

• Includes nut and washer

ITEM NO.

DESCRIPTION

MODEL/SIZE

UPC

VL UM PK

19961397

LIFT ARM PIN FORGED

21243

3-32874-21243

C EA CA



Drawbar-One Piece



- One-piece drawbar
- Category 1
- 11 holes
- Hole diameter: 3/4 inch Spacing: 26 inches Pin diameter: 7/8 inch
- Overall length: 31-1/2 inches
 Thickness: 1 inch
 Width: 2-1/2 inches
- Color black

ITEM NO.

112111110.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961230			
DRAWBAR ONE PIECE 26"			
22711			
3-32874-22711	С	EA	CA
·			


Drawbar 13-Hole 38" Category 2 -Black



- One-piece drawbar
- Category 2
- 13 holes
- Hole diameter: 3/4 inchSpacing: 32 inches
- Pin diameter: 1-1/8 inches
 Overall length: 38 inches
 Thickness: 1-1/4 inches
- Width: 3 inchesColor black

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19961257			
DRAWBAR ONE PIECE			
22732			
3-32874-22732	С	EA	CA

Roller Chain



ANSI Single Strand Roller Chain



High quality ASA Standard riveted roller chain. Every pin, bushing, roller and side plate is shot peened during production to increase metal fatigue resistance. In 10 foot lengths for replacing complete chains or large sections.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
12521596			
ROLLER CHAIN 3/8" PITCH			
06351-#35 10'/BX			
4-41184-01311	С	ВХ	CA
12521596			
ROLLER CHAIN 1/2" PITCH			
06401-#40 10'/BX			
4-41184-01256	В	ВХ	CA
12521596			
ROLLER CHAIN 1/2" PITCH			
06411-#41 10'/BX			
4-41184-01312	С	ВХ	CA
12521596			
ROLLER CHAIN 5/8" PITCH			
06501-#50 10'/BX			
4-41184-01257	В	ВХ	CA
12521596			
ROLLER CHAIN 3/4" PITCH			
06601-#60 10'/BX			
4-41184-01292	В	ВХ	CA
12521596			
ROLLER CHAIN 1" PITCH			
06801-#80 10'/BX			
4-41184-01294	В	ВХ	CA
12521596			
ROLLER CHAIN 1.25" PITCH			
06100-#100 10'/BX			
4-41184-01308	С	ВХ	CA

ANSI Heavy Series Roller Chain



High quality ASA Standard riveted roller chain. Every pin, bushing, roller and side plate is shotpeened during production to increase metal fatigue resistance. In 10 foot lengths for replacing complete chains or large sections.

- Roller chain standard sprocket boxed
- 10'
- " pitch

• Ansi no.60			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
12521685			
ROLLER CHAIN HEAVY 3/4" PITO	СН		
06603-#60-H 10'/BX			
4-41184-01293	В	ВХ	CA
12521685			
ROLLER CHAIN HEAVY 1" PITCH	l		
06803 #80-H 10'/BX			
4-41184-01295	В	ВХ	CA

Double Pitch Roller Chain ANSI Drive Type



High quality ASA Standard riveted roller chain. Every pin, bushing, roller and side plate is shotpeened during production to increase metal fatigue resistance. In 10 foot lengths for replacing complete chains or large sections.

- Roller chain standard sprocket extended pitch boxed
- 10'
- 1" pitch size
- Ansi no. A2040

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
12521707			
ROLLER CHAIN DOUBLE PITCH			
06241-#A-2040 10'			
4-41184-01309		ВХ	CA
12521707			
ROLLER CHAIN DOUBLE PITCH			
06251-#A-2050 10'			
4-41184-01310	С	ВХ	CA



Connecting Chain Links-ANSI



- Connector link used to connect or repair standard and heavy roller chains
- Single strand roller can be used to join 2 pieces of chain by 2 pitch increments

1-19961-46051

1-19961-46028

Revison: Mar 2016

ROLLER CHAIN CONNECTOR LINK 7560031 (66603)#60-H 3/BG

12521057

• ASME/ANSI: 35	, ,					
• Pitch: 3/8 inch						
 Meets ASME/ANSI B29.1 standards 						
• 4 per pack						
ITEM NO.						
DESCRIPTION						
MODEL/SIZE						
UPC		VL	UM	PK		
12521057						
ROLLER CHAIN CONNE	CTOR LIN	١K				
7535040 (66351)#35	4/BG					
1-19961-46020		С	BG	CA		
12521057						
ROLLER CHAIN CONNE	CTOR LIN	١K				
7540040 (66401)#40	4/BG					
1-19961-46023		С	BG	CA		
12521057						
ROLLER CHAIN CONNE	CTOR LIN	١K				
7541040 (66411)#41	4/BG					
1-19961-46024		С	BG	CA		
12521057						
ROLLER CHAIN CONNE	CTOR LIN	١K				
7550040 (66501)#50	4/BG					
1-19961-46025		С	BG	CA		
12521057						
ROLLER CHAIN CONNE	CTOR LIN	١K				
7560030 (66601)#60	3/BG					

12521057			
ROLLER CHAIN CONNECTOR LINK			
7580020 (66801)#80 2/BG			
1-19961-46029	С	BG	CA
12521057			
ROLLER CHAIN CONNECTOR LINK			
7580021 (66803)#80-H 2/BG			
1-19961-46030	С	BG	CA
12521057			
ROLLER CHAIN CONNECTOR LINK			
S66100 (66100)-#100 2/BG			
8-80235-66100	С	BG	CA

Offset Chain Links-ANSI



- Connector link used to connect or repair standard and heavy roller chains
- Single strand roller can be used to offset 2 pieces of chain by 1 pitch increments
- ASME/ANSI: 35
- Pitch: 3/8 inch
- Meets ASME/ANSI B29.1 standards
- 4 per pack ITEM NO

12521154			
1-19961-46035	С	BG	CA
7635040 (76351)#35			
ROLLER CHAIN OFFSET LINK 4/BG	i		
12521154			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
TILIVI NO.			

ROLLER CHAIN OFFSET LINK 4/BG					
7640040 (76401)#40					
1-19961-46038	С	BG	CA		

12521154

BG

BG

C

CA

CA

12521154				
ROLLER CHAIN OFFSET LINK 4/BG				
7641040 (76411)#41				
1-19961-46039	С	BG	CA	

12521154				
ROLLER CHAIN OFFSET LINK 4/BG				
7650040 (76501)#50				
1-19961-46040	С	BG	CA	
12521154				
ROLLER CHAIN OFFSET LINK 3/BG				
7660030 (76601)#60				

7660030 (76601)#60			
1-19961-46042	В	BG	CA
12521154			
ROLLER CHAIN OFFSET LINK 3/BG			
7660031 (76603)#60-H			
1-19961-46043	С	BG	CA

12521154

1-19961-46045

ROLLER CHAIN OFFSET LINK 2/BG						
7680020 (76801)#80						
1-19961-46044	С	BG	CA			
			12521154			
12521154						
12521154 ROLLER CHAIN OFFSET LINK 2/BG	i					

1 13301 10013		50	C/ (
12521154			
ROLLER CHAIN OFFSET LINK 2/BG			
S76100 (76100) #100			
8-80235-76100	С	BG	CA

Chain Links, ANSI Drive Type Roller Chain



- Connector link used to connect or repair standard and heavy roller chains
- Single strand roller can be used to offset 2 pieces of chain by 1 pitch increments
- ASME/ANSI: A2040
- Pitch: 1 inch
- Meets ASME/ANSI B29.1 standards
- 4 per pack

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK





Roller Chain Breaker



- Roller chain breaker tool used in disassembling rivet-type roller chains
- ASME/ANSI: 25 to 60
- Black oxide and zinc plated

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
12521723			
ROLLER CHAIN BREAKER			
7725010 (05050-6) #25-60			
1-19961-46049	В	EA	CA
12521723			
ROLLER CHAIN BREAKER			
7760010 (05051-3) #60-100			
1-19961-46053	В	EA	CA

Hydraulic Components



Hydraulic Complete Coupling 1/2"




SafeWay's S20 Series is a general purpose, double shut-off, fluid transfer quick coupling available with either a rugged ball valve or leak-free, high flow poppet valve. The S20 Series is used primarily on agricultural equipment and is recognized as an economical and reliable quick coupling. This series is original equipment on snow plows, garden tractors, full size tractors, front-end loaders, skid-steer loaders, earth moving, and mining equipment.

- 1/2" body size meets dimensional requirements of International Standard 5675
- Available in body sizes from 1/4" through 1", in a variety of thread sizes and styles
- Double shut-off design available with either a rugged ball valve or leak-free, high flow poppet valve
- All poppet valve models are 100% leak tested before leaving the factory
- Reliable and durable ball locking mechanism provides smooth operation time after time
- Critical parts are hardened for long service life

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010002			
HYDRAULIC COUPLING 1/2"			
S20-4			
4-46348-00070	С	EA	CA

Hydraulic Body Half - Female One Way Sleeve 1/2" pipe




SafeWay's S20 Series is a general purpose, double shut-off, fluid transfer quick coupling available with either a rugged ball valve or leak-free, high flow poppet valve. The S20 Series is used primarily on agricultural equipment and is recognized as an economical and reliable quick coupling. This series is original equipment on snow plows, garden tractors, full size tractors, front-end loaders, skid-steer loaders, earth moving, and mining equipment.

- 1/2" body size meets dimensional requirements of International Standard 5675
- Available in body sizes from 1/4" through 1", in a variety of thread sizes and styles
- Double shut-off design available with either a rugged ball valve or leak-free, high flow poppet valve
- All poppet valve models are 100% leak tested before leaving the factory
- Reliable and durable ball locking mechanism provides smooth operation time after time
- Critical parts are hardened for long service life

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010010			
HYDRAULIC BODY HALF 1/2"			
S25-4			
4-46348-00072	С	EA	CA

Hydraulic Coupling 1/2" Modern Two-Way Sleeve




SafeWay's S40 Series is a general purpose, double shutoff fluid transfer quick coupling available with either a rugged ball valve or leak-free, high flow poppet valve. The S40 was the first two-way (double acting) sleeve quick coupling, introduced by Safe-Way in 1969 as our first product. The S40 Series is widely used wherever the ease and convenience of one-hand connection or disconnection is desired. It is original equipment on a wide variety of agricultural and mobile equipment.

- 1/2" body size meets dimensional requirements of International Standard 5675
- Two-way, double acting sleeve of the S40 Series allows one-hand connect or disconnect when the coupling is clamp or bulkhead mounted
- Available in body sizes from 1/4" to 1/2", in a variety of thread sizes and styles
- Double shut-off design available with either a rugged ball valve or leak-free, high flow poppet valve
- Reliable and durable ball locking mechanism provides smooth operation time

mom provides simouth	operaci	· · · · · · · · · · · · · · · · · · ·	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010029			
HYDRAULIC COUPLING 1/2"			
S40-4			
4-46348-00101	С	EA	CA
	С	EA	CA

Hydraulic Male Tip




ISO male tip with 3/4"-16 O-ring Boss thread. A poppet type check that incorporates a shielded retainer to eliminate flow-checking when used with connect-under-pressure type couplers.

- 1/2" body size couplers and male tips meet ISO 5675, S.A.E. and ASAE interchangeability and performance requirements
- Available in 1/2" body size, in a variety of thread sizes and styles
- After hook-up, the hydraulic circuit automatically opens when the hydraulic system is operated
- Two-way sleeve design allows one-hand hook-up and breakaway when clamp or bulkhead mounted. Clamp and snap-rings available
- Easy one-hand connection to a clamp or bulkhead mounted coupler while male tip and female body half are both - or either - under pressure
- All poppet versions are 100% leak tested
- Critical parts are hardened for long service life
- May be used with either an open center or closed center hydraulic system

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010088			
HYDRAULIC MALE TIP 1/2"			
S71-4			
4-46348-00071	В	EA	CA
41010088			
HYDRAULIC MALE TIP 1/2"			
S71-4P			
4-46348-00074	С	EA	CA
41010088			
HYDRAULIC MALE TIP 3/4"			
S71-15			
4-46348-00077	С	EA	CA

Hydraulic Male Tips



Hydraulic Male Tip 1/2"

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010126			
HYDRAULIC MALE TIP 1/2"			
S11-4			
4-46348-00127	С	EA	CA
41010126			
HYDRAULIC MALE TIP 3/4"			
S11-15			
4-46348-00128	С	EA	CA
41010126			
HYDRAULIC MALE TIP 1/2"			
S12-4			
4-46348-00129		EA	CA

Hydraulic Coupler Adapters



Hydraulic Coupler Adaptor ISO Male Tip to John Deere Cone Style Body

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010169			
HYDRAULIC COUPLER ADAPTER			
S25-4-1			
4-46348-00132	С	EA	CA

41010169		
HYDRAULIC COUPLER ADAPTER		
DCS25-4-2		
4-46348-00133	EA	CA
41010169		
HYDRAULIC COUPLER ADAPTER		
HYDRAULIC COUPLER ADAPTER S25-4-3		


Hydraulic Coupler Adaptor



Hydraulic Coupler Adaptor

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
41010193			
HYDRAULIC COUPLER ADAPTER			
S25-4-3D			
4-46348-00135		EA	CA

Disc Harrow Bearings



Disc Harrow Bearings - Cylindrical O.D. Type



Replacement bearings for most standard discs

• 1 1/8" square Bore

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
38530003			
HARROW DISC BEARING			
W208PP5			
4-41184-00064		EA	CA
38530003			
HARROW DISC BEARING			
W208PP8			
4-41184-00066		EA	CA
38530003			
HARROW DISC BEARING			
W211PP3			

Disc Harrow Bearings - Non-Relubricatable Series

EΑ

CA

4-41184-00088

ITEM NO.

DESCRIPTION



Replacement bearings for most standard discs; Bore: 1-1/8 in. square

MODEL/SIZE			
UPC	VL	UM	PK
38530054			
HARROW DISC BEARING			
W208PPB5			
6-61723-80172	С	EA	CA
38530054			
HARROW DISC BEARING			
W208PPB6			
4-41184-00074		EA	CA
38530054			
HARROW DISC BEARING			
W208PPB8			
4-41184-00076		EA	CA

38530054			
HARROW DISC BEARING			
W208PPB12			
4-41184-00068	В	EA	CA
38530054			
HARROW DISC BEARING			
W208PPB13			
4-41184-00069		EA	CA
38530054			
HARROW DISC BEARING			
W209PPB5			
4-41184-00080	С	EA	CA

Filters



Fuel Filter



- Goldenrod brand
- For use with common fuels including regular and unleaded gasoline, diesel fuel, fuel oil, and related additives including methyl, ethyl and isopropyl alcohol
- Also compatible with biodiesel blends up to 20 percent
- 10 micron filtration at 5 gallons per minute (gravity flow) with 24 inch head
- Working pressure up to 150 PSI
- Zinc die-cast top cap with 1 inch NPT (National Pipe Thread) pipe fittings
- See-Thru bowl allows for visual monitoring of fuel flow

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47400023			
FUEL FILTER WITH TOP CAP			
495			
8-85077-56599	С	EA	CA

Fuel Filter Bowl



- Goldenrod brand
- Replacement bowl for models 495 and 496 See-Thru fuel filters
- Alcohol-resistant polymer material stands up to harsh weather conditions
- Easy-to-use sediment drain valve

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47400058			
FUEL FILTER BOWL ONLY			
495-4			
8-85077-75074	С	EA	CA

Fuel Filter-Element



- Goldenrod brand
- Replacement WATER-BLOCK fuel filter element for model 496
- Absorbs water from gasoline or diesel fuel
- 15 micron filtration

Revison: Mar 2016

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
47400066			
FUEL FILTER ELEMENT ONLY			
496-5			
8-85077-56604	С	EA	CA

47400066			
FUEL FILTER ELEMENT			
470-5			
8-85077-75060	С	EA	CA

Misc Tractor Parts



Drawbar 11-Hole 32" Category 2 -Black



- One-piece drawbar
- Category 2
- 11 holes
- Hole diameter: 3/4 inch
- Spacing: 26 inches
- Pin diameter: 1-1/8 inchesOverall length: 32 inches
- Thickness: 1-1/4 inchesWidth: 3 inches
- Color black

• Color black			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

19961249

DRAWBAR ONE PIECE 26"			
22721			
3-32874-22721	С	EA	CA

Drawbar Grab Hook



- Drawbar grab hook
- 3/4 inch holes up to 1-1/4 inches thick

19961591			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

24070

DRAWBAR HOOK HOT FORGED

3-32874-24070 C EA CA

Cultivator Washer - MF



Fits/Replaces: Sweep to arm Ford 131044 MF 686187M1

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
19960668			
CULTIVATOR WASHER MF			
S00108 (00108-9) FORD			
8-80235-00108	С	EA	CA

Single Groove Pulleys

1/2" Bore Dia Pulleys



Single Groove Pulleys "A" Sec. 1/2" V-Belts Individually Packaged



26420172 26420180 26420199 26420210 26420261 26420288 26420296 26420318 26420350 26420369 26420377 26420385 26420393 26420431 26420458 26420466 26420474 26420482 26420520 26420539 26420547

26420547						
ITEM NO.						
DESCRIPTION						
MODEL/SIZE						
UPC	VL	UM	PK			
26420172						
V PULLEY SINGLE GROOVE 1/2	"BOR					
150-A5 1-1/2"						
9-96158-15050	С	EA	CA			
26420172						
V PULLEY SINGLE GROOVE 1/2	"BOR					
175-A5 1-3/4"						
9-96158-17550	С	EA	CA			
26420172						
V PULLEY SINGLE GROOVE 1/2	"BOR					
200-A5 2"						
9-96158-20050	С	EA	CA			
26420172						
V PULLEY SINGLE GROOVE 1/2	"BOR					
250-A5 2-1/2"						
9-96158-25050	С	EA	CA			
26420172						
V PULLEY SINGLE GROOVE 1/2	"BOR					
300-A5 3"						
9-96158-30050	С	EA	CA			
26420172						
V PULLEY SINGLE GROOVE 1/2"BOR						
350-A5 3-1/2"						
9-96158-35050	С	EA	CA			

26420172 V PULLEY SINGLE GROOVE 5/8"	BOR		
175-A6 1-3/4"			
9-96158-17560	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
200-A6 2"			
9-96158-20060	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
250-A6 2-1/2"			
9-96158-25060	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
275-A6 2-3/4"			
9-96158-27560	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
300-A6 3"			
9-96158-30060	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
350-A6 3-1/2"			
9-96158-35060	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
400-A6 4"			
9-96158-40060	С	EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
450-A6 4-1/2"			
9-96158-45060		EA	CA
26420172			
V PULLEY SINGLE GROOVE 5/8"	BOR		
500-A6 5"			
9-96158-50060	С	EA	CA
26420172		_	
V PULLEY SINGLE GROOVE 5/8"	BOR		
600-A6 6"			
9-96158-60060	С	EA	CA

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

4L 1/2" Wide V-Belts



V-Belt FHP



Powerflite Industrial V-Belts are designed and engineered to provide matchless performance and trouble free service. Suitable for oily and high ozone environments, will withstand more shock loading than competitive belts, and are static conductive.

- FHP (fractional horsepower) v-belt
- 17 inch loop, 1/2 inch top width, 5/16 inch depth

пісн аерін			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
26430038			
V BELT FHP			
4L170			
1-13949-41700		EA	CA
26430038			
V BELT FHP			
4L180			
1-13949-41800		EA	CA
26430038			
V BELT FHP			
4L190			
1-13949-41900		EA	CA
26430038			
V BELT FHP			
4L200			
1-13949-42000	С	EA	CA

								. I		_	
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L210				4L330				4L440			
1-13949-42100		EA	CA	1-13949-43300	С	EA	CA	1-13949-44400	C E	Α	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L220				4L340				4L450			
1-13949-42200	С	EA	CA	1-13949-43400	С	EA	CA	1-13949-44500	E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L230				4L350				4L460			
1-13949-42300	С	EA	CA	1-13949-43500	С	EA	CA	1-13949-44600	E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L240				4L360				4L470			
1-13949-42400	С	EA	CA	1-13949-43600	С	EA	CA	1-13949-44700	E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L250				4L370				4L480			
1-13949-42500	C	EA	CA	1-13949-43700		EA	CA	1-13949-44800	E	Α	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L260				4L380				4L490			
1-13949-42600		EA	CA	1-13949-43800	С	EA	CA	1-13949-44900	E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L270				4L390				4L500			
1-13949-42700	С	EA	CA	1-13949-43900		EA	CA	1-13949-45000	C E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L280				4L400				4L510			
1-13949-42800	C	EA	CA	1-13949-44000		EA	CA	1-13949-45100	C E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L290				4L410				4L520			
1-13949-42900	С	EA	CA	1-13949-44100		EA	CA	1-13949-45200	E	Α	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L300				4L420				4L530			
1-13949-43000	С	EA	CA	1-13949-44200	С	EA	CA	1-13949-45300	E	A	CA
26430038				26430038				26430038			
V BELT FHP				V BELT FHP				V BELT FHP			
4L320				4L430				4L540			
1-13949-43200	С	EA	CA	1-13949-44300	C	EA	CA	1-13949-45400	E	A	CA
								(1)	_		

Revison: Mar 2016

26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L550				4L660				4L840		
1-13949-45500	С	EA	CA	1-13949-46600		EA	CA	1-13949-48400	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L560				4L670				4L860		
1-13949-45600		EA	CA	1-13949-46700		EA	CA	1-13949-48600	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L570				4L680				4L880		
1-13949-45700		EA	CA	1-13949-46800		EA	CA	1-13949-48800	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L580				4L690				4L900		
1-13949-45800		EA	CA	1-13949-46900		EA	CA	1-13949-49000	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L590				4L700				4L920		
1-13949-45900		EA	CA	1-13949-47000		EA	CA	1-13949-49200	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L600				4L720				4L940		
1-13949-46000		EA	CA	1-13949-47200		EA	CA	1-13949-49400	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L610				4L740				4L960		
1-13949-46100		EA	CA	1-13949-47400		EA	CA	1-13949-49600	EA	CA
26430038				26430038				26430038		
V BELT FHP				V BELT FHP				V BELT FHP		
4L620				4L760				4L980		
1-13949-46200	С	EA	CA	1-13949-47600		EA	CA	1-13949-49800	EA	CA
26430038				26430038						
V BELT FHP				V BELT FHP						
4L630				4L780						
1-13949-46300		EA	CA	1-13949-47800	С	EA	CA			
26430038				26430038						
V BELT FHP				V BELT FHP						
4L640				4L800						
1-13949-46400	С	EA	CA	1-13949-48000		EA	CA			
26430038				26430038						
V BELT FHP				V BELT FHP						
4L650				4L820						
1-13949-46500		EA	CA	1-13949-48200		EA	CA			

V-Belt FHP 4L 31-inch



Powerflite Industrial V-Belts are designed and engineered to provide matchless performance and trouble free service. Suitable for oily and high ozone environments, will withstand more shock loading than competitive belts, and are static conductive.

- FHP (fractional horsepower) v-belt
- 31 inch loop, 1/2 inch top width, 5/16 inch depth

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
26430194			
V BELT FHP			
4L310			
1-13949-43100	С	EA	CA



V-Belt FHP 5L 25-inch




Powerflite Industrial V-Belts are designed and engineered to provide matchless performance and trouble free service. Suitable for oily and high ozone environments, will withstand more shock loading than competitive belts, and are static conductive.

• FHP (fractional horsepower) v-belt

Revison: Mar 2016

• 25 inch loop, 5/8 inch top width, 3/8 inch depth



V-Belt FHP 5L 26-inch



Powerflite Industrial V-Belts are designed and engineered to provide matchless performance and trouble free service. Suitable for oily and high ozone environments, will withstand more shock loading than competitive belts, and are static conductive.

• FHP (fractional horsepower) v-belt

ITEM NO.

• 26 inch loop, 5/8 inch top width, 3/8 inch depth

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
26430836			
V BELT FHP			
5L260			
1-13949-52600	D	EA	CA

5L Belts

V BELT FHP 5L320




Powerflite Industrial V-Belts are designed and engineered to provide matchless performance and trouble free service. Suitable for oily and high ozone environments, will withstand more shock loading than competitive belts, and are static conductive.

- FHP (fractional horsepower) v-belt
- 29 inch loop, 5/8 inch top width, 3/8 inch depth

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
26430860			
V BELT FHP			
5L290			
1-13949-52900		EA	CA
26430860			

1-13949-53200	EA	CA
26430860		
V BELT FHP		
5L380		

1-13949-53800	EA	CA
26430860		
V BELT FHP		
5L430		
1-13949-54300	EA	CA
26430860		
V BELT FHP		
5L440		
1-13949-54400	EA	CA
26430860		
V BELT FHP		
5L480		
1-13949-54800	EA	CA




Belt Dressing



CRC Belt Dressing Conditioner Food Grade 7.5 oz



 For use on all types of belts, such as serpentine, flat and v-type belts *Prevents slippage and glazing *Not VOC Compliant for California & OTC *Removes oil, grease and glaze



Gunk Sray Belt Conditioner Aerosol 6 oz.



A spray on belt dressing for all belts, including serpentine belts, which improves frictional characteristics of belt surfaces. Formulated for safe use on all types of belting material. Helps to keep rubber soft and flexible. Reduces belt squealing and slippage. Improves belt gripping power. Increases power transmission efficiency. Reduces belt wear from slippage. Extends belt life.

DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
26440009			
BELT DRESSING 6 OZ AEROSOL			
M2-06 GUNK			
7-78698-13020	С	EA	CA

ITEM NO.

Portable Shelter/Garage

Portable Shelter/Garage



Buffalo Tools Portable Pavillion 10' x 20'



This Buffalo Tools product can protect your car, boat, snowmobile, ATV and more from sun, rain and hail. You can use it as a pavilion or short-term use garage. Size: 20' L x 10' W x 9' 2" H The 1 1/2" diameter steel poles are durable and long lasting. 2 different-sized doors make entry / exit a snap. Includes: Plastic Fittings, Elastic Straps and Rope The front and side panels can be rolled up or completely removed. Weighs 125 lbs. Easy assembly.

WC16113 123 103. Lasy asset			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
08490000			
PORTABLE OUTDOOR SHELTER			
PORTPAV 10'x20'			
2-27077-05822	В	EA	CA
a .			

Gojo

Gojo



Go-Jo Hand Cleaner



GOJO ORIGINAL FORMULA crme contains soothing emollients. For removing heavy grease, tar, and oil. Rub, then wipe clean with a towel or rinse off.

Hand Cleaners

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240008			
GOJO HAND CLEANER			
1109 14 OZ			
7-73852-01109	В	EA	CA
36240008			
GOJO HAND CLEANER			
1115 4.5 LB			
7-73852-01115	В	EA	CA

GOJO HAND CLEANER W/PUMICE 1132 17 OZ 7-73852-01132 B EA 36240032 GOJO HAND CLEANER W/PUMICE 1135 4.5 LB 7-73852-01135 C EA

CA

CA

ITEM NO.

DESCRIPTION

MODEL/SIZE

36240032

Natural Orange Pumice Hand Cleaner 14-oz



Quick-acting lotion formula with pumice for cleaning a broad range of industrial soils, medium dirts, and grease. Orange citrus scent. Qualifies as a USDA BioPreferred product for Federal preferred procurement. Contains natural citrus ingredient. (14 ounce bottle)

ounce bottle)			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240059			
GOJO ORANGE W/PUMICE			
0957 14 OZ			
7-73852-00957	В	EA	CA

Crème Hand Cleaner 14-oz



Crme formula for removing grease, tar, and oil. Rub, then wipe clean with a towel or rinse off. No harsh solvents. (14 ounce cartridge)

cartridge)			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240040			
GOJO H.D. HAND CLEANER			
1141 14 OZ			
7-73852-01141	С	FA	CA

Natural Orange Pumice Hand Cleaner with Pump Dispenser 1gal



Quick-acting lotion formula with pumice for cleaning a broad range of industrial soils, medium dirts, and grease. Orange citrus scent. Qualifies as a USDA BioPreferred product for Federal preferred procurement. Contains natural citrus ingredient. (1 gallon bottle)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Crème-Style Dispenser - Black



Gravity fed dispenser for both smooth and pumice hand cleaner bottles. Color black.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240024			
GOJO DISPENSER F/1115			
1204			
7-73852-01204	С	EA	CA

Hand Cleaner w/Pumice



Crme formula with fine Italian pumice scrubbing particles for extra cleaning action. For removing heavy grease, tar, and oil. (12 ounce cartridge)

Revison: Mar 2016

Hand Cleaners

36240210			
GOJO ORANGE W/PUMICE			
0955 GAL			
7-73852-00955	А	EA	CA

Natural Orange Smooth Hand Cleaner with Pump Dispenser 1gal



Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirts, and grease. Orange citrus scent. Qualifies as a USDA BioPreferred product for Federal preferred procurement. Contains natural citrus ingredient. (1 gallon bottle)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240261			
GOJO ORANGE W/PUMP			
0945 GAL			
7-73852-00945	В	EA	CA

Natural Orange Smooth Hand Cleaner 14-oz



Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirts, and grease. Orange citrus scent. Qualifies as a USDA BioPreferred product for Federal preferred procurement. Contains natural citrus ingredient. (14 ounce bottle)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

GOJO ORANGE BOTTLE 0947 14 OZ 7-73852-00947 B EA CA

Natural Orange Pumice Hand Cleaner with Pump Dispenser 1/2gal



Quick-acting lotion formula with pumice for cleaning a broad range of industrial soils, medium dirts, and grease. Orange citrus scent. Qualifies as a USDA BioPreferred product for Federal preferred procurement. Contains natural citrus ingredient. (1/2 gallon bottle)

B			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240318			
GOJO ORANGE W/PUMICE			
0958 1/2 GAL			
7-73852-00958	В	EA	CA

Scrubbing Wipes



Scrubbing Wipes 72ct



Heavy duty hand cleaning. Formulated to lift heavy dirt and grime from skin. Portable, convenient, and easy to use. Contains skin conditioners. Formulated to help prevent dryness and irritation. (72 wipes per canister)

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240000			
GOJO SCRUBBING WIPES			
6396-06			
7-73852-01216	В	EA	CA

Purell Liquid Hand Sanitizer 8 Ounce



America's #1 instant hand sanitizer delivers advanced antimicrobial germ kill while being very kind to the skin. Purell Advanced Instant Hand Sanitizer kills more than 99.99% of most common germs. This alcohol-based hand sanitizer works in as little as 15 seconds, with no water or towels needed. Provides unprecedented germ kill while soothing hands and maintaining skin health. Purell Advanced is enhanced with four different skin conditioning agents that help maintain skin health, skin moisture and improves overall skin feel.

ITEM NO.	eei.		
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Hand Cleaners

36243250			
PURELL LIQUID HAND SANITIZER			
9652-12 8 OZ			
7-73852-40090	С	EA	CA

Purell Hand Sanitizer Wipes 80 Count



The germ killing power of PURELL in an alcohol formulation wipe. Kills 99.99% of most common germs that may make you sick. Plus, the non-linting, durable, textured wipe removes light soils and dirt. The formula is fragrance and dye free and leaves no stickiness or residue on hands. Product meets FDA requirements for Food Code

Compilant.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36243251			
36243251 PURELL HAND SANITIZER WIPES			

Revison: Mar 2016

Grease Monkey Heavy Duty Mulit-Purpose Cleaning Wipes



Grease Monkey Wipes use a powerful, citrus formula to safely clean grease, grime, oil, lubricants, adhesives, ink and much more. No soap and water? No problem. Pre-moistened Grease Monkey Wipes are ideal for cleaning mobile messes associated with biking, boating, driving, fishing, hunting, camping, and much more.

- Extremely versatile for cleaning when soap and water is not available
- Use to remove grease, grime, gunk, oil, lubricants, tar, dirt, adhesives, and more
- 25-Count Canister, perfect for the shop, garage, trunk, shed, and more
- Powerful, citrus-based formula provides heavy duty cleaning in a convenient wipe

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240001			
GREASE MONKEY DEGREASER	WIPES		
602067653			
1-18122-67653		EA	CA

Paint Remover



GOJO Professional Paint & Body Shop Hand Cleaner



Uniquely formulated hand cleaner for quickly removing a variety of paints and stains. Does not contain petroleum distillates

iates.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240326			
GOJO PAINTER'S HAND CLNR			
1016-12 5 OZ			
7-73852-10106	С	EA	CA

Stockhausen Cupran Special Paint Remover for Hands



Stockhausen Cupran special paint remover for hands 2000 mL Softbottle. Simply the best paint remover for your hands. Contains biodegradable walnut shell scrubbers and powerful cleaners. Effectively removes oil based paints, lacquers, multi-component paints, adhesives, etc. A replacement for the use of harmful thinners and other solvents.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
36240400			
CUPRAN SPECIAL HAND CLEANER			
KSP250ML (81817) 8.45 OZ TUBE			
8-89223-81871	В	EA	CA

F/G Resin/Mats/Cloth

F/G Resin/Mats/Cloth



Fiberglass Resin



Bondo Fiberglass Resin is the same highstrength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers. Can also be used as a sealer on damaged and rotted wood. Seals concrete, is great on large or small metal rust-outs and joins most surfaces together while creating a strong and long lasting bond. Sandable in less than 2 hours. Compatible with all paints, including gel coat and marine paints. Waterproof. Includes Liquid Hardener.

merades Elquid Haracin	C1.		
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190017			
BONDO FIBERGLASS RESIN F	TNI		
401			
7-76308-00401	В	EA	CA
46190017			
BONDO FIBERGLASS RESIN C	QUART		
402			
7-76308-00402	В	EA	CA
46190017			
BONDO FIBERGLASS RESIN G	SALLON		
404			
7-76308-00404	В	EA	CA

Bondo Fiberglass Cloth



Bondo Fiberglass Cloth Tape, Mat and Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190092			
BONDO FIBERGLASS CLOTH			
499			
7-76308-00499	В	EA	CA

Bondo Fiberglass Cloth Tape



Bondo Fiberglass Cloth Tape, Mat and Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190122			
BONDO FIBERGLASS CLOTH TAP	PE		
477			
1 17 7			

Bondo Fiberglass Mat



Bondo Fiberglass Cloth Tape, Mat and Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot


ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190130			
BONDO FIBERGLASS MAT			
488			
7-76308-00488	С	EA	CA

Fiberglass Resin Polyester



Polyester Resin is a high-strength resin featuring quick curing and unbeatable f lexibility. Use on metal, wood, structural fiberglass and SMC for repairs, modifications and custom fabrications. Reinforce with fiberglass cloth, matting, or tape.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46191870			
FIBERGLASS RESIN POLYESTER			
GP500 QUART			
7-76308-03692	В	EA	CA



Hardeners/Spreaders



Bondo Liquid Hardener 11 mL



For use with Bondo polyester fiberglass resin and other resins requiring liquid hardener.

912			
BONDO LIQUID HARDNER			
46190068			
UPC	VL	UM	PK
MODEL/SIZE			
DESCRIPTION			
ITEM NO.			

Bondo Spreader 3 pack



Bondo Plastic Spreaders are great for applying fillers, putties, glazes and caulks. 3-Pack.

<u> </u>			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

Revison: Mar 2016

46190173			
BONDO PLASTIC SPREADERS			
357			
7-76308-00357	С	CG	CA

Bondo Red Cream Hardener



Bondo Red Cream Hardener is designed to be used with Bondo Body Fillers, Bondo-Glass Bondo-Hair and Fiberglass Resin Jelly. Formulated and packaged under temperature-controlled conditions which assures freshness and maximum performance.

mance.			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190904			
BONDO RED CREAM HARDENER			
913 .75 OZ			
7-76308-00913	С	CG	CA
46190904			
BONDO RED CREAM HARDENER			
928 (30748) 2.75 OZ			
7-76308-00928	С	EA	CA

3M White Cream Hardener 2.75 ounce



Hardener for use with Bondo Wood Filler and All-Purpose Putty. Bondo Home Solutions White Cream Hardener 20058 in now 3M White Cream Hardener. For use with Bondo Wood Filler and All-Purpose Putty.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46192161			
BONDO WHITE CREAM HARDE	NER		
20058 2.75 OZ			
7-76308-20058	С	EA	CA

Bondo Liquid Hardener 1.5 oz



For use with Bondo polyester fiberglass resin and other resins requiring liquid hardener

naraciicii			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46192192			
BONDO LIQUID HARDENER			
411 1.5OZ			
7-76308-00411	С	EA	CA

Fillers



Do-It-Yourself Body Filler



An American original. This industry leading body filler quickly and easily fills dents, scrapes, chips, cracks, and rust holes. Because it is specially designed to be non-shrinking and permanently durable, this reliable filler is great for a wide variety of automotive, home, and hobby projects. Experience the accomplishment of completing a repair or restoration with Bondo Body Filler.

- Extremely versatile filler perfect for a wide range of projects and applications
- Cures fast and shapes in minutes allowing same day completion of repairs
- Great for use on wood, metal, aluminum, fiberglass, masonry, and concrete and compatible with all paint systems
- Spreads easy and sands in only 20 minutes
- Includes cream hardener

• Includes cream nardener			
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190076			
BONDO BODY FILLER WITH CAP			
261 PT			
7-76308-00261	В	EA	CA
46190076			
BONDO BODY FILLER WITH CAP			
262 QT			
7-76308-00262	В	EA	CA
46190076			
BONDO BODY FILLER WITH CAP			
265 GAL			
203 GAL			

Auto Body Repair Kit



Bondo Body Repair Kits are the same top quality Bondo products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started. Step-by-step instructions are included. Kits include Body Filler, Red Cream Hardener, Self-Adhesive Metal Body Patch and Spreader.

ITEM NO.			
IILIVI NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190270			
BONDO AUTOBODY KIT PINT			
310			
7-76308-00310	С	EA	CA
46190270			
BONDO AUTOBODY KIT QUART			
312			
7-76308-00312	С	EA	CA

Bondo Glazing and Spot Putty 4.5 ounce



Bondo Glazing and Spot Putty is a 1-part putty that fills imperfections, pinholes in body filler, scratches, paint chips and minor dings. Can be used with other auto body repair materials. Sandable in only 30 minutes.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK

46190882			
BONDO GLAZING & SPOT PUTTY			
907 4.5 OZ			
7-76308-00907	В	CG	CA

Bondo Glazing and Spot Putty 16 ounce



Bondo Glazing and Spot Putty is a 1-part putty that fills imperfections, pinholes in body filler, scratches, paint chips and minor dings. Can be used with other auto body repair materials. Sandable in only 30 minutes.

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46192303			
BONDO GLAZING & SPOT PUTTY			
651 16 OZ			
7-76308-00651	В	EA	CA

F/G Repair Kit



Fiberglass Repair Kits



Bondo Fiberglass Repair Kits have everything needed for the Do-It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.

Auto Refrigerant & Equipment

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
46190157			
BONDO FIBERGLASS REPAIR KIT			
420 1/2 PT			
7-76308-00420	С	EA	CA
46190157			
BONDO FIBERGLASS REPAIR KIT			
422 QT			
7-76308-00422	В	EA	CA

Refrigerant & Leak Seal

Refrigerant & Leak Seal



Air Conditioning STOP LEAK & Detector 3-oz



- Interdynamics automotive air conditioning STOP LEAK & Detector
- Pinpoints and seals A/C leaks
- Seals common A/C leaks in rubber hoses, gaskets, and O-rings
- Contains red dye for easy detection of leak locations
- Safe for most A/C systems
- 3 ounce can

Revison: Mar 2016

ITEM NO.					
DESCRIPTION					
MODEL/SIZE					
UPC	VL	UM	PK		
49312037					
R134A STOP LEAK DETECTOR/SEALE					
LDS-1					
4-48168-02565	С	EA	CA		

EZ Chill R134a Refrigerant Plus Oil 13-oz



- Interdynamics EZ Chill R134a refrigerant plus oil
- Restores lost refrigerant and oil in automotive air conditioning systems
- Features system-safe leak sealer to help seal most common leaks in rubber hoses, gaskets, and O-rings
- Includes removable, reusable filling hose and low-pressure in-line gauge
- 13 ounce can

ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
40242020			
49312038			
EZ-CHILL R134A+OIL & LEAK SEAL	-		
	-		
EZ-CHILL R134A+OIL & LEAK SEAL	В	EA	CA

DuPont Suva R134A Refrigerant -12 oz



DuPont Suva 134a is an HFC retrofit refrigerant for R-12. It is used in new mediumand high-temperature stationary commercial refrigeration, as well as chiller systems and home appliances. In addition, it can be used to retrofit existing R-12 refrigeration and air conditioning systems. It is also the global standard for new mobile air conditioning and can be used to retrofit existing R-12 mobile air conditioning systems.

- *DuPont Suva 134a refrigerant or mobile A/C systems
- For use in new medium and high temperature stationary commercial refrigeration (including chiller systems and home appliances)
- Can be use to retrofit existing R-12 refrigeration and air conditioning systems
- Meets AHRI 700 and SAE J2776 Purity Standards
- 12 ounce can

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
49312039				
DUPONT SUVA R134A REFRIGERENT				
M1119 12oz (6312)				
3-39101-06312	В	EA	CA	

R134A Refrigent 30 lblbs



Keep you cars air conditioner cool all summer long with this value-size 30lb cylinder of R134a Refrigerant. The large size will save you time and money. Instead of purchasing several small cans of refrigerant, just one of these 30lb cylinders will allow for multiple recharges. This product is for use in retrofitted and/or factory installed R134a auto air conditioning units

R134a auto air condition	ıng unıt	IS.	
ITEM NO.			
DESCRIPTION			
MODEL/SIZE			
UPC	VL	UM	PK
49312040			
R134A REFRIGERENT 30LB			
7330			
9-93120-40	В	EA	CA

Refrigerant Charge Tools



Air Conditioning U-Charge Hose R134a



- FJC Automotive air conditioning U-charge hose
- Brass dispensing valve with hose and R134a quick coupler
- For use to charge A/C systems with R134a cans with 1/2 inch acme fitting

ITEM NO.				
DESCRIPTION				
MODEL/SIZE				
UPC	VL	UM	PK	
49312036				
R134A REFRIGERANT CHARGE KIT				
FJC6035				
0-09989-00654	В	EA	CA	

Air Conditioning R134a Dual Manifold Gauge Set



- Air conditioning dual manifold gauge set
- Brass block design
- --- Set includes: ---
- Dual gauge manifold
- 3-piece 72-inch hoses
- Pair of R134a quick couplers
- R134a tank adapter
- Hook attachment

ITEM NO.						
DESCRIPTION						
MODEL/SIZE						
UPC	VL	UM	PK			
49312041						
R134A A/C MANIFOLD GAUGE SET						
69925						
0-09989-01916		FΛ	C۸			