

# PRODUCT INFORMATION



CARB-MEDIC®  
CARBURETOR, CHOKE, & VALVE  
CLEANER

CODE  
M4814,24  
PAGE  
1 of 1  
DATE  
03/26/2008

**FUNCTION AND APPLICATION:** Cleans carburetor, choke linkage and manifold heat controls. Applied by spray to areas to be cleaned.

**OUTSTANDING PROPERTIES:** Will not harm catalytic converters or oxygen sensors. Cleans gasoline carburetors without removal from engine. Economical. Permits repeated applications from one can. No additional tools or equipment required.

**USE DIRECTIONS:** With engine cold, remove air cleaner. Spray product over exterior of carburetor and linkage. Let soak. Respray to flush off dirt. With gear in "neutral or park", set parking brake and start engine. Spray bursts into carburetor while lightly "revving" engine. If engine stalls, restart before continuing cleaning process.

**PRODUCT LIMITATIONS:** Stubborn cases of stuck heat riser valves may require use of Liquid WRENCH® Super Penetrant. DO NOT ALLOW CONTENTS TO COME IN CONTACT WITH CAR FINISH. Rinse off immediately to avoid paint removal.

**PRECAUTIONS:** Contains (CAS#) Xylene (1330-20-7), Methylene Chloride (75-09-2), Toluene (108-88-3), Ethylbenzene (100-41-4) and Carbon dioxide (124-38-9). Flammable. Harmful or fatal if swallowed. Eye and Skin Irritant. Vapor Harmful. Contents under pressure. **FIRST AID:** If swallowed, Do Not Induce Vomiting. Call Poison Control Center, Physician, or Hospital Emergency Room Immediately. If eye contacted, flush with water for at least 15 minutes while lifting eyelids and get prompt medical attention. If skin is contacted, wash thoroughly with soap and water. If irritation persists, get prompt medical attention. In case of inhalation, move to fresh air. If breathing becomes difficult, get prompt medical attention.

**WARNING:** This product contains a chemical known to the State of California to cause cancer, birth defects, and other reproductive harm.

**STORAGE & HANDLING:** Contents under pressure. Store in a cool place, below 120°F away from ignition sources, oxidizing agents. Do not puncture or incinerate containers. Use with adequate ventilation. Do not take internally. Keep out of reach of children and animals.

**DISPOSAL:** Dispose of container, residue and excess product in accordance with all federal, state and local laws and regulations.

**CONTAINER DESCRIPTION:** This product is available in 12.5 oz net wt (354 g) and 19 oz net wt (538 g) aerosol containers.

## Radiator Specialty Company

600 RADIATOR ROAD, INDIAN TRAIL, NC. 28079-5225 / 704-821-7643, 877-GO-4-GUNK

NOTICE: WHILE THIS INFORMATION IS PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, RADIATOR SPECIALTY COMPANY DOES NOT GUARANTEE SATISFACTORY RESULTS FROM RELIANCE THEREON. THE DATA IS OFFERED SOLELY FOR YOUR INFORMATION AND RADIATOR SPECIALTY COMPANY DISCLAIMS ALL LIABILITY FOR ANY LOSS OR DAMAGE FROM ITS USE. THOROUGHLY TEST ANY APPLICATION ACCORDING TO THE PRODUCT DIRECTIONS AND INDEPENDENTLY CONCLUDE SATISFACTORY PERFORMANCE. NOTHING CONTAINED HEREIN IS TO BE CONSTRUED AS A RECOMMENDATION TO USE THE PRODUCT IN VIOLATION OF ANY PATENT.